

2018

# 새와 생명의 터 조류목록

## The Birds Korea Checklist



# The Birds Korea Checklist (2018)





An annotated list of all bird taxa recorded in the Republic of Korea

Moores, N., Ha J-M. & Seo H-M. (January 2018, March 2018)







새와 생명의 터  
BIRDS KOREA

Birds Korea is a small, specialized organization dedicated to the conservation of birds and their habitats in Korea and the wider Yellow Sea Eco-region.

To help improve conservation opportunities of birds and their habitats, we maintain an open access checklist of bird species and subspecies. In 2007 and 2009, we developed and published online checklists of birds recorded on the Korean Peninsula, and in 2013 and 2014 of birds recorded only in the Republic of Korea. The 2014 checklist was also published formally in *Status of Birds* (Moore et al. 2014). This report for the first time organized all regularly-occurring bird species in the Republic of Korea, i.e. all species with >5 individuals likely present every year in the previous ten years, into four major categories (of  Red,  Amber,  Green and  Grey) to help identify conservation priorities.

The 2018 Checklist contains 370 currently or historically regularly occurring species organized into these four conservation categories. This total includes four rarely-recorded species (i.e. Long-tailed Duck *Clangula hyemalis*, Swinhoe's Rail *Coturnicops exquisitus*, Band-bellied Crake *Porzana paykullii*, and South Polar Skua *Stercorarius maccormicki*) that are considered likely to be regularly occurring but are probably largely overlooked due to their secrecy and/ or the low accessibility of their habitats.

In the Birds Korea Checklist (2018):

-  58 species are Red-Listed, i.e. they are the Highest Conservation Priorities.
-  82 are Amber-Listed, i.e. they are High Conservation Priorities.
-  228 are Green-Listed, in that they are assessed globally as Least Concern (BirdLife International 2017); and/ or appear either to be stable or to have shown an increase in population.
-  Eight are Grey-Listed, in that they were previously regularly-occurring species but have not occurred regularly in at least the past decade.

For more detail on the assessment process and application of criteria, please refer to Moore et al. (2014).

## Birds Korea

Address: 48559 Birds Korea, Hyundai I-PARK 101-1902, Yongdangdong,  
Dongmyungro 26, Namgu, Busan, Republic of Korea

Phone: 051-627-3163

FAX: 051-627-3164

Email: [inquiries@birdskorea.org](mailto:inquiries@birdskorea.org)

## Recommended Citation

Moore, N., Ha J-M. & Seo H-M. 2018. The Birds Korea Checklist (2018). Published by Birds Korea, Busan, Republic of Korea.

# Introduction

The Birds Korea Checklist (2018) lists taxa recorded in the ROK. It includes 551 naturally-occurring species (and their subspecies) which have been adequately documented (i.e. with their identification supported by independently-identifiable specimens, images or sound-recordings); one introduced species; and an additional ~22 species which lack adequate documentation for which descriptions (or in a few cases low quality images) might permit identification by independent reviewers.

This version of the checklist was completed in January 2018, with additional editing by Matt Poll, and some further editing in March 2018 following input from Miklós Rapala. Like several previous Birds Korea checklists, the Birds Korea Checklist (2018) follows the order and the scientific and English nomenclature recommended by the International Ornithologists' Union (for this checklist as recommended by Gill & Donsker 2017), with only a few exceptions. English names preferred by Birds Korea (when different from Gill & Donsker 2017) are indicated by an obelus (†); and different taxonomic choices by an asterisk (\*). Korean names are based on Park (2014). We also include each species' global conservation status as assessed and published online by BirdLife International in December 2017 (BirdLife International 2017).

As with previous versions of the Birds Korea Checklist, Moores et al. (2018) is a work-in-progress. Some valuable information likely remains inaccessible and there is no permanent committee in the ROK dedicated to the review of national records or status or to help develop consensus on taxonomy and nomenclature. Largely as a result, there are substantial differences between Birds Korea checklists and checklists published since 2000 by the Ministry of Environment, Korea National Parks and Ornithological Society of Korea. Major differences include our following the recommendations of the IOC; the division of species into categories; an assessment of conservation status; and the inclusion or exclusion of several taxa - this following an independent review of best information and detailed discussion on these records with experts who have substantial experience of the relevant taxa.

# How to use

## Categories

To help increase confidence in the records, Moores et al. (2018) is divided into five categories and a pending file.

- CAT 1** Species of bird (and their subspecies) recorded in the ROK since 1980, adequately-documented with independently identifiable photographs, sound recordings and / or specimens.
- CAT 2** Species of bird (and their subspecies) recorded in the ROK before 1980, credibly supported by photographs or specimens, which have not been recorded since 1980 with the same level of documentation. Species are assessed as either 2.1 (with records lacking adequate documentation since January 1st 1980); or 2.2 (apparently not recorded since January 1st 1980).
- CAT 3** Species of bird (and their subspecies) recorded in the ROK by three or more observers or with more than one record made by a single observer, with the record(s) supported with a detailed description but without independently-identifiable photographs and / or sound recordings.
- CAT 4** Species of bird recorded only once in the Republic of Korea by one or two observers supported with a detailed description but without independently-identifiable photographs or sound recordings.
- CAT 5** Introduced bird species that have maintained self-sustaining populations in the Republic of Korea for more than 20 years.
- Pending** Species of bird recorded in the Republic of Korea with the observation supported by poor quality photographic evidence and / or sound recordings in need of further independent review.

## Global Conservation Status (GCS)

Each species' global conservation status follows BirdLife International (2017), and is indicated by two letters.

|           |                       |           |               |           |                |
|-----------|-----------------------|-----------|---------------|-----------|----------------|
| <b>CR</b> | Critically Endangered | <b>EN</b> | Endangered    | <b>VU</b> | Vulnerable     |
| <b>NT</b> | Near Threatened       | <b>LC</b> | Least Concern | <b>NR</b> | Not Recognised |

## National Conservation Status (NCS) in the ROK

The National Conservation Status is based on a hierarchy of criteria set out by Moores et al. (2014), with regularly occurring species divided into four major categories. ● Red is used to indicate the Highest Conservation Priorities. This assessment is based on their being listed as Globally Threatened (BirdLife International 2017) or Nationally Endangered or Critically Endangered (NIBR 2011); and / or having undergone a major historical decline; and / or a decline of 50% or more since 1990 or of 25% or more since 2000. ● Amber is used to indicate High Conservation Priorities. This assessment is based on their being listed as Globally Near Threatened (BirdLife International 2017) or Nationally Vulnerable or Near Threatened (NIBR 2011); and / or having undergone a large historical decline; and / or a decline estimated at 25-49% since 1990. ● Green is used to indicate Lower Conservation Priorities (primarily species which are increasing, stable or decreasing at rates too slow to trigger Red or Amber listing); and ● Grey to indicate species already effectively extirpated from the ROK. ○ Empty circles are used to indicate species that are not considered to be regularly occurring in the ROK.

## Status and Abundance in the ROK

The Status and Abundance of each taxon is indicated by a combination of letters (indicating seasonality) and numbers (indicating estimated bands of abundance), with the season of greatest abundance listed first. For wintering waterbirds, abundance (and population trend) is based on the results of the winter bird census conducted by the Ministry of Environment (MOE 1999-2017), especially years 2014-2017; and for migratory shorebirds on surveys e.g. conducted by the Shorebird Network Korea (SNK 2010-2014) and Birds Korea in 2016 and 2017. For most landbirds and seabirds, abundance is estimated rather or much more coarsely, in many cases by interpretation of recent count data (e.g. Moores et al. 2017) and older literature, e.g. NIBR (2010). In a few cases, a question mark is used to indicate uncertainty about the occurrence of a given taxon; and in Category Two, brackets are used to help indicate historical status.

### Seasonality

R Resident                      S Summer Visitor  
P Passage Migrant    W Winter Visitor

### Abundance

|     |   |
|-----|---|
| 1   | ≥100,000 individuals per year   |
| 2   | 10,000-99,999 individuals per year                                      |
| 3   | 1,000-9,999 individuals per year  |
| 4   | 100-999 individuals per year  |
| 5   | 10-99 individuals per year  |
| V1  | Scarcely recorded, ≥10 records since 1980 but less than 10 records/year |
| V2  | Rarely recorded, 1-9 records since 1980                                 |
| EXT | Extirpated  |

**Breeding Status (BS)**

0 No breeding records

1 Breeding confirmed since 1980

2 Breeding suspected since 1980

3 Breeding confirmed before 1980, but not subsequently

4 Breeding suspected before 1980, but not subsequently

# Checklist

## CAT 1

| Anseriformes Anatidae – Duck, Goose, Swan |                             |                           | NCS | GCS | STATUS      | BS |
|---|-----------------------------|---------------------------|-----|-----|-------------|----|
| 1   | Brant Goose                 | <i>Branta bernicla</i>    | ●   | LC  | WV1         | 0  |
|   |                             | <i>nigricans</i>          |     |     | WV1         | 0  |
| 2   | Red-breasted Goose          | <i>Branta ruficollis</i>  | ○   | VU  | V2          | 0  |
| 3   | Canada Goose                | <i>Branta canadensis</i>  | ○   | LC  | V2          | 0  |
|   |                             | <i>parvipes</i>           |     |     | V2          | 0  |
| 4   | Barnacle Goose              | <i>Branta leucopsis</i>   | ○   | LC  | V2          | 0  |
| 5   | Cackling Goose              | <i>Branta hutchinsii</i>  | ○   | LC  | WV1         | 0  |
|   |                             | <i>leucopareia</i>        |     |     | WV1         | 0  |
|   |                             | <i>minima</i>             |     |     | WV2         | 0  |
|   |                             | <i>taverneri</i>          |     |     | WV2         | 0  |
| 6   | Bar-headed Goose            | <i>Anser indicus</i>      | ○   | LC  | V2          | 0  |
| 7   | Emperor Goose               | <i>Anser canagicus</i>    | ○   | NT  | V2          | 0  |
| 8   | Snow Goose                  | <i>Anser caerulescens</i> | ○   | LC  | WV1         | 0  |
|   |                             | <i>caerulescens</i>       |     |     | WV1         | 0  |
| 9   | Greylag Goose               | <i>Anser anser</i>        | ○   | LC  | V2          | 0  |
|   |                             | <i>rubrirostris</i>       |     |     | V2          | 0  |
| 10  | Swan Goose                  | <i>Anser cygnoides</i>    | ●   | VU  | P4, W5      | 0  |
| 11  | Taiga Bean Goose            | <i>Anser fabalis</i>      | ●   | LC  | P3, W3, SV2 | 0  |
|   |                             | <i>johanseni</i>          |     |     | V2?         | 0  |
|   |                             | <i>middendorffii</i>      |     |     | P3, W3, SV2 | 0  |
| 12  | Tundra Bean Goose           | <i>Anser serrirostris</i> | ●   | NR  | P2, W2, SV2 | 0  |
|   |                             | <i>serrirostris</i>       |     |     | P2, W2, SV2 | 0  |
| 13  | Greater White-fronted Goose | <i>Anser albifrons</i>    | ●   | LC  | P1, W1, SV1 | 0  |
|   |                             | <i>albifrons</i>          |     |     | W4          | 0  |
|   |                             | <i>frontalis</i> *        |     |     | P1, W1, SV1 | 0  |
| 14  | Lesser White-fronted Goose  | <i>Anser erythropus</i>   | ●   | VU  | P5, W5      | 0  |
| 15  | Mute Swan                   | <i>Cygnus olor</i>        | ●   | LC  | WV1         | 0  |
| 16  | Tundra Swan                 | <i>Cygnus columbianus</i> | ●   | LC  | W5          | 0  |
|   |                             | <i>bewickii</i>           |     |     | W5          | 0  |

| Anseriformes Anatidae – Duck, Goose, Swan |                          |                                  | NCS | GCS | STATUS      | BS |
|---|--------------------------|----------------------------------|-----|-----|-------------|----|
| 17  | Whooper Swan             | <i>Cygnus cygnus</i>             | ●   | LC  | W3, SV2     | 0  |
| 18  | Common Shelduck          | <i>Tadorna tadorna</i>           | ●   | LC  | W2, SV2     | 0  |
| 19  | Ruddy Shelduck           | <i>Tadorna ferruginea</i>        | ●   | LC  | W3, SV2     | 0  |
| 20  | Mandarin Duck            | <i>Aix galericulata</i>          | ●   | LC  | R3, P3, W3  | 1  |
| 21  | Baikal Teal              | <i>Sibirionetta formosa</i>      | ●   | LC  | W1, SV2     | 0  |
| 22  | Garganey                 | <i>Spatula querquedula</i>       | ●   | LC  | P4          | 0  |
| 23  | Northern Shoveler        | <i>Spatula clypeata</i>          | ●   | LC  | W3, SV2     | 0  |
| 24  | Gadwall                  | <i>Mareca strepera</i>           | ●   | LC  | W3, SV2     | 0  |
|   |                          | <i>strepera</i>                  |     |     | W3, SV2     | 0  |
| 25  | Falcated Duck            | <i>Mareca falcata</i>            | ●   | NT  | W3, SV1     | 2  |
| 26  | Eurasian Wigeon          | <i>Mareca penelope</i>           | ●   | LC  | W3, SV1     | 0  |
| 27  | American Wigeon          | <i>Mareca americana</i>          | ○   | LC  | WV1         | 0  |
| 28  | Eastern Spot-billed Duck | <i>Anas zonorhyncha</i>          | ●   | LC  | W2, R3      | 1  |
| 29  | Mallard                  | <i>Anas platyrhynchos</i>        | ●   | LC  | W1, P2, R4  | 1  |
|   |                          | <i>platyrhynchos</i>             |     |     | W1, P2, R4  | 1  |
| 30  | Northern Pintail         | <i>Anas acuta</i>                | ●   | LC  | W3, SV2     | 0  |
| 31  | Eurasian Teal            | <i>Anas crecca</i>               | ●   | LC  | W2, SV1     | 0  |
|   |                          | <i>crecca</i>                    |     |     | W2, SV1     | 0  |
|   |                          | <i>nimia</i>                     |     |     | DD          | 0  |
| 32  | Green-winged Teal        | <i>Anas carolinensis</i>         | ○   | NR  | V2          | 0  |
| 33  | Red-crested Pochard      | <i>Netta rufina</i>              | ○   | LC  | WV1         | 0  |
| 34  | Common Pochard           | <i>Aythya ferina</i>             | ●   | VU  | W2, SV1     | 0  |
| 35  | Baer's Pochard           | <i>Aythya baeri</i>              | ○   | CR  | V1          | 0  |
| 36  | Ferruginous Duck         | <i>Aythya nyroca</i>             | ○   | NT  | V1          | 0  |
| 37  | Ring-necked Duck         | <i>Aythya collaris</i>           | ○   | LC  | V2          | 0  |
| 38  | Tufted Duck              | <i>Aythya fuligula</i>           | ●   | LC  | W3, P4, SV2 | 0  |
| 39  | Greater Scaup            | <i>Aythya marila</i>             | ●   | LC  | W3, SV2     | 0  |
|   |                          | <i>nearctica</i>                 |     |     | W3, SV2     | 0  |
| 40  | Lesser Scaup             | <i>Aythya affinis</i>            | ○   | LC  | V2          | 0  |
| 41  | King Eider               | <i>Somateria spectabilis</i>     | ○   | LC  | V2          | 0  |
| 42  | Harlequin Duck           | <i>Histrionicus histrionicus</i> | ●   | LC  | W5          | 0  |



| Anseriformes Anatidae – Duck, Goose, Swan |                        |                            | NCS | GCS | STATUS  | BS |
|---|------------------------|----------------------------|-----|-----|---------|----|
| 43  | Stejneger's Scoter †   | <i>Melanitta deglandi</i>  | ●   | LC  | W4, SV2 | 0  |
|   |                        | <i>stejnegeri</i>          |     |     | W4, SV2 | 0  |
| 44  | American Scoter †      | <i>Melanitta americana</i> | ●   | NT  | W4      | 0  |
| 45  | Long-tailed Duck       | <i>Clangula hyemalis</i>   | ●   | VU  | WV1     | 0  |
| 46  | Bufflehead             | <i>Bucephala albeola</i>   | ○   | LC  | V2      | 0  |
| 47  | Common Goldeneye       | <i>Bucephala clangula</i>  | ●   | LC  | W3      | 0  |
|   |                        | <i>clangula</i>            |     |     | W3      | 0  |
| 48  | Smew                   | <i>Mergellus albellus</i>  | ●   | LC  | W3      | 0  |
| 49  | Common Merganser       | <i>Mergus merganser</i>    | ●   | LC  | W2, R5  | 1  |
|   |                        | <i>orientalis</i>          |     |     | W2, R5  | 1  |
| 50  | Red-breasted Merganser | <i>Mergus serrator</i>     | ●   | LC  | W3, SV2 | 0  |
| 51  | Scaly-sided Merganser  | <i>Mergus squamatus</i>    | ●   | EN  | W4, P5  | 0  |

Galliformes Phasianidae – Pheasant, Quail

|    |                 |                            |   |    |         |   |
|----|-----------------|----------------------------|---|----|---------|---|
| 52 | Hazel Grouse    | <i>Tetrastes bonasia</i>   | ● | LC | R1      | 1 |
|    |                 | <i>amurensis</i>           |   |    | R1      | 1 |
| 53 | Japanese Quail  | <i>Coturnix japonica</i>   | ● | NT | W4, SV2 | 1 |
| 54 | Common Pheasant | <i>Phasianus colchicus</i> | ● | LC | R1      | 1 |
|    |                 | <i>karpowi</i>             |   |    | R1      | 1 |

Gaviiformes Gaviidae – Loon

|    |                    |                       |   |    |             |   |
|----|--------------------|-----------------------|---|----|-------------|---|
| 55 | Red-throated Loon  | <i>Gavia stellata</i> | ● | LC | P3, W4      | 0 |
| 56 | Arctic Loon †      | <i>Gavia arctica</i>  | ● | LC | W3, SV2     | 0 |
|    |                    | <i>viridigularis</i>  |   |    | W3, SV2     | 0 |
| 57 | Pacific Loon       | <i>Gavia pacifica</i> | ● | LC | P3, W3, SV2 | 0 |
| 58 | Yellow-billed Loon | <i>Gavia adamsii</i>  | ● | NT | W5, SV2     | 0 |

Procellariiformes Hydrobatidae – Storm Petrel

|    |                        |                             |   |    |    |   |
|----|------------------------|-----------------------------|---|----|----|---|
| 59 | Swinhoe's Storm Petrel | <i>Oceanodroma monorhis</i> | ● | NT | S1 | 1 |
|----|------------------------|-----------------------------|---|----|----|---|

| Procellariiformes Procellariidae – Shearwater |                         |                               | NCS | GCS | STATUS  | BS |
|---|-------------------------|-------------------------------|-----|-----|---------|----|
| 60  | Bonin Petrel            | <i>Pterodroma hypoleuca</i>   | ○   | LC  | V2      | 0  |
| 61  | Streaked Shearwater     | <i>Calonectris leucomelas</i> | ●   | NT  | S2      | 1  |
| 62  | Short-tailed Shearwater | <i>Ardenna tenuirostris</i>   | ●   | LC  | P4, WV2 | 0  |
| 63  | Flesh-footed Shearwater | <i>Ardenna carneipes</i>      | ●   | NT  | P5      | 0  |
| 64  | Bulwer's Petrel         | <i>Bulweria bulwerii</i>      | ○   | LC  | V2      | 0  |

Podicipediformes Podicipedidae – Grebe

|    |                     |                               |   |    |         |   |
|----|---------------------|-------------------------------|---|----|---------|---|
| 65 | Little Grebe        | <i>Tachybaptus ruficollis</i> | ● | LC | R3      | 1 |
|    |                     | <i>poggei</i>                 |   |    | R3      | 1 |
| 66 | Red-necked Grebe    | <i>Podiceps grisegena</i>     | ● | LC | W4      | 0 |
|    |                     | <i>holbollii</i>              |   |    | W4      | 0 |
| 67 | Great Crested Grebe | <i>Podiceps cristatus</i>     | ● | LC | W2, R4  | 1 |
|    |                     | <i>cristatus</i>              |   |    | W2, R4  | 1 |
| 68 | Horned Grebe        | <i>Podiceps auritus</i>       | ● | VU | W5, SV2 | 0 |
|    |                     | <i>auritus</i>                |   |    | W5, SV2 | 0 |
| 69 | Black-necked Grebe  | <i>Podiceps nigricollis</i>   | ● | LC | W4      | 0 |
|    |                     | <i>nigricollis</i>            |   |    | W4      | 0 |

Phoenicopteriformes Phoenicopteridae – Flamingo

|    |                  |                              |   |    |    |   |
|----|------------------|------------------------------|---|----|----|---|
| 70 | Greater Flamingo | <i>Phoenicopterus roseus</i> | ○ | LC | V2 | 0 |
|----|------------------|------------------------------|---|----|----|---|

Ciconiiformes Ciconiidae – Stork

|    |                |                         |   |    |         |   |
|----|----------------|-------------------------|---|----|---------|---|
| 71 | Black Stork    | <i>Ciconia nigra</i>    | ● | LC | V1      | 3 |
| 72 | Oriental Stork | <i>Ciconia boyciana</i> | ● | EN | W5, SV2 | 3 |

Pelecaniformes Threskiornithidae – Spoonbill, Ibis

|    |                       |                                    |   |    |         |   |
|----|-----------------------|------------------------------------|---|----|---------|---|
| 73 | Black-headed Ibis     | <i>Threskiornis melanocephalus</i> | ○ | NT | V2      | 0 |
| 74 | Eurasian Spoonbill    | <i>Platalea leucorodia</i>         | ● | LC | W4, SV1 | 0 |
|    |                       | <i>leucorodia</i>                  |   |    | W4, SV1 | 0 |
| 75 | Black-faced Spoonbill | <i>Platalea minor</i>              | ● | EN | S3, R5  | 1 |

| Pelecaniformes Ardeidae – Heron, Egret, Bittern |                           |                                | NCS | GCS | STATUS      | BS |
|---|---------------------------|--------------------------------|-----|-----|-------------|----|
| 76  | Eurasian Bittern          | <i>Botaurus stellaris</i>      | ●   | LC  | W5, P5      | 0  |
|   |                           | <i>stellaris</i>               |     |     | W5, P5      | 0  |
| 77  | Yellow Bittern            | <i>Ixobrychus sinensis</i>     | ●   | LC  | S4          | 1  |
| 78  | Von Schrenck's Bittern    | <i>Ixobrychus eurhythmus</i>   | ●   | LC  | S5          | 1  |
| 79  | Cinnamon Bittern          | <i>Ixobrychus cinnamomeus</i>  | ○   | LC  | PV1         | 2  |
| 80  | Black Bittern             | <i>Dupetor flaviollis</i>      | ○   | LC  | PV1         | 0  |
| 81  | Japanese Night Heron      | <i>Gorsachius goisagi</i>      | ○   | EN  | PV1, SV2    | 1  |
| 82  | Malayan Night Heron       | <i>Gorsachius melanolophus</i> | ○   | LC  | V2          | 0  |
| 83  | Black-crowned Night Heron | <i>Nycticorax nycticorax</i>   | ●   | LC  | S3, R5      | 1  |
|   |                           | <i>nycticorax</i>              |     |     | S3, R5      | 1  |
| 84  | Striated Heron            | <i>Butorides striata</i>       | ●   | LC  | S3, WV2     | 1  |
|   |                           | <i>amurensis</i>               |     |     | S3, WV2     | 1  |
| 85  | Chinese Pond Heron        | <i>Ardeola bacchus</i>         | ●   | LC  | P4, S5, WV2 | 1  |
| 86  | Eastern Cattle Egret      | <i>Bubulcus coromandus</i>     | ●   | NR  | S3          | 1  |
| 87  | Grey Heron                | <i>Ardea cinerea</i>           | ●   | LC  | S2, R3      | 1  |
|   |                           | <i>cinerea</i>                 |     |     | DD?         | 0  |
|   |                           | <i>jouyi</i>                   |     |     | S2, R3      | 1  |
| 88  | Purple Heron              | <i>Ardea purpurea</i>          | ●   | LC  | P5, SV2     | 0  |
|   |                           | <i>manilensis</i>              |     |     | P5, SV2     | 0  |
| 89  | Great Egret               | <i>Ardea alba</i>              | ●   | LC  | S2, P3, W3  | 1  |
|   |                           | <i>alba</i>                    |     |     | W3, SV1     | 0  |
|   |                           | <i>modesta</i>                 |     |     | S2, P3, WV1 | 1  |
| 90  | Intermediate Egret        | <i>Ardea intermedia</i>        | ●   | LC  | S3          | 1  |
|   |                           | <i>intermedia</i>              |     |     | S3          | 1  |
| 91  | Little Egret              | <i>Egretta garzetta</i>        | ●   | LC  | S2, W4      | 1  |
|   |                           | <i>garzetta</i>                |     |     | S2, W4      | 1  |
| 92  | Pacific Reef Egret †      | <i>Egretta sacra</i>           | ●   | LC  | R4          | 1  |
|   |                           | <i>sacra</i>                   |     |     | R4          | 1  |
| 93  | Chinese Egret             | <i>Egretta eulophotes</i>      | ●   | VU  | S4, WV2     | 1  |

| Suliformes Fregatidae – Frigatebird                 |                        |                                 | NCS | GCS | STATUS     | BS |
|---|------------------------|---------------------------------|-----|-----|------------|----|
| 94  | Great Frigatebird      | <i>Fregata minor</i>            | ○   | LC  | V2         | 0  |
|   |                        | <i>minor</i>                    |     |     | V2         | 0  |
| 95  | Lesser Frigatebird     | <i>Fregata ariel</i>            | ○   | LC  | V1         | 0  |
|   |                        | <i>ariel</i>                    |     |     | V1         | 0  |
| Suliformes Sulidae – Booby                          |                        |                                 |     |     |            |    |
| 96  | Masked Booby           | <i>Sula dactylatra</i>          | ○   | LC  | V2         | 0  |
|   |                        | <i>dactylatra / personata</i>   |     |     | V2         | 0  |
| 97  | Red-footed Booby       | <i>Sula sula</i>                | ○   | LC  | V2         | 0  |
|   |                        | <i>rubripes</i>                 |     |     | V2         | 0  |
| 98  | Brown Booby            | <i>Sula leucogaster</i>         | ○   | LC  | V1         | 0  |
|   |                        | <i>plotus</i>                   |     |     | V1         | 0  |
| Suliformes Phalacrocoracidae – Cormorant            |                        |                                 |     |     |            |    |
| 99  | Pelagic Cormorant      | <i>Phalacrocorax pelagicus</i>  | ●   | LC  | W3, R4     | 1  |
|   |                        | <i>pelagicus</i>                |     |     | W3, R4     | 1  |
| 100   | Great Cormorant        | <i>Phalacrocorax carbo</i>      | ●   | LC  | W2, R4     | 1  |
|   |                        | <i>sinensis</i>                 |     |     | W2, R4     | 1  |
|   |                        | <i>hanedae</i>                  |     |     | DD         | 2  |
| 101   | Temminck's Cormorant † | <i>Phalacrocorax capillatus</i> | ●   | LC  | R3, W4     | 1  |
| Accipitriformes Pandionidae – Osprey                |                        |                                 |     |     |            |    |
| 102   | Western Osprey         | <i>Pandion haliaetus</i>        | ●   | LC  | P4, W5, R5 | 1  |
|   |                        | <i>haliaetus</i>                |     |     | P4, W5, R5 | 1  |
| Accipitriformes Accipitridae – Eagle, Hawk, Harrier |                        |                                 |     |     |            |    |
| 103   | Black-winged Kite      | <i>Elanus caeruleus</i>         | ○   | LC  | V2         | 0  |
|   |                        | <i>vociferus</i>                |     |     | V2         | 0  |
| 104   | Bearded Vulture        | <i>Gypaetus barbatus</i>        | ○   | NT  | V2         | 0  |
|   |                        | <i>barbatus</i>                 |     |     | V2         | 0  |
| 105   | Crested Honey Buzzard  | <i>Pernis ptilorhynchus</i>     | ●   | LC  | P3, S5     | 1  |
|   |                        | <i>orientalis</i>               |     |     | P3, S5     | 1  |
| 106   | Himalayan Vulture      | <i>Gyps himalayensis</i>        | ○   | NT  | V2         | 0  |

| Accipitriformes Accipitridae – Eagle, Hawk, Harrier |                        |                                | NCS | GCS | STATUS      | BS |
|---|------------------------|--------------------------------|-----|-----|-------------|----|
| 107   | Cinereous Vulture      | <i>Aegypius monachus</i>       | ●   | NT  | W3, SV2     | 0  |
| 108   | Crested Serpent Eagle  | <i>Spilornis cheela</i>        | ○   | LC  | V2          | 0  |
|   |                        | <i>ricketti</i>                |     |     | V2          | 0  |
| 109   | Short-toed Snake Eagle | <i>Circaetus gallicus</i>      | ○   | LC  | V2          | 0  |
| 110   | Greater Spotted Eagle  | <i>Clanga clanga</i>           | ●   | VU  | P5, WV1     | 0  |
| 111   | Booted Eagle           | <i>Hieraaetus pennatus</i>     | ○   | LC  | V2          | 0  |
| 112   | Steppe Eagle           | <i>Aquila nipalensis</i>       | ○   | EN  | V1          | 0  |
|   |                        | <i>nipalensis</i>              |     |     | V1          | 0  |
| 113   | Eastern Imperial Eagle | <i>Aquila heliaca</i>          | ○   | VU  | V1          | 0  |
| 114   | Golden Eagle           | <i>Aquila chrysaetos</i>       | ●   | LC  | W5, SV2     | 3  |
|   |                        | <i>kamtschatica / japonica</i> |     |     | W5, SV2     | 3  |
| 115   | Bonelli's Eagle        | <i>Aquila fasciata</i>         | ○   | LC  | V2          | 0  |
|   |                        | <i>fasciata</i>                |     |     | V2          | 0  |
| 116   | Chinese Sparrowhawk    | <i>Accipiter soloensis</i>     | ●   | LC  | P3, S4      | 1  |
| 117   | Japanese Sparrowhawk   | <i>Accipiter gularis</i>       | ●   | LC  | P3, R4      | 1  |
|   |                        | <i>sibiricus</i>               |     |     | DD?         | 0  |
|   |                        | <i>gularis</i>                 |     |     | P3, R4      | 1  |
| 118   | Eurasian Sparrowhawk   | <i>Accipiter nisus</i>         | ●   | LC  | P3, W3, SV2 | 2  |
|   |                        | <i>nisosimilis</i>             |     |     | P3, W3, SV2 | 2  |
| 119   | Northern Goshawk       | <i>Accipiter gentilis</i>      | ●   | LC  | P3, W3, R5  | 1  |
|   |                        | <i>albidus</i>                 |     |     | V2          | 0  |
|   |                        | <i>schvedowi</i>               |     |     | P3, W3, R5  | 1  |
|   |                        | <i>fujiyamae</i>               |     |     | W4          | 0  |
| 120   | Eastern Marsh Harrier  | <i>Circus spilonotus</i>       | ●   | LC  | P5, WV1     | 0  |
| 121   | Hen Harrier            | <i>Circus cyaneus</i>          | ●   | LC  | W4, P5      | 0  |
| 122   | Pied Harrier           | <i>Circus melanoleucos</i>     | ●   | LC  | P5, SV2     | 1  |
| 123   | Black Kite             | <i>Milvus migrans</i>          | ●   | LC  | P4, W4, R5  | 1  |
|   |                        | <i>lineatus</i>                |     |     | P4, W4, R5  | 1  |
| 124   | White-tailed Eagle     | <i>Haliaeetus albicilla</i>    | ●   | LC  | W4, RV1     | 1  |
|   |                        | <i>albicilla</i>               |     |     | W4, RV1     | 1  |
| 125   | Steller's Sea Eagle    | <i>Haliaeetus pelagicus</i>    | ●   | VU  | W5          | 0  |
|   |                        | <i>pelagicus</i>               |     |     | W5          | 0  |
|   |                        | var. <i>niger</i> *            |     |     | DD          | 0  |

| Accipitriformes Accipitridae – Eagle, Hawk, Harrier |                         |                               | NCS | GCS | STATUS      | BS |
|---|-------------------------|-------------------------------|-----|-----|-------------|----|
| 126   | Grey-faced Buzzard      | <i>Butastur indicus</i>       | ●   | LC  | P2, S5      | 1  |
| 127   | Rough-legged Buzzard    | <i>Buteo lagopus</i>          | ●   | LC  | W5          | 0  |
|   |                         | <i>menzbieri</i>              |     |     | W5          | 0  |
|   |                         | <i>kamtschatkensis</i>        |     |     | WV2         | 0  |
| 128   | Upland Buzzard          | <i>Buteo hemilasius</i>       | ●   | LC  | P5, W5      | 0  |
| 129   | Eastern Buzzard         | <i>Buteo japonicus</i>        | ●   | LC  | P3, W3, SV2 | 0  |
|   |                         | <i>japonicus</i>              |     |     | P3, W3, SV2 | 0  |
| <b>Otidiformes Otididae – Bustard</b>               |                         |                               |     |     |             |    |
| 130   | Great Bustard           | <i>Otis tarda</i>             | ●   | VU  | WV2         | 0  |
|   |                         | <i>dybowskii</i>              |     |     | WV2         | 0  |
| <b>Gruiformes Rallidae – Rail, Coot</b>             |                         |                               |     |     |             |    |
| 131   | Swinhoe's Rail          | <i>Coturnicops exquisitus</i> | ●   | VU  | V2          | 0  |
| 132   | Western Water Rail †    | <i>Rallus aquaticus</i>       | ○   | LC  | WV2         | 0  |
|   |                         | <i>korejewi</i>               |     |     | WV2         | 0  |
| 133   | Eastern Water Rail †    | <i>Rallus indicus</i>         | ●   | LC  | W5          | 0  |
| 134   | White-breasted Waterhen | <i>Amaurornis phoenicurus</i> | ●   | LC  | P5, SV2     | 1  |
|   |                         | <i>phoenicurus</i>            |     |     | P5, SV2     | 1  |
| 135   | Baillon's Crake         | <i>Porzana pusilla</i>        | ●   | LC  | P5          | 0  |
|   |                         | <i>pusilla</i>                |     |     | P5          | 0  |
| 136   | Ruddy-breasted Crake    | <i>Porzana fusca</i>          | ●   | LC  | S5          | 1  |
|   |                         | <i>erythrothorax</i>          |     |     | S5          | 1  |
| 137   | Band-bellied Crake      | <i>Porzana paykullii</i>      | ●   | NT  | V1          | 2  |
| 138   | Watercock               | <i>Gallicrex cinerea</i>      | ●   | LC  | S5          | 1  |
| 139   | Common Moorhen          | <i>Gallinula chloropus</i>    | ●   | LC  | S3, R4      | 1  |
|   |                         | <i>chloropus</i>              |     |     | S3, R4      | 1  |
| 140   | Eurasian Coot           | <i>Fulica atra</i>            | ●   | LC  | W2, R4      | 1  |
|   |                         | <i>atra</i>                   |     |     | W2, R4      | 1  |

| Gruiformes Gruidae – Crane                       |                             |                                  | NCS | GCS | STATUS      | BS |
|--|-----------------------------|----------------------------------|-----|-----|-------------|----|
| 141  | Siberian Crane              | <i>Leucogeranus leucogeranus</i> | ○   | CR  | WV1         | 0  |
| 142  | Sandhill Crane              | <i>Antigone canadensis</i>       | ○   | LC  | WV1         | 0  |
|  |                             | <i>canadensis</i>                |     |     | WV1         | 0  |
| 143  | White-naped Crane           | <i>Antigone vipio</i>            | ●   | VU  | W3, P3      | 0  |
| 144  | Demoiselle Crane            | <i>Grus virgo</i>                | ○   | LC  | WV2         | 0  |
| 145  | Red-crowned Crane           | <i>Grus japonensis</i>           | ●   | EN  | W4          | 0  |
| 146  | Common Crane                | <i>Grus grus</i>                 | ○   | LC  | WV1         | 0  |
| 147  | Hooded Crane                | <i>Grus monacha</i>              | ●   | VU  | P3, W4      | 0  |
| Charadriiformes Turnicidae – Buttonquail         |                             |                                  |     |     |             |    |
| 148  | Yellow-legged Buttonquail   | <i>Turnix tanki</i>              | ●   | LC  | V1          | 2  |
|  |                             | <i>blanfordii</i>                |     |     | V1          | 2  |
| Charadriiformes Haematopodidae – Oystercatcher   |                             |                                  |     |     |             |    |
| 149  | Far Eastern Oystercatcher † | <i>Haematopus ostralegus</i>     | ●   | NT  | W3, R4      | 1  |
|  |                             | <i>osculans</i>                  |     |     | W3, R4      | 1  |
| Charadriiformes Recurvirostridae – Stilt, Avocet |                             |                                  |     |     |             |    |
| 150  | Black-winged Stilt          | <i>Himantopus himantopus</i>     | ●   | LC  | P4, S5, WV2 | 1  |
| 151  | Pied Avocet                 | <i>Recurvirostra avosetta</i>    | ○   | LC  | V1          | 0  |
| Charadriiformes Charadriidae – Plover            |                             |                                  |     |     |             |    |
| 152  | Northern Lapwing            | <i>Vanellus vanellus</i>         | ●   | NT  | W4          | 0  |
| 153  | Grey-headed Lapwing         | <i>Vanellus cinereus</i>         | ○   | LC  | V1          | 0  |
| 154  | Pacific Golden Plover       | <i>Pluvialis fulva</i>           | ●   | LC  | P4          | 0  |
| 155  | Grey Plover                 | <i>Pluvialis squatarola</i>      | ●   | LC  | P3, W3, S4  | 0  |
|  |                             | <i>squatarola / tomkovichii</i>  |     |     | P3, W3, S4  | 0  |
| 156  | Common Ringed Plover        | <i>Charadrius hiaticula</i>      | ○   | LC  | V1          | 0  |
|  |                             | <i>tundrae</i>                   |     |     | V1          | 0  |
| 157  | Long-billed Plover          | <i>Charadrius placidus</i>       | ●   | LC  | R3          | 1  |

| Charadriiformes Charadriidae – Plover                   |                        |                                  | NCS | GCS | STATUS       | BS |
|---|------------------------|----------------------------------|-----|-----|--------------|----|
| 158   | Little Ringed Plover   | <i>Charadrius dubius</i>         | ●   | LC  | P3, S3, WV2  | 1  |
|   |                        | <i>curonicus</i>                 |     |     | P3, S3, WV2  | 1  |
| 159   | Kentish Plover         | <i>Charadrius alexandrinus</i>   | ●   | LC  | P2, S4, W4   | 1  |
|   | White-faced Plover     | <i>dealbatus</i>                 |     | DD  | V2           | 0  |
|   | Kentish Plover         | <i>nihonensis</i>                |     |     | P2, S4, W4   | 1  |
| 160   | Lesser Sand Plover     | <i>Charadrius mongolus</i>       | ●   | LC  | P3, WV1      | 0  |
|   | Lesser Sand Plover     | <i>atrifrons / schaeferi</i>     |     |     | V2           | 0  |
|   | Mongolian Plover       | <i>mongolus</i>                  |     |     | P3, WV1      | 0  |
|   | Mongolian Plover       | <i>stegmanni</i>                 |     |     | P5           | 0  |
| 161   | Greater Sand Plover    | <i>Charadrius leschenaultii</i>  | ●   | LC  | P5, SV2      | 0  |
|   |                        | <i>leschenaultii</i>             |     |     | P5, SV2      | 0  |
| 162   | Oriental Plover        | <i>Charadrius veredus</i>        | ●   | LC  | P5           | 0  |
| 163   | Eurasian Dotterel      | <i>Charadrius morinellus</i>     | ○   | LC  | V2           | 0  |
| <b>Charadriiformes Rostratulidae – Painted-snipe</b>    |                        |                                  |     |     |              |    |
| 164   | Greater Painted-snipe  | <i>Rostratula benghalensis</i>   | ●   | LC  | S5, WV1      | 1  |
| <b>Charadriiformes Jacanidae – Jacana</b>               |                        |                                  |     |     |              |    |
| 165   | Pheasant-tailed Jacana | <i>Hydrophasianus chirurgus</i>  | ●   | LC  | S5           | 1  |
| <b>Charadriiformes Scolopacidae – Sandpiper, Curlew</b> |                        |                                  |     |     |              |    |
| 166   | Whimbrel               | <i>Numenius phaeopus</i>         | ●   | LC  | P3, WV2      | 0  |
|   |                        | <i>variegatus</i>                |     |     | P3, WV2      | 0  |
| 167   | Little Curlew          | <i>Numenius minutus</i>          | ●   | LC  | P5           | 0  |
| 168   | Far Eastern Curlew     | <i>Numenius madagascariensis</i> | ●   | EN  | P3, S3, WV1  | 0  |
| 169   | Eurasian Curlew        | <i>Numenius arquata</i>          | ●   | NT  | P3, W3, S4   | 0  |
|   |                        | <i>orientalis</i>                |     |     | P3, W3, S4   | 0  |
| 170   | Bar-tailed Godwit      | <i>Limosa lapponica</i>          | ●   | NT  | P2, S5, WV2  | 0  |
|   |                        | <i>menzbieri</i>                 |     |     | P3, S5, WV2  | 0  |
|   |                        | <i>baueri</i>                    |     |     | P2           | 0  |
| 171   | Black-tailed Godwit    | <i>Limosa limosa</i>             | ●   | NT  | P3, SV1, WV2 | 0  |
|   |                        | <i>limosa</i>                    |     |     | P5, WV2      | 0  |
|   |                        | <i>melanuroides</i>              |     |     | P3           | 0  |



| Charadriiformes Scolopacidae – Sandpiper, Curlew |                         |                                 | NCS | GCS | STATUS      | BS |
|--|-------------------------|---------------------------------|-----|-----|-------------|----|
| 172  | Ruddy Turnstone         | <i>Arenaria interpres</i>       | ●   | LC  | P4, WV2     | 0  |
|  |                         | <i>interpres</i>                |     |     | P4, WV2     | 0  |
| 173  | Great Knot              | <i>Calidris tenuirostris</i>    | ●   | EN  | P2, S5      | 0  |
| 174  | Red Knot                | <i>Calidris canutus</i>         | ●   | NT  | P5          | 0  |
|  |                         | <i>piersmai</i>                 |     |     | DD          | 0  |
|  |                         | <i>rogersi</i>                  |     |     | P5          | 0  |
| 175  | Ruff                    | <i>Calidris pugnax</i>          | ●   | LC  | P5, WV2     | 0  |
| 176  | Broad-billed Sandpiper  | <i>Calidris falcinellus</i>     | ●   | LC  | P3          | 0  |
|  |                         | <i>sibirica</i>                 |     |     | P3          | 0  |
| 177  | Sharp-tailed Sandpiper  | <i>Calidris acuminata</i>       | ●   | LC  | P4          | 0  |
| 178  | Curlew Sandpiper        | <i>Calidris ferruginea</i>      | ●   | NT  | P5          | 0  |
| 179  | Temminck's Stint        | <i>Calidris temminckii</i>      | ●   | LC  | P5, WV2     | 0  |
| 180  | Long-toed Stint         | <i>Calidris subminuta</i>       | ●   | LC  | P4          | 0  |
| 181  | Spoon-billed Sandpiper  | <i>Calidris pygmaea</i>         | ●   | CR  | P5          | 0  |
| 182  | Red-necked Stint        | <i>Calidris ruficollis</i>      | ●   | NT  | P3, WV2     | 0  |
| 183  | Sanderling              | <i>Calidris alba</i>            | ●   | LC  | P4, W4      | 0  |
|  |                         | <i>alba / rubida</i>            |     |     | P4, W4      | 0  |
| 184  | Dunlin                  | <i>Calidris alpina</i>          | ●   | LC  | P1, W2, SV1 | 0  |
|  |                         | <i>sakhalina</i>                |     |     | DD          | 0  |
|  |                         | <i>kistchinski</i>              |     |     | P5?         | 0  |
|  |                         | <i>actites</i>                  |     |     | V2          | 0  |
|  |                         | <i>arctica</i>                  |     |     | DD          | 0  |
|  |                         | <i>hudsonia</i>                 |     |     | V2          | 0  |
| 185  | Little Stint            | <i>Calidris minuta</i>          | ○   | LC  | V1          | 0  |
| 186  | Buff-breasted Sandpiper | <i>Calidris subruficollis</i>   | ○   | NT  | V2          | 0  |
| 187  | Pectoral Sandpiper      | <i>Calidris melanotos</i>       | ○   | LC  | V1          | 0  |
| 188  | Asian Dowitcher         | <i>Limnodromus semipalmatus</i> | ○   | NT  | PV1         | 0  |
| 189  | Long-billed Dowitcher   | <i>Limnodromus scolopaceus</i>  | ○   | LC  | V1          | 0  |
| 190  | Eurasian Woodcock       | <i>Scolopax rusticola</i>       | ●   | LC  | P4, W4, SV2 | 0  |
| 191  | Jack Snipe              | <i>Lymnocyptes minimus</i>      | ○   | LC  | V2          | 0  |
| 192  | Solitary Snipe          | <i>Gallinago solitaria</i>      | ●   | LC  | W5          | 0  |
|  |                         | <i>japonica</i>                 |     |     | W5          | 0  |

| Charadriiformes Scolopacidae – Sandpiper, Curlew |                        |                                   | NCS | GCS | STATUS      | BS |
|--|------------------------|-----------------------------------|-----|-----|-------------|----|
| 193  | Latham's Snipe         | <i>Gallinago hardwickii</i>       | ●   | LC  | P5          | 0  |
| 194  | Pin-tailed Snipe       | <i>Gallinago stenura</i>          | ●   | LC  | P3, WV2     | 0  |
| 195  | Swinhoe's Snipe        | <i>Gallinago megala</i>           | ●   | LC  | P4          | 0  |
| 196  | Common Snipe           | <i>Gallinago gallinago</i>        | ●   | LC  | P4, W5      | 0  |
|  |                        | <i>gallinago</i>                  |     |     | P4, W5      | 0  |
| 197  | Terek Sandpiper        | <i>Xenus cinereus</i>             | ●   | LC  | P2, S4      | 0  |
| 198  | Red-necked Phalarope   | <i>Phalaropus lobatus</i>         | ●   | LC  | P3          | 0  |
| 199  | Red Phalarope          | <i>Phalaropus fulicarius</i>      | ●   | LC  | P5, WV2     | 0  |
| 200  | Common Sandpiper       | <i>Actitis hypoleucos</i>         | ●   | LC  | P3, S4, W4  | 1  |
| 201  | Green Sandpiper        | <i>Tringa ochropus</i>            | ●   | LC  | P3, W4      | 0  |
| 202  | Grey-tailed Tattler    | <i>Tringa brevipes</i>            | ●   | NT  | P3, SV2     | 0  |
| 203  | Common Redshank        | <i>Tringa totanus</i>             | ●   | LC  | P4, S5, WV2 | 1  |
|  |                        | <i>ussuriensis</i>                |     |     | P4, S5, WV2 | 1  |
|  |                        | <i>terrignotae</i>                |     |     | DD          | 0  |
|  |                        | <i>craggi</i>                     |     |     | DD          | 0  |
| 204  | Marsh Sandpiper        | <i>Tringa stagnatilis</i>         | ●   | LC  | P4, SV2     | 0  |
| 205  | Wood Sandpiper         | <i>Tringa glareola</i>            | ●   | LC  | P3, SV2     | 0  |
| 206  | Spotted Redshank       | <i>Tringa erythropus</i>          | ●   | LC  | P4, WV1     | 0  |
| 207  | Common Greenshank      | <i>Tringa nebularia</i>           | ●   | LC  | P3, W5, SV1 | 0  |
| 208  | Nordmann's Greenshank  | <i>Tringa guttifer</i>            | ●   | EN  | P5, SV2     | 0  |
| Charadriiformes Glareolidae – Pratincole         |                        |                                   |     |     |             |    |
| 209  | Oriental Pratincole    | <i>Glareola maldivarum</i>        | ●   | LC  | P5, SV2     | 2  |
| Charadriiformes Laridae – Gull, Tern             |                        |                                   |     |     |             |    |
| 210  | Black-legged Kittiwake | <i>Rissa tridactyla</i>           | ●   | VU  | P2, W3      | 0  |
|  |                        | <i>pollicaris</i>                 |     |     | P3, W3      | 0  |
| 211  | Slender-billed Gull    | <i>Chroicocephalus genei</i>      | ○   | LC  | V2          | 0  |
| 212  | Black-headed Gull      | <i>Chroicocephalus ridibundus</i> | ●   | LC  | P2, W2, S5  | 0  |
| 213  | Saunders's Gull        | <i>Chroicocephalus saundersi</i>  | ●   | VU  | W3, P3, S4  | 1  |
| 214  | Relict Gull            | <i>Ichthyæetus relictus</i>       | ●   | VU  | WV1         | 0  |

| Charadriiformes Laridae – Gull, Tern |                          |                                | NCS | GCS | STATUS      | BS |
|--------------------------------------|--------------------------|--------------------------------|-----|-----|-------------|----|
| 215                                  | Pallas's Gull            | <i>Ichthyaetus ichthyaetus</i> | ○   | LC  | V1          | 0  |
| 216                                  | Black-tailed Gull        | <i>Larus crassirostris</i>     | ●   | LC  | S2, W2      | 1  |
| 217                                  | Common Gull †            | <i>Larus canus</i>             | ●   | LC  | W2          | 0  |
|                                      |                          | <i>heinei</i>                  |     |     | W4          | 0  |
|                                      |                          | <i>kamtschatschensis</i>       |     |     | W2          | 0  |
| 218                                  | Glaucous-winged Gull     | <i>Larus glaucescens</i>       | ●   | LC  | W5          | 0  |
| 219                                  | Western Gull             | <i>Larus occidentalis</i>      | ○   | LC  | WV2         | 0  |
|                                      |                          | <i>occidentalis</i>            |     |     | WV2         | 0  |
| 220                                  | Glaucous Gull            | <i>Larus hyperboreus</i>       | ●   | LC  | W4, SV2     | 0  |
|                                      |                          | <i>pallidissimus</i>           |     |     | W4, SV2     | 0  |
|                                      |                          | <i>barrovianus</i>             |     |     | DD          | 0  |
| 221                                  | Iceland Gull             | <i>Larus glaucooides</i>       | ○   | LC  | WV1         | 0  |
|                                      |                          | <i>glaucooides</i>             |     |     | WV2         | 0  |
|                                      | Kumlein's Gull           | <i>kumlieni</i>                |     |     | WV1         | 0  |
|                                      | Thayer's Gull            | <i>thayeri</i>                 |     |     | WV1         | 0  |
| 222                                  | American Herring Gull    | <i>Larus smithsonianus</i>     | ○   | LC  | WV1         | 0  |
| 223                                  | Vega Gull                | <i>Larus vegae</i>             | ●   | NR? | W2, P2, S5  | 0  |
|                                      |                          | <i>vegae</i>                   |     |     | W2, P2, S5  | 0  |
|                                      |                          | <i>birulai</i> *               |     |     | W5          | 0  |
| 224                                  | Mongolian Gull *         | <i>Larus mongolicus</i> *      | ●   | NR  | P2, W3, S4  | 1  |
| 225                                  | Caspian Gull             | <i>Larus cachinnans</i>        | ○   | LC  | WV1         | 0  |
| 226                                  | Slaty-backed Gull        | <i>Larus schistisagus</i>      | ●   | LC  | W3, SV1     | 0  |
| 227                                  | Lesser Black-backed Gull | <i>Larus fuscus</i>            | ○   | LC  | V2          | 0  |
|                                      |                          | <i>fuscus</i>                  |     |     | V2          | 0  |
| 228                                  | Heuglin's Gull *         | <i>Larus heuglini</i> *        | ●   | NR  | P3, W4, SV2 | 0  |
|                                      |                          | <i>heuglini</i> *              |     |     | V2          | 0  |
|                                      | Taimyr Gull              | <i>taimyrensis</i> *           |     |     | P3, W4, SV2 | 0  |
|                                      | Steppe Gull              | <i>barabensis</i>              |     |     | WV1         | 0  |
| 229                                  | Gull-billed Tern         | <i>Gelochelidon nilotica</i>   | ○   | LC  | V1          | 0  |
|                                      |                          | <i>affinis</i>                 |     |     | V1          | 0  |
| 230                                  | Caspian Tern             | <i>Hydroprogne caspia</i>      | ○   | LC  | V1          | 0  |
| 231                                  | Greater Crested Tern     | <i>Thalasseus bergii</i>       | ○   | LC  | V2          | 0  |
|                                      |                          | <i>cristatus</i>               |     |     | V2          | 0  |
| 232                                  | Chinese Crested Tern     | <i>Thalasseus bernsteini</i>   | ○   | CR  | SV2         | 1  |

| Charadriiformes Laridae – Gull, Tern          |                      |                                 | NCS | GCS | STATUS       | BS |
|---|----------------------|---------------------------------|-----|-----|--------------|----|
| 233   | Little Tern          | <i>Sternula albifrons</i>       | ●   | LC  | S3, WV2      | 1  |
|   |                      | <i>sinensis</i>                 |     |     | S3, WV2      | 1  |
| 234   | Aleutian Tern        | <i>Onychoprion aleuticus</i>    | ●   | VU  | P5           | 0  |
| 235   | Bridled Tern         | <i>Onychoprion anaethetus</i>   | ○   | LC  | V2           | 0  |
|   |                      | <i>anaethetus</i>               |     |     | V2           | 0  |
| 236   | Sooty Tern           | <i>Onychoprion fuscatus</i>     | ○   | LC  | V1           | 0  |
|   |                      | <i>nubilosus / oahuensis</i>    |     |     | V1           | 0  |
| 237   | Roseate Tern         | <i>Sterna dougallii</i>         | ○   | LC  | V2           | 0  |
|   |                      | <i>bangsi</i>                   |     |     | V2           | 0  |
| 238   | Common Tern          | <i>Sterna hirundo</i>           | ●   | LC  | P2, SV2, WV2 | 0  |
|   |                      | <i>minussensis</i>              |     |     | V1           | 0  |
|   |                      | <i>longipennis</i>              |     |     | P2, SV2, WV2 | 0  |
| 239   | Whiskered Tern       | <i>Chlidonias hybrida</i>       | ●   | LC  | P5, WV1      | 0  |
|   |                      | <i>hybrida</i>                  |     |     | P5, WV1      | 0  |
| 240   | White-winged Tern    | <i>Chlidonias leucopterus</i>   | ●   | LC  | P4           | 0  |
| 241   | Black Tern           | <i>Chlidonias niger</i>         | ○   | LC  | V2           | 0  |
|   |                      | <i>niger</i>                    |     |     | V2           | 0  |
| Charadriiformes Stercorariidae – Skua, Jaeger |                      |                                 |     |     |              |    |
| 242   | South Polar Skua     | <i>Stercorarius maccormicki</i> | ●   | LC  | S5           | 0  |
| 243   | Pomarine Jaeger      | <i>Stercorarius pomarinus</i>   | ●   | LC  | P4, WV2      | 0  |
| 244   | Parasitic Jaeger     | <i>Stercorarius parasiticus</i> | ●   | LC  | P5           | 0  |
| 245   | Long-tailed Jaeger   | <i>Stercorarius longicaudus</i> | ○   | LC  | V1           | 0  |
|   |                      | <i>pallescens</i>               |     |     | V1           | 0  |
| Charadriiformes Alcidae – Murrelet, Puffin    |                      |                                 |     |     |              |    |
| 246   | Thick-billed Murre   | <i>Uria lomvia</i>              | ●   | LC  | W5           | 0  |
|   |                      | <i>arra</i>                     |     |     | W5           | 0  |
| 247   | Common Murre         | <i>Uria aalge</i>               | ●   | LC  | W5           | 0  |
|   |                      | <i>inornata</i>                 |     |     | W5           | 0  |
| 248   | Spectacled Guillemot | <i>Cephus carbo</i>             | ●   | LC  | W5           | 0  |
| 249   | Long-billed Murrelet | <i>Brachyramphus perdix</i>     | ●   | NT  | W5, SV2      | 0  |

| Charadriiformes Alcidae – Murrelet, Puffin |                    |                                    | NCS | GCS | STATUS | BS |
|--|--------------------|------------------------------------|-----|-----|--------|----|
| 250  | Ancient Murrelet   | <i>Synthliboramphus antiquus</i>   | ●   | LC  | W2, S4 | 1  |
|  |                    | <i>antiquus</i>                    |     |     | W2, S4 | 1  |
| 251  | Crested Murrelet † | <i>Synthliboramphus wumizusume</i> | ●   | VU  | S4, R5 | 1  |
| 252  | Least Auklet       | <i>Aethia pusilla</i>              | ○   | LC  | WV1    | 0  |
| 253  | Crested Auklet     | <i>Aethia cristatella</i>          | ○   | LC  | WV2    | 0  |
| 254  | Rhinoceros Auklet  | <i>Cerorhinca monocerata</i>       | ●   | LC  | W3     | 0  |
| 255  | Tufted Puffin      | <i>Fratercula cirrhata</i>         | ○   | LC  | V2     | 0  |

Columbiformes Columbidae – Pigeon

|     |                            |                                   |   |    |         |   |
|-----|----------------------------|-----------------------------------|---|----|---------|---|
| 256 | Hill Pigeon                | <i>Columba rupestris</i>          | ● | LC | R5, PV2 | 1 |
|     |                            | <i>rupestris</i>                  |   |    | R5, PV2 | 1 |
| 257 | Stock Dove                 | <i>Columba oenas</i>              | ○ | LC | WV2     | 0 |
|     |                            | <i>yarkandensis</i>               |   |    | WV2     | 0 |
| 258 | Black Wood Pigeon †        | <i>Columba janthina</i>           | ● | NT | R4      | 1 |
|     |                            | <i>janthina</i>                   |   |    | R4      | 1 |
| 259 | Oriental Turtle Dove       | <i>Streptopelia orientalis</i>    | ● | LC | R1, P3  | 1 |
|     |                            | <i>orientalis</i>                 |   |    | R1, P3  | 1 |
| 260 | Eurasian Collared Dove     | <i>Streptopelia decaocto</i>      | ● | LC | V1      | 0 |
|     |                            | <i>decaocto</i>                   |   |    | V1      | 0 |
| 261 | Red Turtle Dove            | <i>Streptopelia tranquebarica</i> | ○ | LC | V1      | 0 |
|     |                            | <i>humilis</i>                    |   |    | V1      | 0 |
| 262 | Spotted Dove               | <i>Spilopelia chinensis</i>       | ○ | LC | V2      | 0 |
|     |                            | <i>chinensis</i>                  |   |    | V2      | 0 |
| 263 | White-bellied Green Pigeon | <i>Treron sieboldii</i>           | ○ | LC | V1      | 0 |
|     |                            | <i>sieboldii</i>                  |   |    | V1      | 0 |

Cuculiformes Cuculidae – Cuckoo, Coucal

|     |                        |                               |   |    |    |   |
|-----|------------------------|-------------------------------|---|----|----|---|
| 264 | Lesser Coucal          | <i>Centropus bengalensis</i>  | ○ | LC | V2 | 0 |
|     |                        | <i>bengalensis / lignator</i> |   |    | V2 | 0 |
| 265 | Chestnut-winged Cuckoo | <i>Clamator coromandus</i>    | ○ | LC | V2 | 1 |
| 266 | Asian Koel             | <i>Eudynamys scolopaceus</i>  | ○ | LC | V1 | 0 |
|     |                        | <i>chinensis</i>              |   |    | V1 | 0 |


| Cuculiformes Cuculidae – Cuckoo, Coucal |                             |                                  | NCS | GCS | STATUS | BS |
|---|-----------------------------|----------------------------------|-----|-----|--------|----|
| 267                                     | Square-tailed Drongo-Cuckoo | <i>Surniculus lugubris</i>       | ○   | LC  | V2     | 0  |
|   |                             | <i>barussarum</i>                |     |     | V2     | 0  |
| 268                                     | Large Hawk-Cuckoo           | <i>Hierococcyx sparverioides</i> | ○   | LC  | V1     | 0  |
| 269                                     | Northern Hawk-Cuckoo †      | <i>Hierococcyx hyperythrus</i>   | ●   | LC  | S4, P4 | 1  |
| 270                                     | Lesser Cuckoo               | <i>Cuculus poliocephalus</i>     | ●   | LC  | S3     | 1  |
| 271                                     | Indian Cuckoo               | <i>Cuculus micropterus</i>       | ●   | LC  | S3     | 1  |
|   |                             | <i>micropterus</i>               |     |     | S3     | 1  |
| 272                                     | Oriental Cuckoo             | <i>Cuculus optatus</i>           | ●   | LC  | S3, P3 | 1  |
| 273                                     | Common Cuckoo               | <i>Cuculus canorus</i>           | ●   | LC  | P2, S3 | 1  |
|   |                             | <i>canorus</i>                   |     |     | P2, S3 | 1  |
|   |                             | <i>bakeri</i>                    |     |     | DD     | 0  |

Strigiformes Tytonidae – Grass Owl


|     |                   |                          |   |    |    |   |
|-----|-------------------|--------------------------|---|----|----|---|
| 274 | Eastern Grass Owl | <i>Tyto longimembris</i> | ○ | LC | V2 | 0 |
|     |                   | <i>chinensis</i>         |   |    | V2 | 0 |

Strigiformes Strigidae – Owl






|     |                      |                         |   |    |         |   |
|-----|----------------------|-------------------------|---|----|---------|---|
| 275 | Northern Scops Owl † | <i>Otus semitorques</i> | ● | LC | R3      | 1 |
|     |                      | <i>ussuriensis</i>      |   |    | R3      | 1 |
|     |                      | <i>semitorques</i>      |   |    | DD      | 2 |
| 276 | Oriental Scops Owl   | <i>Otus sunia</i>       | ● | LC | S3      | 1 |
|     |                      | <i>japonicus</i>        |   |    | DD      | 0 |
|     |                      | <i>stictonotus</i>      |   |    | S3      | 1 |
| 277 | Snowy Owl            | <i>Bubo scandiacus</i>  | ○ | VU | V2      | 0 |
| 278 | Eurasian Eagle-Owl   | <i>Bubo bubo</i>        | ● | LC | R3      | 1 |
|     |                      | <i>kiautschensis</i>    |   |    | R3      | 1 |
| 279 | Himalayan Owl        | <i>Strix nivicolom</i>  | ● | LC | R5      | 1 |
|     | Eastern Tawny Owl    | <i>ma</i>               |   |    | R5      | 1 |
| 280 | Ural Owl             | <i>Strix uralensis</i>  | ● | LC | R5      | 1 |
|     |                      | <i>nikolskii</i>        |   |    | R5      | 1 |
| 281 | Little Owl           | <i>Athene noctua</i>    | ● | LC | W5, SV2 | 1 |
|     |                      | <i>plumipes</i>         |   |    | W5, SV2 | 1 |

| Strigiformes Strigidae – Owl |                  |                       | NCS   | GCS | STATUS | BS |
|------------------------------|------------------|-----------------------|---|-----|--------|----|
| 282                          | Northern Boobook | <i>Ninox japonica</i> |  | LC  | P3, S3 | 1  |
|                              |                  | <i>japonica</i>       |   |     | P3, S3 | 1  |
| 283                          | Long-eared Owl   | <i>Asio otus</i>      |  | LC  | W5     | 0  |
|                              |                  | <i>otus</i>           |   |     | W5     | 0  |
| 284                          | Short-eared Owl  | <i>Asio flammeus</i>  |  | LC  | W5     | 0  |
|                              |                  | <i>flammeus</i>       |   |     | W5     | 0  |


Caprimulgiformes Caprimulgidae – Nightjar

|     |               |                           |   |    |        |   |
|-----|---------------|---------------------------|---|----|--------|---|
| 285 | Grey Nightjar | <i>Caprimulgus jotaka</i> |  | LC | P3, S3 | 1 |
|     |               | <i>jotaka</i>             |   |    | P3, S3 | 1 |



Apodiformes Apodidae – Swift

|     |                           |                                |   |    |         |   |
|-----|---------------------------|--------------------------------|---|----|---------|---|
| 286 | Himalayan Swiftlet        | <i>Collocalia brevirostris</i> |    | LC | P5, SV2 | 0 |
|     |                           | <i>innominatus</i>             |   |    | P5, SV2 | 0 |
| 287 | White-throated Needletail | <i>Hirundapus caudacutus</i>   |    | LC | P3, S5  | 2 |
|     |                           | <i>caudacutus</i>              |   |    | P3, S5  | 2 |
| 288 | Alpine Swift              | <i>Tachymartia melba</i>       |   | LC | V2      | 0 |
|     |                           | <i>nubifrugus (?)</i>          |   |    | V2      | 0 |
| 289 | Pacific Swift             | <i>Apus pacificus</i>          |  | LC | P2, S3  | 1 |
|     |                           | <i>pacificus</i>               |   |    | P2, S3  | 1 |
| 290 | House Swift               | <i>Apus nipalensis</i>         |  | LC | V1      | 0 |
|     |                           | <i>nipalensis</i>              |   |    | V1      | 0 |

Coraciiformes Coraciidae – Dollarbird

|     |                     |                              |   |    |        |   |
|-----|---------------------|------------------------------|---|----|--------|---|
| 291 | Oriental Dollarbird | <i>Eurystomus orientalis</i> |  | LC | S2, P3 | 1 |
|     |                     | <i>cyanocollis</i>           |   |    | P3, S3 | 1 |

Coraciiformes Alcedinidae – Kingfisher

|     |                         |                          |   |    |    |   |
|-----|-------------------------|--------------------------|---|----|----|---|
| 292 | Ruddy Kingfisher        | <i>Halcyon coromanda</i> |  | LC | S4 | 1 |
|     |                         | <i>major</i>             |   |    | S4 | 1 |
| 293 | Black-capped Kingfisher | <i>Halcyon pileata</i>   |  | LC | S4 | 1 |

| Coraciiformes Alcedinidae – Kingfisher  |                              |                                | NCS | GCS | STATUS     | BS |
|---|------------------------------|--------------------------------|-----|-----|------------|----|
| 294                                     | Common Kingfisher            | <i>Alcedo atthis</i>           | ●   | LC  | S3, R5     | 1  |
|   |                              | <i>bengalensis</i>             |     |     | S3, R5     | 1  |
| <b>Bucerotiformes Upupidae – Hoopoe</b> |                              |                                |     |     |            |    |
| 295                                     | Eurasian Hoopoe              | <i>Upupa epops</i>             | ●   | LC  | P3, S3, W5 | 1  |
|   |                              | <i>epops</i>                   |     |     | P3, S3, W5 | 1  |
| <b>Piciformes Picidae – Woodpecker</b>  |                              |                                |     |     |            |    |
| 296                                     | Eurasian Wryneck             | <i>Jynx torquilla</i>          | ●   | LC  | P4, WV2    | 0  |
|   |                              | <i>chinensis</i>               |     |     | P4, WV2    | 0  |
| 297                                     | Grey-capped Pygmy Woodpecker | <i>Yungipicus canicapillus</i> | ●   | LC  | R4         | 1  |
|   |                              | <i>doerriesi</i>               |     |     | R4         | 1  |
| 298                                     | Japanese Pygmy Woodpecker    | <i>Yungipicus kizuki</i>       | ●   | LC  | R1         | 1  |
|   |                              | <i>nippon</i>                  |     |     | R1         | 1  |
| 299                                     | Rufous-bellied Woodpecker    | <i>Dendrocopos hyperthrus</i>  | ○   | LC  | PV1        | 0  |
|   |                              | <i>subrufinus</i>              |     |     | PV1        | 0  |
| 300                                     | Great Spotted Woodpecker     | <i>Dendrocopos major</i>       | ●   | LC  | R1, W4     | 1  |
|   |                              | <i>japonicus</i>               |     |     | R1, W4     | 1  |
| 301                                     | White-backed Woodpecker      | <i>Dendrocopos leucotos</i>    | ●   | LC  | R2         | 1  |
|   |                              | <i>leucotos</i>                |     |     | R2         | 1  |
|   |                              | <i>takahashii</i>              |     |     | R5         | 1  |
|   |                              | <i>quelpartensis</i>           |     |     | R4         | 1  |
| 302                                     | White-bellied Woodpecker     | <i>Dryocopus javensis</i>      | ●   | LC  | EXT        | 1  |
|   | Tristam's Woodpecker         | <i>richardsi</i>               |     |     | EXT        | 1  |
| 303                                     | Black Woodpecker             | <i>Dryocopus martius</i>       | ●   | LC  | R3         | 1  |
|   |                              | <i>martius</i>                 |     |     | R3         | 1  |
| 304                                     | Grey-headed Woodpecker       | <i>Picus canus</i>             | ●   | LC  | R2         | 1  |
|   |                              | <i>jessoensis</i>              |     |     | R2         | 1  |



| Falconiformes Falconidae – Falcon, Kestrel |                  |                             | NCS | GCS | STATUS     | BS |
|--|------------------|-----------------------------|-----|-----|------------|----|
| 305  | Common Kestrel   | <i>Falco tinnunculus</i>    | ●   | LC  | W3, P3, R4 | 1  |
|  |                  | <i>perpallidus</i>          |     |     | W5         | 0  |
|  |                  | <i>interstinctus</i>        |     |     | W3, P3, R4 | 1  |
| 306  | Amur Falcon      | <i>Falco amurensis</i>      | ●   | LC  | P4         | 0  |
| 307  | Merlin           | <i>Falco columbarius</i>    | ●   | LC  | W5, P5     | 0  |
|  |                  | <i>insignis / pacificus</i> |     |     | W5, P5     | 0  |
| 308  | Eurasian Hobby   | <i>Falco subbuteo</i>       | ●   | LC  | P3, S4     | 1  |
|  |                  | <i>subbuteo</i>             |     |     | P3, S4     | 1  |
| 309  | Saker Falcon     | <i>Falco cherrug</i>        | ○   | EN  | V1         | 0  |
|  |                  | <i>coatsi / milvipes</i>    |     |     | V1         | 0  |
| 310  | Gyr Falcon       | <i>Falco rusticolus</i>     | ○   | LC  | V2         | 0  |
| 311  | Peregrine Falcon | <i>Falco peregrinus</i>     | ●   | LC  | R3, W4, P4 | 1  |
|  |                  | <i>calidus</i>              |     |     | P5         | 0  |
|  |                  | <i>japonensis</i>           |     |     | R3, W4, P5 | 1  |

Passeriformes Pittidae – Pitta

|     |                   |                          |   |    |    |   |
|-----|-------------------|--------------------------|---|----|----|---|
| 312 | Fairy Pitta       | <i>Pitta nympha</i>      | ● | VU | S4 | 1 |
| 313 | Blue-winged Pitta | <i>Pitta moluccensis</i> | ○ | LC | V2 | 0 |

Passeriformes Artamidae – Woodswallow

|     |                  |                       |   |    |    |   |
|-----|------------------|-----------------------|---|----|----|---|
| 314 | Ashy Woodswallow | <i>Artamus fuscus</i> | ○ | LC | V2 | 0 |
|-----|------------------|-----------------------|---|----|----|---|

Passeriformes Campephagidae – Minivet, Cuckooshrike

|     |                           |                                 |   |    |        |   |
|-----|---------------------------|---------------------------------|---|----|--------|---|
| 315 | Black-winged Cuckooshrike | <i>Coracina melaschistos</i>    | ○ | LC | V2     | 0 |
|     |                           | <i>intermedia</i>               |   |    | V2     | 0 |
| 316 | Ashy Minivet              | <i>Pericrocotus divaricatus</i> | ● | LC | P3, S5 | 1 |
| 317 | Ryukyu Minivet            | <i>Pericrocotus tegimae</i>     | ○ | LC | V2     | 0 |

Passeriformes Laniidae – Shrike

|     |                    |                          |   |    |        |   |
|-----|--------------------|--------------------------|---|----|--------|---|
| 318 | Tiger Shrike       | <i>Lanius tigrinus</i>   | ● | LC | P4, S4 | 1 |
| 319 | Bull-headed Shrike | <i>Lanius bucephalus</i> | ● | LC | R2, P4 | 1 |
|     |                    | <i>bucephalus</i>        |   |    | R2, P4 | 1 |

| Passeriformes Laniidae – Shrike                 |                             |                                | NCS | GCS | STATUS       | BS |
|---|-----------------------------|--------------------------------|-----|-----|--------------|----|
| 320   | Brown Shrike                | <i>Lanius cristatus</i>        | ●   | LC  | P3, S5       | 1  |
|   |                             | <i>cristatus</i>               |     |     | P4           | 0  |
|   |                             | <i>confusus</i>                |     |     | P3           | 0  |
|   |                             | <i>lucionensis</i>             |     |     | P5, S5       | 1  |
|   |                             | <i>superciliosus</i>           |     |     | V2           | 0  |
| 321   | Red-backed Shrike           | <i>Lanius collurio</i>         | ○   | LC  | V2           | 0  |
| 322   | Long-tailed Shrike          | <i>Lanius schach</i>           | ●   | LC  | P5, WV1, SV1 | 1  |
|   |                             | <i>schach</i>                  |     |     | P5, WV1, SV1 | 1  |
| 323   | Northern Shrike             | <i>Lanius borealis</i>         | ○   | LC  | V2           | 0  |
|   |                             | <i>sibiricus</i>               |     |     | V2           | 0  |
|   |                             | <i>bianchii</i>                |     |     | V2           | 0  |
|   |                             | <i>mollis</i>                  |     |     | V2           | 0  |
| 324   | Steppe Grey Shrike          | <i>Lanius pallidirostris</i>   | ○   | LC  | V2           | 0  |
| 325   | Chinese Grey Shrike         | <i>Lanius sphenocercus</i>     | ●   | LC  | P5, W5, RV2  | 2  |
|   |                             | <i>sphenocercus</i>            |     |     | P5, W5, RV2  | 2  |
| Passeriformes Oriolidae – Oriole                |                             |                                |     |     |              |    |
| 326   | Black-naped Oriole          | <i>Oriolus chinensis</i>       | ●   | LC  | S2, P2       | 1  |
|   |                             | <i>diffusus</i>                |     |     | S2, P2       | 1  |
| Passeriformes Dicuridae – Drongo                |                             |                                |     |     |              |    |
| 327   | Black Drongo                | <i>Dicurus macrocercus</i>     | ●   | LC  | P5           | 0  |
|   |                             | <i>cathoecus</i>               |     |     | P5           | 0  |
| 328   | Ashy Drongo                 | <i>Dicurus leucophaeus</i>     | ○   | LC  | PV1          | 0  |
|   |                             | <i>leucogenis</i>              |     |     | PV1          | 0  |
| 329   | Hair-crested Drongo         | <i>Dicurus hottentottus</i>    | ○   | LC  | V1           | 0  |
|   |                             | <i>brevirostris</i>            |     |     | V1           | 0  |
| Passeriformes Monarchidae – Paradise Flycatcher |                             |                                |     |     |              |    |
| 330   | Amur Paradise Flycatcher    | <i>Terpsiphone incei</i>       | ○   | NR  | V1           | 0  |
| 331   | Black Paradise Flycatcher † | <i>Terpsiphone atrocaudata</i> | ●   | NT  | S4           | 1  |
|   |                             | <i>atrocaudata</i>             |     |     | S4           | 1  |

| Passeriformes Corvidae – Magpie, Crow                  |                                  |                                | NCS | GCS | STATUS | BS |
|--|----------------------------------|--------------------------------|-----|-----|--------|----|
| 332  | Eurasian Jay                     | <i>Garrulus glandarius</i>     | ●   | LC  | R1     | 1  |
|  |                                  | <i>brandtii</i>                |     |     | R1     | 1  |
| 333  | Azure-winged Magpie              | <i>Cyanopica cyanus</i>        | ●   | LC  | R2     | 1  |
|  |                                  | <i>cyanus</i>                  |     |     | R2     | 1  |
| 334  | Eurasian Magpie                  | <i>Pica pica</i>               | ●   | LC  | R1     | 1  |
|  |                                  | <i>serica</i>                  |     |     | R1     | 1  |
| 335  | Spotted Nutcracker               | <i>Nucifraga caryocatactes</i> | ●   | LC  | R5, V2 | 1  |
|  |                                  | <i>macrorhynchos</i>           |     |     | R5, V2 | 1  |
| 336  | Daurian Jackdaw                  | <i>Coloeus dauuricus</i>       | ●   | LC  | W3, P4 | 0  |
| 337  | House Crow                       | <i>Corvus splendens</i>        | ○   | LC  | V2     | 0  |
|  |                                  | <i>insolens</i> (?)            |     |     | V2     | 0  |
| 338  | Rook                             | <i>Corvus frugilegus</i>       | ●   | LC  | W1, P2 | 0  |
|  |                                  | <i>pastinator</i>              |     |     | W1, P2 | 0  |
| 339  | Carrion Crow                     | <i>Corvus corone</i>           | ●   | LC  | W3, R5 | 1  |
|  |                                  | <i>orientalis</i>              |     |     | W3, R5 | 1  |
| 340  | Large-billed Crow                | <i>Corvus macrorhynchos</i>    | ●   | LC  | R1, W2 | 1  |
|  |                                  | <i>japonensis</i>              |     |     | R2     | 1  |
|  |                                  | <i>mandshuricus</i>            |     |     | R2, W2 | 1  |
| <b>Passeriformes Bombycillidae – Waxwing</b>           |                                  |                                |     |     |        |    |
| 341  | Bohemian Waxwing                 | <i>Bombycilla garrulus</i>     | ●   | LC  | W4, P4 | 0  |
|  |                                  | <i>garrulus</i>                |     |     | W4, P4 | 0  |
| 342  | Japanese Waxwing                 | <i>Bombycilla japonica</i>     | ●   | NT  | W5, P4 | 0  |
| <b>Passeriformes Stenostriidae – Canary Flycatcher</b> |                                  |                                |     |     |        |    |
| 343  | Grey-headed<br>Canary-flycatcher | <i>Culicicapa ceylonensis</i>  | ○   | LC  | V2     | 0  |
|  |                                  | <i>calochrysea</i>             |     |     | V2     | 0  |
| <b>Passeriformes Paridae – Tit</b>                     |                                  |                                |     |     |        |    |
| 344  | Coal Tit                         | <i>Pariparus ater</i>          | ●   | LC  | R1, W1 | 1  |
|  |                                  | <i>ater</i>                    |     |     | R1, W1 | 1  |
|  |                                  | <i>insularis</i>               |     |     | DD     | 0  |
| 345  | Yellow-bellied Tit               | <i>Pardaliparus venustulus</i> | ●   | LC  | P4, W4 | 1  |

| Passeriformes Paridae – Tit                |                           |                                | NCS | GCS | STATUS      | BS |
|--|---------------------------|--------------------------------|-----|-----|-------------|----|
| 346  | Varied Tit                | <i>Sittiparus varius</i>       | ●   | LC  | R1          | 1  |
|  |                           | <i>varius</i>                  |     |     | R1          | 1  |
|  |                           | <i>utsurioensis</i> *          |     |     | R4          | 1  |
| 347  | Marsh Tit                 | <i>Poecile palustris</i>       | ●   | LC  | R1          | 1  |
|  |                           | <i>hellmayri</i>               |     |     | R1          | 1  |
| 348  | Willow Tit                | <i>Poecile montanus</i>        | ○   | LC  | WV2         | 0  |
|  |                           | <i>baicalensis</i>             |     |     | WV2         | 0  |
| 349  | Northern Great Tit †      | <i>Parus major</i>             | ○   | LC  | V2          | 0  |
|  |                           | <i>kapustini</i>               |     |     | V2          | 0  |
| 350  | Eastern Great Tit †       | <i>Parus minor</i>             | ●   | LC  | R1, W1      | 1  |
|  |                           | <i>minor</i>                   |     |     | R1, W1      | 1  |
|  |                           | <i>dageletensis</i>            |     |     | R4          | 1  |
| Passeriformes Remizidae – Penduline Tit    |                           |                                |     |     |             |    |
| 351  | Chinese Penduline Tit     | <i>Remiz consobrinus</i>       | ●   | LC  | P3, W4, SV2 | 1  |
| Passeriformes Panuridae – Bearded Reedling |                           |                                |     |     |             |    |
| 352  | Bearded Reedling          | <i>Panurus biarmicus</i>       | ○   | LC  | V2          | 0  |
|  |                           | <i>russicus</i>                |     |     | V2          | 0  |
| Passeriformes Alaudidae – Lark             |                           |                                |     |     |             |    |
| 353  | Eurasian Skylark          | <i>Alauda arvensis</i>         | ●   | LC  | W4, R5      | 1  |
|  |                           | <i>pekinensis</i>              |     |     | W4          | 0  |
|  |                           | <i>lonnbergi</i>               |     |     | W4, R5      | 1  |
| 354  | Far Eastern Lark *        | <i>Alauda japonica</i>         | ●   | NR  | W3, R4      | 1  |
|  |                           | <i>intermedia</i>              |     |     | P4, W4, R5  | 1  |
|  |                           | <i>japonica</i>                |     |     | R4          | 1  |
| 355  | Crested Lark              | <i>Galerida cristata</i>       | ●   | LC  | V1          | 1  |
|  |                           | <i>coreensis</i>               |     |     | V1          | 1  |
| 356  | Horned Lark               | <i>Eremophila alpestris</i>    | ○   | LC  | V2          | 0  |
|  |                           | <i>flava</i>                   |     |     | V2          | 0  |
|  |                           | <i>brandti</i>                 |     |     | V2          | 0  |
| 357  | Mongolian Short-toed Lark | <i>Calandrella dukhunensis</i> | ●   | LC  | P4          | 0  |
| 358  | Mongolian Lark            | <i>Melanocorypha mongolica</i> | ○   | LC  | PV2         | 0  |

| Passeriformes Alaudidae – Lark                   |                       |                               | NCS | GCS | STATUS       | BS |
|--|-----------------------|-------------------------------|-----|-----|--------------|----|
| 359  | Asian Short-toed Lark | <i>Alaudala cheleensis</i>    | ○   | NR  | V1           | 0  |
|  |                       | <i>cheleensis</i>             |     |     | V1           | 0  |
| Passeriformes Pycnonotidae – Bulbul              |                       |                               |     |     |              |    |
| 360  | Light-vented Bulbul   | <i>Pycnonotus sinensis</i>    | ●   | LC  | S4, R4       | 1  |
|  |                       | <i>sinensis</i>               |     |     | S4, R4       | 1  |
| 361  | Brown-eared Bulbul    | <i>Hypsipetes amaurotis</i>   | ●   | LC  | R1, P2       | 1  |
|  |                       | <i>amaurotis</i>              |     |     | R1, P2       | 1  |
| Passeriformes Hirundinidae – Swallow             |                       |                               |     |     |              |    |
| 362  | Sand Martin           | <i>Riparia riparia</i>        | ●   | LC  | P4           | 0  |
|  |                       | <i>ijimae</i>                 |     |     | P4           | 0  |
| 363  | Pale Martin           | <i>Riparia diluta</i>         | ○   | LC  | PV2          | 0  |
|  |                       | <i>fohkienensis</i>           |     |     | PV2          | 0  |
| 364  | Barn Swallow          | <i>Hirundo rustica</i>        | ●   | LC  | P1, S2, WV1  | 1  |
|  |                       | <i>gutturalis</i>             |     |     | P1, S2, WV2  | 1  |
|  |                       | <i>tyleri</i>                 |     |     | V2           | 0  |
|  |                       | <i>saturata</i>               |     |     | DD           | 0  |
|  |                       | <i>mandschurica</i>           |     |     | DD           | 0  |
| 365  | Eurasian Crag Martin  | <i>Ptyonoprogne rupestris</i> | ○   | LC  | PV2          | 0  |
| 366  | Common House Martin   | <i>Delichon urbicum</i>       | ●   | LC  | P5           | 0  |
|  |                       | <i>lagopodum</i>              |     |     | P5           | 0  |
| 367  | Asian House Martin    | <i>Delichon dasypus</i>       | ●   | LC  | P4, SV2, WV2 | 3  |
|  |                       | <i>dasypus</i>                |     |     | P4, SV2, WV2 | 3  |
| 368  | Red-rumped Swallow    | <i>Cecropis daurica</i>       | ●   | LC  | P2, S3       | 1  |
|  |                       | <i>japonica</i>               |     |     | P2, S3       | 1  |
| Passeriformes Cettiidae – Bush Warbler, Stubtail |                       |                               |     |     |              |    |
| 369  | Japanese Bush Warbler | <i>Horornis diphone</i>       | ●   | LC  | R3, W3       | 1  |
|  |                       | <i>cantans</i>                |     |     | R3, W3       | 1  |
|  |                       | <i>canturians</i>             |     |     | DD           | 0  |
| 370  | Korean Bush Warbler † | <i>Horornis borealis</i>      | ●   | LC  | P3, S4, WV2  | 1  |
|  |                       | <i>borealis</i> *             |     |     | P3, S4, WV2  | 1  |
| 371  | Asian Stubtail        | <i>Urosphena squamiceps</i>   | ●   | LC  | P2, S3       | 1  |

| Passeriformes Aegithalidae – Long-tailed Tit |                          |                                   | NCS | GCS | STATUS      | BS |
|--|--------------------------|-----------------------------------|-----|-----|-------------|----|
| 372  | Long-tailed Tit          | <i>Aegithalos caudatus</i>        | ●   | LC  | R1          | 1  |
|  |                          | <i>caudatus</i>                   |     |     | W4, R5      | 1  |
|  |                          | <i>trivirgatus</i>                |     |     | R3          | 1  |
|  |                          | <i>magnus</i>                     |     |     | R1          | 1  |
| Passeriformes Phylloscopidae – Leaf Warbler  |                          |                                   |     |     |             |    |
| 373  | Willow Warbler           | <i>Phylloscopus trochilus</i>     | ○   | LC  | PV2         | 0  |
|  |                          | <i>yakutensis</i>                 |     |     | PV2         | 0  |
| 374  | Common Chiffchaff        | <i>Phylloscopus collybita</i>     | ○   | LC  | V1          | 0  |
|  | Siberian Chiffchaff      | <i>tristis</i>                    |     |     | V1          | 0  |
| 375  | Wood Warbler             | <i>Phylloscopus sibilatrix</i>    | ○   | LC  | V2          | 0  |
| 376  | Dusky Warbler            | <i>Phylloscopus fuscatus</i>      | ●   | LC  | P3, S4, WV1 | 1  |
|  |                          | <i>fuscatus</i>                   |     |     | P3, S4, WV1 | 1  |
| 377  | Alpine Leaf Warbler      | <i>Phylloscopus occisinesis</i>   | ○   | NR  | PV1         | 0  |
| 378  | Yellow-streaked Warbler  | <i>Phylloscopus armandii</i>      | ○   | LC  | PV1         | 0  |
|  |                          | <i>armandii</i>                   |     |     | PV1         | 0  |
| 379  | Radde's Warbler          | <i>Phylloscopus schwarzi</i>      | ●   | LC  | P4, S5      | 1  |
| 380  | Pallas's Leaf Warbler    | <i>Phylloscopus proregulus</i>    | ●   | LC  | P3, S5, WV1 | 1  |
| 381  | Yellow-browed Warbler    | <i>Phylloscopus inornatus</i>     | ●   | LC  | P1, WV1     | 0  |
| 382  | Hume's Leaf Warbler      | <i>Phylloscopus humei</i>         | ●   | LC  | P5          | 0  |
|  |                          | <i>humei</i>                      |     |     | V2          | 0  |
|  |                          | <i>mandellii</i>                  |     |     | P5          | 0  |
| 383  | Arctic Warbler           | <i>Phylloscopus borealis</i>      | ●   | LC  | P3          | 0  |
|  |                          | <i>borealis</i>                   |     |     | P3          | 0  |
|  |                          | <i>kennicotti</i>                 |     |     | V2          | 0  |
| 384  | Kamchatka Leaf Warbler   | <i>Phylloscopus examinandus</i>   | ●   | LC  | P4          | 0  |
| 385  | Japanese Leaf Warbler    | <i>Phylloscopus xanthodryas</i>   | ○   | LC  | V1          | 0  |
| 386  | Two-barred Warbler       | <i>Phylloscopus plumbeitarsus</i> | ●   | LC  | P4, S5      | 1  |
| 387  | Pale-legged Leaf Warbler | <i>Phylloscopus tenellipes</i>    | ●   | LC  | P3, S3      | 1  |
| 388  | Sakhalin Leaf Warbler    | <i>Phylloscopus borealoides</i>   | ●   | LC  | P5          | 0  |
| 389  | Eastern Crowned Warbler  | <i>Phylloscopus coronatus</i>     | ●   | LC  | S2, P3      | 1  |
| 390  | Claudia's Leaf Warbler   | <i>Phylloscopus claudiae</i>      | ○   | LC  | PV2         | 0  |

| Passeriformes Phylloscopidae – Leaf Warbler              |                                   |                                   | NCS | GCS | STATUS  | BS |
|--|-----------------------------------|-----------------------------------|-----|-----|---------|----|
| 391  | Sulphur-breasted Warbler          | <i>Phylloscopus ricketti</i>      | ○   | LC  | PV2     | 0  |
| <b>Passeriformes Acrocephalidae – Reed Warbler</b>       |                                   |                                   |     |     |         |    |
| 392  | Oriental Reed Warbler             | <i>Acrocephalus orientalis</i>    | ●   | LC  | S2, P3  | 1  |
| 393  | Black-browed Reed Warbler         | <i>Acrocephalus bistrigiceps</i>  | ●   | LC  | P3, SV1 | 1  |
| 394  | Sedge Warbler                     | <i>Acrocephalus schoenobaenus</i> | ○   | LC  | PV2     | 0  |
| 395  | Manchurian Reed Warbler           | <i>Acrocephalus tangorum</i>      | ○   | VU  | PV1     | 0  |
| 396  | Paddyfield Warbler                | <i>Acrocephalus agricola</i>      | ○   | LC  | V2      | 0  |
|  |                                   | <i>agricola / septimus</i>        |     |     | V2      | 0  |
| 397  | Thick-billed Warbler              | <i>Iduna aedon</i>                | ●   | LC  | P4      | 0  |
|  |                                   | <i>rufescens</i>                  |     |     | P4      | 0  |
| 398  | Booted Warbler                    | <i>Iduna caligata</i>             | ○   | LC  | PV2     | 0  |
| <b>Passeriformes Locustellidae – Grasshopper Warbler</b> |                                   |                                   |     |     |         |    |
| 399  | Baikal Bush Warbler               | <i>Locustella davidi</i>          | ○   | NR  | V1      | 0  |
|  |                                   | <i>davidi</i>                     |     |     | V1      | 0  |
| 400  | Lanceolated Warbler               | <i>Locustella lanceolata</i>      | ●   | LC  | P3      | 0  |
|  |                                   | <i>hendersonii / lanceolata</i>   |     |     | P3      | 0  |
| 401  | Middendorff's Grasshopper Warbler | <i>Locustella ochotensis</i>      | ●   | LC  | P4      | 0  |
| 402  | Styan's Grasshopper Warbler       | <i>Locustella pleskei</i>         | ●   | VU  | S3      | 1  |
| 403  | Pallas's Grasshopper Warbler      | <i>Locustella certhiola</i>       | ●   | LC  | P3, WV2 | 0  |
|  |                                   | <i>certhiola</i>                  |     |     | P3      | 0  |
|  |                                   | <i>rubescens</i>                  |     |     | DD      | 0  |
|  |                                   | <i>minor</i>                      |     |     | DD      | 0  |
| 404  | Marsh Grassbird                   | <i>Locustella pryeri</i>          | ○   | NT  | PV2     | 0  |
|  |                                   | <i>sinensis</i>                   |     |     | PV2     | 0  |
| 405  | Gray's Grasshopper Warbler        | <i>Locustella fasciolata</i>      | ●   | LC  | P4      | 0  |

| Passeriformes Cisticolidae – Cisticola            |                            |                                 | NCS | GCS | STATUS | BS |
|---|----------------------------|---------------------------------|-----|-----|--------|----|
| 406   | Zitting Cisticola          | <i>Cisticola jundicis</i>       | ●   | LC  | S3, R5 | 1  |
|   | Far Eastern Cisticola      | <i>brunniceps</i>               |     |     | S3, R5 | 1  |
| Passeriformes Sylviidae – Whitethroat, Parrotbill |                            |                                 |     |     |        |    |
| 407   | Barred Warbler             | <i>Sylvia nisoria</i>           | ○   | LC  | V2     | 0  |
|   |                            | <i>merzbacheri</i>              |     |     | V2     | 0  |
| 408   | Lesser Whitethroat         | <i>Sylvia curruca</i>           | ○   | LC  | V2     | 0  |
|   |                            | <i>blythi</i>                   |     |     | V2     | 0  |
|   |                            | <i>halimodendri</i>             |     |     | V2     | 0  |
| 409   | Vinous-throated Parrotbill | <i>Sinosuthora webbiana</i>     | ●   | LC  | R1     | 1  |
|   |                            | <i>fulvicauda</i>               |     |     | R1     | 1  |
| Passeriformes Zosteropidae – White-eye            |                            |                                 |     |     |        |    |
| 410   | Chestnut-flanked White-eye | <i>Zosterops erythropleurus</i> | ●   | LC  | P3     | 0  |
| 411   | Japanese White-eye         | <i>Zosterops japonicus</i>      | ●   | LC  | R2, P4 | 1  |
|   |                            | <i>japonicus</i>                |     |     | R2, P4 | 1  |
|   |                            | <i>simplex</i>                  |     |     | P5     | 0  |
| Passeriformes Regulidae – Goldcrest               |                            |                                 |     |     |        |    |
| 412   | Goldcrest                  | <i>Regulus regulus</i>          | ●   | LC  | W2, P2 | 0  |
|   |                            | <i>japonensis</i>               |     |     | W2, P2 | 0  |
| Passeriformes Troglodytidae – Wren                |                            |                                 |     |     |        |    |
| 413   | Eurasian Wren              | <i>Troglodytes troglodytes</i>  | ●   | LC  | W2, R3 | 1  |
|   |                            | <i>dauricus</i>                 |     |     | W2, R3 | 1  |
| Passeriformes Sittidae – Nuthatch                 |                            |                                 |     |     |        |    |
| 414   | Eurasian Nuthatch          | <i>Sitta europaea</i>           | ●   | LC  | R1     | 1  |
|   |                            | <i>asiatica</i>                 |     |     | V2     | 0  |
|   |                            | <i>amurensis</i>                |     |     | R1     | 1  |
|   |                            | <i>bedfordi</i>                 |     |     | EXT    | 3  |
| 415   | Chinese Nuthatch           | <i>Sitta villosa</i>            | ○   | LC  | WV1    | 0  |
|   |                            | <i>corea</i>                    |     |     | WV1    | 0  |



| Passeriformes Certhiidae – Treecreeper |                           |                                  | NCS | GCS | STATUS       | BS |
|--|---------------------------|----------------------------------|-----|-----|--------------|----|
| 416                                    | Eurasian Treecreeper      | <i>Certhia familiaris</i>        | ●   | LC  | R4, W5       | 1  |
|  |                           | <i>daurica</i>                   |     |     | R4, W5       | 1  |
| Passeriformes Sturnidae – Starling     |                           |                                  |     |     |              |    |
| 417                                    | Crested Myna              | <i>Acridotheres cristatellus</i> | ○   | LC  | PV2          | 0  |
|  |                           | <i>cristatellus</i>              |     |     | PV2          | 0  |
| 418                                    | Red-billed Starling       | <i>Spodiopsar sericeus</i>       | ●   | LC  | P4, S5, W5   | 1  |
| 419                                    | White-cheeked Starling    | <i>Spodiopsar cineraceus</i>     | ●   | LC  | W3, R3       | 1  |
| 420                                    | Daurian Starling          | <i>Agropsar sturninus</i>        | ●   | LC  | P4, SV1      | 1  |
| 421                                    | Chestnut-cheeked Starling | <i>Agropsar philippensis</i>     | ●   | LC  | P4, SV1, WV2 | 1  |
| 422                                    | White-shouldered Starling | <i>Sturnia sinensis</i>          | ○   | LC  | V1           | 0  |
| 423                                    | Rosy Starling             | <i>Pastor roseus</i>             | ○   | LC  | V2           | 0  |
| 424                                    | Common Starling           | <i>Sturnus vulgaris</i>          | ●   | LC  | W4, P4       | 0  |
|  |                           | <i>poltaratskyi</i>              |     |     | W4, P4       | 0  |
| Passeriformes Turdidae – Thrush        |                           |                                  |     |     |              |    |
| 425                                    | Orange-headed Thrush      | <i>Geokichla citrina</i>         | ○   | LC  | V2           | 0  |
|  |                           | <i>melli / courtoisi</i>         |     |     | V2           | 0  |
| 426                                    | Siberian Thrush           | <i>Geokichla sibirica</i>        | ●   | LC  | P4, SV2      | 0  |
|  |                           | <i>sibirica</i>                  |     |     | P4, SV2      | 0  |
|  |                           | <i>davisoni</i>                  |     |     | P5           | 0  |
| 427                                    | White's Thrush            | <i>Zoothera aurea</i>            | ●   | LC  | P2, S2, R4   | 1  |
|  |                           | <i>toratugumi</i>                |     |     | P2, S2, R4   | 1  |
| 428                                    | Grey-backed Thrush        | <i>Turdus hortulorum</i>         | ●   | LC  | P2, S3, WV2  | 1  |
| 429                                    | Grey Thrush †             | <i>Turdus cardis</i>             | ●   | LC  | P4           | 0  |
| 430                                    | Chinese Blackbird         | <i>Turdus mandarinus</i>         | ●   | LC  | P5, SV1, WV2 | 1  |
|  |                           | <i>mandarinus</i>                |     |     | P5, SV1, WV2 | 1  |
| 431                                    | Grey-sided Thrush         | <i>Turdus feae</i>               | ○   | VU  | PV2          | 0  |
| 432                                    | Eyebrowed Thrush          | <i>Turdus obscurus</i>           | ●   | LC  | P2           | 0  |
| 433                                    | Pale Thrush               | <i>Turdus pallidus</i>           | ●   | LC  | S1, P2, R3   | 1  |

| Passeriformes Turdidae – Thrush         |                           |                               | NCS | GCS | STATUS  | BS |
|---|---------------------------|-------------------------------|-----|-----|---------|----|
| 434                                     | Brown-headed Thrush       | <i>Turdus chrysolaus</i>      | ●   | LC  | P4      | 0  |
|   |                           | <i>orii</i>                   |     |     | V2      | 0  |
|   |                           | <i>chrysolaus</i>             |     |     | P4      | 0  |
| 435                                     | Black-throated Thrush     | <i>Turdus atrogularis</i>     | ○   | LC  | V1      | 0  |
| 436                                     | Red-throated Thrush       | <i>Turdus ruficollis</i>      | ●   | NR  | P5, WV1 | 0  |
| 437                                     | Naumann's Thrush          | <i>Turdus naumanni</i>        | ●   | NR  | W2, P3  | 0  |
| 438                                     | Dusky Thrush              | <i>Turdus eunomus</i>         | ●   | LC  | P2, W3  | 0  |
| 439                                     | Fieldfare                 | <i>Turdus pilaris</i>         | ○   | LC  | V2      | 0  |
| 440                                     | Redwing                   | <i>Turdus iliacus</i>         | ○   | LC  | V2      | 0  |
|   |                           | <i>iliacus</i>                |     |     | V2      | 0  |
| 441                                     | Chinese Thrush            | <i>Turdus mupinensis</i>      | ○   | LC  | PV2     | 0  |
| Passeriformes Muscicapidae – Flycatcher |                           |                               |     |     |         |    |
| 442                                     | Grey-streaked Flycatcher  | <i>Muscicapa griseisticta</i> | ●   | LC  | P3      | 0  |
| 443                                     | Dark-sided Flycatcher     | <i>Muscicapa sibirica</i>     | ●   | LC  | P4      | 0  |
|   |                           | <i>sibirica</i>               |     |     | P4      | 0  |
| 444                                     | Asian Brown Flycatcher    | <i>Muscicapa dauurica</i>     | ●   | LC  | P2, S4  | 1  |
|   |                           | <i>dauurica</i>               |     |     | P2, S4  | 1  |
| 445                                     | Ferruginous Flycatcher    | <i>Muscicapa ferruginea</i>   | ○   | LC  | V2      | 0  |
| 446                                     | Chinese Blue Flycatcher   | <i>Cyornis glaucicomans</i>   | ○   | NR  | V2      | 0  |
| 447                                     | Fujian Niltava            | <i>Niltava davidi</i>         | ○   | LC  | V2      | 0  |
| 448                                     | Blue-and-white Flycatcher | <i>Cyanoptila cyanomelana</i> | ●   | LC  | P2, S2  | 1  |
|   |                           | <i>intermedia</i>             |     |     | P2, S2  | 1  |
|   |                           | <i>cyanomelana</i>            |     |     | P4, S5  | 0  |
| 449                                     | Zappey's Flycatcher       | <i>Cyanoptila cumatilis</i>   | ○   | NT  | V1      | 0  |
| 450                                     | Verditer Flycatcher       | <i>Eumyias thalassinus</i>    | ○   | LC  | V1      | 0  |
|   |                           | <i>thalassinus</i>            |     |     | V1      | 0  |
| 451                                     | European Robin            | <i>Erithacus rubecula</i>     | ○   | LC  | V2      | 0  |
|   |                           | <i>tataricus</i>              |     |     | V2      | 0  |
| 452                                     | Siberian Blue Robin       | <i>Larvivora cyane</i>        | ●   | LC  | S2, P3  | 1  |
|   |                           | <i>cyane</i>                  |     |     | S2, P3  | 1  |
|   |                           | <i>nechaevi</i>               |     |     | DD      | 0  |

| Passeriformes Muscicapidae – Flycatcher |                            |                                  | NCS | GCS | STATUS       | BS |
|---|----------------------------|----------------------------------|-----|-----|--------------|----|
| 453                                     | Rufous-tailed Robin        | <i>Larvora sibilans</i>          | ●   | LC  | P3           | 0  |
| 454                                     | Japanese Robin             | <i>Larvora akahige</i>           | ●   | LC  | P5, WV2, SV2 | 0  |
|   |                            | <i>akahige</i>                   |     |     |              | 0  |
| 455                                     | Bluethroat                 | <i>Luscinia svecica</i>          | ●   | LC  | P5, WV2      | 0  |
|   |                            | <i>svecica</i>                   |     |     |              | 0  |
| 456                                     | Siberian Rubythroat        | <i>Calliope calliope</i>         | ●   | LC  | P3, S4, WV2  | 1  |
|   |                            | <i>calliope</i>                  |     |     | P3, S4, WV2  | 1  |
|   |                            | <i>camtschatkensis</i>           |     |     | P5           | 0  |
| 457                                     | Red-flanked Bluetail       | <i>Tarsiger cyanurus</i>         | ●   | LC  | P1, W4, SV2  | 0  |
| 458                                     | Yellow-rumped Flycatcher   | <i>Ficedula zanthopygia</i>      | ●   | LC  | P3, S3       | 1  |
| 459                                     | Narcissus Flycatcher       | <i>Ficedula narcissina</i>       | ●   | LC  | P4, SV2      | 1  |
|   |                            | <i>narcissina</i>                |     |     | P3, SV2      | 1  |
|   |                            | <i>owstoni</i>                   |     |     | V1           | 0  |
| 460                                     | Green-backed Flycatcher    | <i>Ficedula elisae</i>           | ○   | LC  | PV2          | 0  |
| 461                                     | Mugimaki Flycatcher        | <i>Ficedula mugimaki</i>         | ●   | LC  | P3           | 0  |
| 462                                     | Red-breasted Flycatcher    | <i>Ficedula parva</i>            | ○   | LC  | V1           | 0  |
| 463                                     | Taiga Flycatcher           | <i>Ficedula albicilla</i>        | ●   | LC  | P4           | 0  |
| 464                                     | Black                      | <i>Phoenicurus ochruros</i>      | ○   | LC  | V1           | 0  |
|   |                            | <i>rufiventris</i>               |     |     | V1           | 0  |
| 465                                     | Daurian Redstart           | <i>Phoenicurus aureoreus</i>     | ●   | LC  | R1, W2       | 1  |
|   |                            | <i>aureoreus</i>                 |     |     | R1, W2       | 1  |
| 466                                     | Plumbeous Water Redstart   | <i>Phoenicurus fuliginosus</i>   | ○   | LC  | V1           | 1  |
|   |                            | <i>fuliginosus</i>               |     |     | V1           | 1  |
| 467                                     | White-capped Redstart      | <i>Phoenicurus leucocephalus</i> | ○   | LC  | V2           | 0  |
| 468                                     | Blue Rock Thrush           | <i>Monticola solitarius</i>      | ●   | LC  | S2, R4       | 1  |
|   |                            | <i>pandoo</i>                    |     |     | V2           | 0  |
|   |                            | <i>philippensis</i>              |     |     | S2, R4       | 1  |
| 469                                     | White-throated Rock Thrush | <i>Monticola gularis</i>         | ●   | LC  | P3, SV2      | 0  |
| 470                                     | Stejneger's Stonechat      | <i>Saxicola stejnegeri</i>       | ●   | NR  | P2, S4, WV2  | 1  |
| 471                                     | Grey Bush Chat             | <i>Saxicola ferreus</i>          | ○   | LC  | V1           | 0  |
|   |                            | <i>haringtoni</i>                |     |     | V1           | 0  |

| Passeriformes Muscicapidae – Flycatcher     |                       |                            | NCS | GCS | STATUS | BS |
|---|-----------------------|----------------------------|-----|-----|--------|----|
| 472   | Northern Wheatear     | <i>Oenanthe oenanthe</i>   | ○   | LC  | V2     | 0  |
|   |                       | <i>oenanthe</i>            |     |     | V2     | 0  |
| 473   | Isabelline Wheatear   | <i>Oenanthe isabellina</i> | ○   | LC  | V2     | 0  |
| 474   | Desert Wheatear       | <i>Oenanthe deserti</i>    | ○   | LC  | V2     | 0  |
|   |                       | <i>deserti</i>             |     |     | V2     | 0  |
| 475   | Pied Wheatear         | <i>Oenanthe pleschanka</i> | ○   | LC  | PV1    | 0  |
|   |                       | <i>pleschanka</i>          |     |     | PV1    | 0  |
|   |                       | <i>var. vittata</i>        |     |     | V2     | 0  |
| <b>Passeriformes Cinclidae – Dipper</b>     |                       |                            |     |     |        |    |
| 476   | Brown Dipper          | <i>Cinclus pallasii</i>    | ●   | LC  | R3     | 1  |
|   |                       | <i>pallasii</i>            |     |     | R3     | 1  |
| <b>Passeriformes Passeridae – Sparrow</b>   |                       |                            |     |     |        |    |
| 477   | House Sparrow         | <i>Passer domesticus</i>   | ○   | LC  | V2     | 0  |
|   |                       | <i>bactrianus</i>          |     |     | V2     | 0  |
| 478   | Russet Sparrow        | <i>Passer rutilans</i>     | ●   | LC  | R4, P5 | 1  |
|   |                       | <i>rutilans</i>            |     |     | R4, P5 | 1  |
| 479   | Eurasian Tree Sparrow | <i>Passer montanus</i>     | ●   | LC  | R1, P4 | 1  |
|   |                       | <i>saturatus</i>           |     |     | R1, P4 | 1  |
| <b>Passeriformes Estrilidae – Munia</b>     |                       |                            |     |     |        |    |
| 480   | Scaly-breasted Munia  | <i>Lonchura punctulata</i> | ○   | LC  | V2     | 0  |
|   |                       | <i>topela</i>              |     |     | V2     | 0  |
| <b>Passeriformes Prunellidae – Accentor</b> |                       |                            |     |     |        |    |
| 481   | Alpine Accentor       | <i>Prunella collaris</i>   | ●   | LC  | W4, P5 | 0  |
|   |                       | <i>erythropygia</i>        |     |     | W4, P5 | 0  |
| 482   | Siberian Accentor     | <i>Prunella montanella</i> | ●   | LC  | W2     | 0  |
|   |                       | <i>montanella</i>          |     |     | W2     | 0  |
|   |                       | <i>badia</i>               |     |     | W4     | 0  |
| 483   | Japanese Accentor     | <i>Prunella rubida</i>     | ○   | LC  | V2     | 0  |

| Passeriformes Motacillidae – Wagtail, Pipit |                        |                                 | NCS | GCS | STATUS      | BS |
|---|------------------------|---------------------------------|-----|-----|-------------|----|
| 484   | Forest Wagtail         | <i>Dendronanthus indicus</i>    | ●   | LC  | P4, S5      | 1  |
| 485   | Western Yellow Wagtail | <i>Motacilla flava</i>          | ●   | LC  | P5          | 0  |
|   |                        | <i>flava</i>                    |     |     | V2?         | 0  |
|   |                        | <i>thunbergi</i>                |     |     | P5          | 0  |
| 486   | Eastern Yellow Wagtail | <i>Motacilla tschutschensis</i> | ●   | LC  | P2, WV2     | 0  |
|   |                        | <i>tschutschensis</i>           |     |     | P3          | 0  |
|   |                        | <i>macronyx</i>                 |     |     | P4          | 0  |
|   |                        | <i>taivana</i>                  |     |     | P3, WV2     | 0  |
| 487   | Citrine Wagtail        | <i>Motacilla citreola</i>       | ●   | LC  | P5          | 0  |
|   |                        | <i>citreola</i>                 |     |     | P5          | 0  |
| 488   | Grey Wagtail           | <i>Motacilla cinerea</i>        | ●   | LC  | P2, S3, R5  | 1  |
|   |                        | <i>cinerea</i>                  |     |     | P2, S3, R5  | 1  |
| 489   | White Wagtail          | <i>Motacilla alba</i>           | ●   | LC  | P1, S2, W3  | 1  |
|   |                        | <i>alba</i>                     |     |     | V2?         | 0  |
|   |                        | <i>personata</i>                |     |     | V2          | 0  |
|   |                        | <i>baicalensis</i>              |     |     | V1          | 0  |
|   |                        | <i>ocularis</i>                 |     |     | P2, WV1     | 0  |
|   |                        | <i>lugens</i>                   |     |     | P3, W3, SV2 | 0  |
|   |                        | <i>leucopsis</i>                |     |     | P2,S2, R5   | 1  |
|   |                        | <i>alboides</i>                 |     |     | V2          | 0  |
| 490   | Japanese Wagtail       | <i>Motacilla grandis</i>        | ●   | LC  | R3          | 1  |
| 491   | Richard's Pipit        | <i>Anthus richardi</i>          | ●   | LC  | P4, WV2     | 0  |
| 492   | Blyth's Pipit          | <i>Anthus godlewskii</i>        | ●   | LC  | P5          | 0  |
| 493   | Meadow Pipit           | <i>Anthus pratensis</i>         | ○   | LC  | V2          | 0  |
| 494   | Tree Pipit             | <i>Anthus trivialis</i>         | ○   | LC  | PV1         | 0  |
|   |                        | <i>trivialis</i>                |     |     | PV1         | 0  |
| 495   | Olive-backed Pipit     | <i>Anthus hodgsoni</i>          | ●   | LC  | P1, W3, SV1 | 1  |
|   |                        | <i>hodgsoni</i>                 |     |     | P3, W3, SV1 | 1  |
|   |                        | <i>yunnanensis</i>              |     |     | P1          | 0  |
| 496   | Pechora Pipit          | <i>Anthus gustavi</i>           | ●   | LC  | P4          | 0  |
|   |                        | <i>gustavi</i>                  |     |     | P3          | 0  |
|   |                        | <i>menzbieri</i>                |     |     | P5          | 0  |
| 497   | Rosy Pipit             | <i>Anthus roseatus</i>          | ○   | LC  | V2          | 0  |
| 498   | Red-throated Pipit     | <i>Anthus cervinus</i>          | ●   | LC  | P3, WV1     | 0  |

| Passeriformes Motacillidae – Wagtail, Pipit   |                       |                                      | NCS | GCS | STATUS     | BS |
|---|-----------------------|--------------------------------------|-----|-----|------------|----|
| 499   | Buff-bellied Pipit    | <i>Anthus rubescens</i>              | ●   | LC  | P2, W3     | 0  |
|   |                       | <i>japonicus</i>                     |     |     | P2, W3     | 0  |
|   |                       | <i>rubescens</i>                     |     |     | V2?        | 0  |
| 500   | Water Pipit           | <i>Anthus spinoletta</i>             | ○   | LC  | V1         | 0  |
|   |                       | <i>blakistoni</i>                    |     |     | V1         | 0  |
| Passeriformes Fringillidae – Finch, Crossbill |                       |                                      |     |     |            |    |
| 501   | Common Chaffinch      | <i>Fringilla coelebs</i>             | ○   | LC  | V2         | 0  |
|   |                       | <i>coelebs</i>                       |     |     | V2         | 0  |
| 502   | Brambling             | <i>Fringilla montifringilla</i>      | ●   | LC  | P1, W1     | 0  |
| 503   | Hawfinch              | <i>Coccothraustes coccothraustes</i> | ●   | LC  | P2, W2     | 0  |
|   |                       | <i>shulpini</i>                      |     |     | P2, W2     | 0  |
|   |                       | <i>japonicus</i>                     |     |     | DD         | 0  |
| 504   | Chinese Grosbeak      | <i>Eophona migratoria</i>            | ●   | LC  | P3, S4, W4 | 1  |
|   |                       | <i>migratoria</i>                    |     |     | P3, S4, W4 | 1  |
| 505   | Japanese Grosbeak     | <i>Eophona personata</i>             | ●   | LC  | P4, W5     | 0  |
|   |                       | <i>personata</i>                     |     |     | W5         | 0  |
|   |                       | <i>magnirostris</i>                  |     |     | P4         | 0  |
| 506   | Pine Grosbeak         | <i>Pinicola enucleator</i>           | ○   | LC  | V2         | 0  |
|   |                       | <i>kamtschatkensis</i> (?)           |     |     | V2         | 0  |
| 507   | Eurasian Bullfinch    | <i>Pyrrhula pyrrhula</i>             | ●   | LC  | W3         | 0  |
|   |                       | <i>cineracea</i>                     |     |     | V2         | 0  |
|   |                       | <i>griseiventris</i>                 |     |     | V1         | 0  |
|   |                       | <i>rosacea</i>                       |     |     | W3         | 0  |
| 508   | Asian Rosy Finch      | <i>Leucosticte arctoa</i>            | ●   | LC  | W4         | 0  |
|   |                       | <i>brunneonucha</i>                  |     |     | W4         | 0  |
| 509   | Common Rosefinch      | <i>Carpodacus erythrinus</i>         | ●   | LC  | P4, WV1    | 0  |
|   |                       | <i>grebnitskii</i>                   |     |     | P4, WV1    | 0  |
|   |                       | <i>roseatus</i>                      |     |     | V2         | 0  |
| 510   | Long-tailed Rosefinch | <i>Carpodacus sibiricus</i>          | ●   | LC  | P3, W3     | 0  |
|   |                       | <i>sibiricus</i>                     |     |     | DD         | 0  |
|   |                       | <i>ussuriensis</i>                   |     |     | P3, W3     | 0  |
| 511   | Pallas's Rosefinch    | <i>Carpodacus roseus</i>             | ●   | LC  | P3, W4     | 0  |
|   |                       | <i>roseus</i>                        |     |     | P3, W4     | 0  |

| Passeriformes Fringillidae – Finch, Crossbill |                        |                               | NCS | GCS | STATUS     | BS |
|---|------------------------|-------------------------------|-----|-----|------------|----|
| 512   | Grey-capped Greenfinch | <i>Chloris sinica</i>         | ●   | LC  | W1, R2     | 1  |
|   |                        | <i>ussuriensis</i>            |     |     | W1, R2     | 1  |
|   |                        | <i>kawahariba</i>             |     |     | W3         | 0  |
|   |                        | <i>minor</i>                  |     |     | DD         | 0  |
| 513   | Common Redpoll         | <i>Acanthis flammea</i>       | ●   | LC  | W5         | 0  |
|   |                        | <i>flammea</i>                |     |     | W5         |    |
| 514   | Arctic Redpoll         | <i>Acanthis hornemanni</i>    | ○   | NR  | V2         | 0  |
|   |                        | <i>exilipes</i>               |     |     | V2         | 0  |
| 515   | Red Crossbill          | <i>Loxia curvirostra</i>      | ●   | LC  | W4, SV1    | 1  |
|   |                        | <i>tianschanica</i>           |     |     | V2?        | 0  |
|   |                        | <i>japonica</i>               |     |     | W4, SV1    | 1  |
| 516   | Eurasian Siskin        | <i>Spinus spinus</i>          | ●   | LC  | P1, W2,SV2 | 2  |
| Passeriformes Calcariidae – Longspur          |                        |                               |     |     |            |    |
| 517   | Lapland Longspur       | <i>Calcarius lapponicus</i>   | ●   | LC  | W3, P4     | 0  |
|   |                        | <i>kamtschaticus</i>          |     |     | W3, P4     | 0  |
| 518   | Snow Bunting           | <i>Plectrophenax nivalis</i>  | ○   | LC  | WV1        | 0  |
|   |                        | <i>vlasowae</i>               |     |     | WV1        | 0  |
| Passeriformes Emberizidae – Bunting           |                        |                               |     |     |            |    |
| 519   | Yellowhammer           | <i>Emberiza citrinella</i>    | ○   | LC  | V2         | 0  |
|   |                        | <i>erythrogenys</i>           |     |     | V2         | 0  |
| 520   | Pine Bunting           | <i>Emberiza leucocephalos</i> | ●   | LC  | P4, W5     | 0  |
|   |                        | <i>leucocephalos</i>          |     |     | P4, W5     | 0  |
|   |                        | <i>fronto</i>                 |     |     | V2         | 0  |
| 521   | Godlewski's Bunting    | <i>Emberiza godlewskii</i>    | ○   | LC  | V2         | 0  |
|   |                        | <i>godlewskii</i>             |     |     | V2         | 0  |
| 522   | Meadow Bunting         | <i>Emberiza cioides</i>       | ●   | LC  | W2, R3     | 1  |
|   |                        | <i>weigoldi</i>               |     |     | W3         | 0  |
|   |                        | <i>castaneiceps</i>           |     |     | R3         | 1  |
|   |                        | <i>ciopsis</i>                |     |     | V2         | 0  |
| 523   | Ortolan Bunting        | <i>Emberiza hortulana</i>     | ○   | LC  | V2         | 0  |
| 524   | Tristram's Bunting     | <i>Emberiza tristrami</i>     | ○   | LC  | P3, S4, W5 | 1  |

| Passeriformes Emberizidae – Bunting |                         |                                  | NCS | GCS | STATUS      | BS |
|-------------------------------------|-------------------------|----------------------------------|-----|-----|-------------|----|
| 525                                 | Chestnut-eared Bunting  | <i>Emberiza fucata</i>           | ●   | LC  | P4, W4, S5  | 1  |
|                                     |                         | <i>fucata</i>                    |     |     | P4, W4, S5  | 1  |
| 526                                 | Little Bunting          | <i>Emberiza pusilla</i>          | ●   | LC  | P2, W4      | 0  |
| 527                                 | Yellow-browed Bunting   | <i>Emberiza chrysophrys</i>      | ●   | LC  | P3          | 0  |
| 528                                 | Rustic Bunting          | <i>Emberiza rustica</i>          | ●   | VU  | P2, W2      | 0  |
| 529                                 | Yellow-throated Bunting | <i>Emberiza elegans</i>          | ●   | LC  | W1, R1, P2  | 1  |
|                                     |                         | <i>elegans</i>                   |     |     | W1, R1, P2  | 1  |
| 530                                 | Yellow-breasted Bunting | <i>Emberiza aureola</i>          | ●   | CR  | P4          | 0  |
|                                     |                         | <i>aureola</i>                   |     |     | P5          | 0  |
|                                     |                         | <i>ornata</i>                    |     |     | P4          | 0  |
| 531                                 | Chestnut Bunting        | <i>Emberiza rutila</i>           | ●   | LC  | P3, WV2     | 0  |
| 532                                 | Black-headed Bunting    | <i>Emberiza melanocephala</i>    | ○   | LC  | V1          | 0  |
| 533                                 | Red-headed Bunting      | <i>Emberiza bruniceps</i>        | ○   | LC  | V2          | 0  |
| 534                                 | Yellow Bunting          | <i>Emberiza sulphurata</i>       | ●   | VU  | P4          | 0  |
| 535                                 | Black-faced Bunting     | <i>Emberiza spodocephala</i>     | ●   | LC  | P1, W4, SV2 | 1  |
|                                     |                         | <i>spodocephala</i>              |     |     | P4, W5      | 0  |
|                                     |                         | <i>personata</i>                 |     |     | P5, W5      | 0  |
|                                     |                         | <i>extremiorientis</i> *         |     |     | P1, W4, SV2 | 1  |
| 536                                 | Grey Bunting            | <i>Emberiza variabilis</i>       | ●   | LC  | P5, W5      | 0  |
| 537                                 | Pallas's Reed Bunting   | <i>Emberiza pallasii</i>         | ●   | LC  | W2, P3      | 0  |
|                                     |                         | <i>pallasii</i>                  |     |     | DD          | 0  |
|                                     |                         | <i>polaris</i>                   |     |     | W2, P3      | 0  |
|                                     |                         | <i>lydiae</i>                    |     |     | DD          | 0  |
| 538                                 | Ochre-rumped Bunting †  | <i>Emberiza yessoensis</i>       | ●   | NT  | P4, W5, S5  | 1  |
|                                     |                         | <i>continentalis</i>             |     |     | P4, W5, S5  | 1  |
| 539                                 | Common Reed Bunting     | <i>Emberiza schoeniclus</i>      | ●   | LC  | W3          | 0  |
|                                     |                         | <i>pyrrhulina</i>                |     |     | W3          | 0  |
| 540                                 | White-crowned Sparrow   | <i>Zonotrichia leucophrys</i>    | ○   | LC  | V2          | 0  |
|                                     |                         | <i>gambelii</i>                  |     |     | V2          | 0  |
| 541                                 | Golden-crowned Sparrow  | <i>Zonotrichia atricapilla</i>   | ○   | LC  | V2          | 0  |
| 542                                 | Savannah Sparrow        | <i>Passerculus sandwichensis</i> | ○   | LC  | V2          | 0  |
|                                     |                         | <i>anthinus</i> (?)              |     |     | V2          | 0  |



## CAT 2

| Anseriformes Anatidae            |     |                        |                               | NCS | GCS | STATUS | BS |
|----------------------------------|-----|------------------------|-------------------------------|-----|-----|--------|----|
| 543                              | 2.2 | Crested Shelduck       | <i>Tadorna cristata</i>       | ●   | CR  | V2     | 0  |
| Procellariiformes Diomedeidae    |     |                        |                               |     |     |        |    |
| 544                              | 2.2 | Short-tailed Albatross | <i>Phoebastria albatrus</i>   |     | VU  | V2     | 0  |
| Pelecaniformes Threskiornithidae |     |                        |                               |     |     |        |    |
| 545                              | 2.1 | Crested Ibis           | <i>Nipponia nippon</i>        | ●   | EN  | W3, P5 | 0  |
| Pelecaniformes Pelecanidae       |     |                        |                               |     |     |        |    |
| 546                              | 2.2 | Great White Pelican    | <i>Pelecanus onocrotalus</i>  |     | LC  | V2     | 0  |
| 547                              | 2.2 | Dalmatian Pelican      | <i>Pelecanus crispus</i>      |     | NT  | V2     | 0  |
| Pterocliiformes Pteroclididae    |     |                        |                               |     |     |        |    |
| 548                              | 2.2 | Pallas's Sandgrouse    | <i>Syrrhaptes paradoxus</i>   |     | LC  | V2     | 0  |
| Coraciiformes Alcedinidae        |     |                        |                               |     |     |        |    |
| 549                              | 2.2 | Crested Kingfisher     | <i>Megaceryle lugubris</i>    |     | LC  | WV2    | 0  |
|                                  |     |                        | <i>pallida</i>                |     |     | WV2    | 0  |
| Passeriformes Sylviidae          |     |                        |                               |     |     |        |    |
| 550                              | 2.2 | Beijing Babbler        | <i>Rhopophilus pekinensis</i> | ●   | LC  | V2     | 4  |
| Passeriformes Fringillidae       |     |                        |                               |     |     |        |    |
| 551                              | 2.1 | Two-barred Crossbill   | <i>Loxia leucoptera</i>       |     | LC  | V2     | 0  |
|                                  |     |                        | <i>bifasciata</i>             |     |     | V2     | 0  |

## CAT 3

| Procellariiformes Procellariidae |                   |                                 | NCS | GCS | STATUS | BS |
|----------------------------------|-------------------|---------------------------------|-----|-----|--------|----|
| 552                              | Sooty Shearwater  | <i>Ardenna grisea</i>           |     | NT  | V2     | 0  |
| Charadriiformes Alcidae          |                   |                                 |     |     |        |    |
| 553                              | Little Auk        | <i>Alle alle</i>                |     | LC  | V2     | 0  |
|                                  |                   | <i>polaris</i>                  |     |     | V2     | 0  |
| Cuculiformes Cuculidae           |                   |                                 |     |     |        |    |
| 554                              | Greater Coucal    | <i>Centropus sinensis</i>       |     | LC  | V2     | 0  |
|                                  |                   | <i>sinensis</i>                 |     |     | V2     | 0  |
| Apodiformes Apodidae             |                   |                                 |     |     |        |    |
| 555                              | Common Swift      | <i>Apus apus</i>                |     | LC  | V2     | 0  |
|                                  |                   | <i>pekinensis</i>               |     |     | V2     | 0  |
| Falconiformes Falconidae         |                   |                                 |     |     |        |    |
| 556                              | Lesser Kestrel    | <i>Falco naumanni</i>           |     | LC  | V2     | 0  |
| Passeriformes Corvidae           |                   |                                 |     |     |        |    |
| 557                              | Red-billed Chough | <i>Pyrrhocorax pyrrhocorax</i>  |     | LC  | V2     | 0  |
|                                  |                   | <i>brachypus</i>                |     |     | V2     | 0  |
| Passeriformes Paridae            |                   |                                 |     |     |        |    |
| 558                              | Azure Tit         | <i>Cyanistes cyanus</i>         |     | LC  | V2     | 0  |
|                                  |                   | <i>yenisseensis</i>             |     |     | V2     | 0  |
| Passeriformes Alaudidae          |                   |                                 |     |     |        |    |
| 559                              | Bimaculated Lark  | <i>Melanocorypha bimaculata</i> |     | LC  | V2     | 0  |

| Passeriformes Phylloscopidae |                      |                                 | NCS | GCS | STATUS | BS |
|------------------------------|----------------------|---------------------------------|-----|-----|--------|----|
| 560                          | Chinese Leaf Warbler | <i>Phylloscopus yunnanensis</i> |     | LC  | V2     | 0  |

## Passeriformes Muscicapidae

|     |                          |                           |  |    |    |   |
|-----|--------------------------|---------------------------|--|----|----|---|
| 561 | European Pied Flycatcher | <i>Ficedula hypoleuca</i> |  | LC | V2 | 0 |
|     |                          | <i>sibirica</i>           |  |    | V2 | 0 |

## CAT 4

## Accipitriformes Accipitridae

|     |                     |                            |  |    |    |   |
|-----|---------------------|----------------------------|--|----|----|---|
| 562 | Black Baza          | <i>Aviceda leuphotes</i>   |  | LC | V2 | 0 |
|     |                     | <i>syama</i> (?)           |  |    | V2 | 0 |
| 563 | Mountain Hawk-Eagle | <i>Nisaetus nipalensis</i> |  | LC | V2 | 0 |
|     |                     | <i>orientalis</i>          |  |    | V2 | 0 |

## Charadriiformes Charadriidae

|     |                        |                           |  |    |    |   |
|-----|------------------------|---------------------------|--|----|----|---|
| 564 | American Golden Plover | <i>Pluvialis dominica</i> |  | LC | V2 | 0 |
|-----|------------------------|---------------------------|--|----|----|---|

## Charadriiformes Scolopacidae

|     |                   |                          |  |    |    |   |
|-----|-------------------|--------------------------|--|----|----|---|
| 565 | Hudsonian Godwit  | <i>Limosa haemastica</i> |  | LC | V2 | 0 |
| 566 | Western Sandpiper | <i>Calidris mauri</i>    |  | LC | V2 | 0 |

## Charadriiformes Laridae

|     |                  |                           |  |    |    |   |
|-----|------------------|---------------------------|--|----|----|---|
| 567 | Ring-billed Gull | <i>Larus delawarensis</i> |  | LC | V2 | 0 |
|-----|------------------|---------------------------|--|----|----|---|


## Cuculiformes Cuculidae

|     |                  |                          |  |    |    |   |
|-----|------------------|--------------------------|--|----|----|---|
| 568 | Himalayan Cuckoo | <i>Cuculus saturatus</i> |  | LC | V2 | 0 |
|-----|------------------|--------------------------|--|----|----|---|

| Passeriformes Muscicapidae |                        |                                   | NCS | GCS | STATUS | BS |
|----------------------------|------------------------|-----------------------------------|-----|-----|--------|----|
| 569                        | Slaty-blue Flycatcher  | <i>Ficedula tricolor</i>          |     | LC  | V2     | 0  |
|                            |                        | <i>diversa</i>                    |     |     | V2     | 0  |
| 570                        | Güldenstädt's Redstart | <i>Phoenicurus erythrogastrus</i> |     | LC  | V2     | 0  |
|                            |                        | <i>grandis</i>                    |     |     | V2     | 0  |

## CAT 5

### Columbiformes Columbidae

|     |                   |                         |   |    |    |   |
|-----|-------------------|-------------------------|---|----|----|---|
| 571 | Feral Rock Dove * | <i>Columba livia</i>    |  | LC | R2 | 1 |
|     |                   | <i>var. domestica</i> * |   |    | R2 | 1 |

## Pending

### Anseriformes Anatidae

|   |            |                           |  |    |    |   |
|---|------------|---------------------------|--|----|----|---|
| - | Canvasback | <i>Aythya valisineria</i> |  | LC | V2 | 0 |
|---|------------|---------------------------|--|----|----|---|

### Charadriiformes Laridae

|   |             |                          |  |    |    |   |
|---|-------------|--------------------------|--|----|----|---|
| - | Arctic Tern | <i>Sterna paradisaea</i> |  | LC | V2 | 0 |
|---|-------------|--------------------------|--|----|----|---|

### Passeriformes Corvidae

|   |                |                      |  |    |    |   |
|---|----------------|----------------------|--|----|----|---|
| - | Northern Raven | <i>Corvus corax</i>  |  | LC | V2 | 0 |
|   |                | <i>kamtschaticus</i> |  |    | V2 | 0 |

### Passeriformes Muscicapidae

|   |                 |                                |  |    |    |   |
|---|-----------------|--------------------------------|--|----|----|---|
| - | Common Redstart | <i>Phoenicurus phoenicurus</i> |  | LC | V2 | 0 |
|   |                 | <i>phoenicurus</i>             |  |    | V2 | 0 |

# Taxonomy List

## (Category 1 only)

# 542 species

|                            |                   |                       |       |
|----------------------------|-------------------|-----------------------|-------|
| <b>Anseriformes</b>        | <b>51 species</b> |                       |       |
|                            | Anatidae          | Duck, Goose, Swan     | 51 sp |
| <b>Galliformes</b>         | <b>3 species</b>  |                       |       |
|                            | Phasianidae       | Pheasant, Quail       | 3 sp  |
| <b>Gaviiformes</b>         | <b>4 species</b>  |                       |       |
|                            | Gaviidae          | Loon                  | 4 sp  |
| <b>Procellariiformes</b>   | <b>6 species</b>  |                       |       |
|                            | Hydrobatidae      | Storm Petrel          | 1 sp  |
|                            | Procellariidae    | Shearwater            | 5 sp  |
| <b>Podicipediformes</b>    | <b>5 species</b>  |                       |       |
|                            | podicipedidae     | Grebe                 | 5 sp  |
| <b>Phoenicopteriformes</b> | <b>1 species</b>  |                       |       |
|                            | Phoenicopteridae  | Flamingo              | 1 sp  |
| <b>Ciconiiformes</b>       | <b>2 species</b>  |                       |       |
|                            | Ciconiidae        | Stork                 | 2 sp  |
| <b>Pelecaniformes</b>      | <b>21 species</b> |                       |       |
|                            | Threskiornithidae | Spoonbill, Ibis       | 3 sp  |
|                            | Ardeidae          | Heron, Egret, Bittern | 18 sp |

|                        |                    |                      |       |
|------------------------|--------------------|----------------------|-------|
| <b>Suliformes</b>      | <b>8 species</b>   |                      |       |
|                        | Fregatidae         | Frigatebird          | 2 sp  |
|                        | Sulidae            | Booby                | 3 sp  |
|                        | Phalacrocoracidae  | Cormorant            | 3 sp  |
| <b>Accipitriformes</b> | <b>28 species</b>  |                      |       |
|                        | Pandionidae        | Osprey               | 1 sp  |
|                        | Accipitridae       | Eagle, Hawk, Harrier | 27 sp |
| <b>Otidiformes</b>     | <b>1 species</b>   |                      |       |
|                        | Otididae           | Bustard              | 1 sp  |
| <b>Gruiformes</b>      | <b>17 species</b>  |                      |       |
|                        | Rallidae           | Rail, Coot           | 10 sp |
|                        | Gruidae            | Crane                | 7 sp  |
| <b>Charadriiformes</b> | <b>108 species</b> |                      |       |
|                        | Turnicidae         | Buttonquail          | 1 sp  |
|                        | Haematopodidae     | Oystercatcher        | 1 sp  |
|                        | Recurvirostridae   | Oystercatcher        | 2 sp  |
|                        | Charadriidae       | Plover               | 12 sp |
|                        | Rostratulidae      | Painted-snipe        | 1 sp  |
|                        | Jacanidae          | Jacana               | 1 sp  |
|                        | Scolopacidae       | Sandpiper, Curlew    | 43 sp |
|                        | Glareolidae        | Pratincole           | 1 sp  |
|                        | Laridae            | Gull, Tern           | 32 sp |
|                        | Stercorariidae     | Skua, Jaeger         | 4 sp  |
|                        | Alcidae            | Murrelet, Puffin     | 10 sp |

|                         |                   |                 |       |
|-------------------------|-------------------|-----------------|-------|
| <b>Columbiformes</b>    | <b>8 species</b>  |                 |       |
|                         | Columbidae        | Pigeon          | 8 sp  |
| <b>Cuculiformes</b>     | <b>10 species</b> |                 |       |
|                         | Cuculidae         | Cuckoo, Coucal  | 10 sp |
| <b>Strigiformes</b>     | <b>11 species</b> |                 |       |
|                         | Tytonidae         | Grass Owl       | 1 sp  |
|                         | Strigidae         | Owl             | 10 sp |
| <b>Caprimulgiformes</b> | <b>1 species</b>  |                 |       |
|                         | Caprimulgidae     | Nightjar        | 1 sp  |
| <b>Apodiformes</b>      | <b>5 species</b>  |                 |       |
|                         | Apodidae          | Swift           | 5 sp  |
| <b>Coraciiformes</b>    | <b>4 species</b>  |                 |       |
|                         | Coraciidae        | Dollarbird      | 1 sp  |
|                         | Alcedinidae       | Kingfisher      | 3 sp  |
| <b>Bucerotiformes</b>   | <b>1 species</b>  |                 |       |
|                         | Upupidae          | Hoopoe          | 1 sp  |
| <b>Piciformes</b>       | <b>9 species</b>  |                 |       |
|                         | Picidae           | Woodpecker      | 9 sp  |
| <b>Falconiformes</b>    | <b>7 species</b>  |                 |       |
|                         | Falconidae        | Falcon, Kestrel | 7 sp  |

**Passeriformes****231 species**

|                |                         |       |
|----------------|-------------------------|-------|
| Pittidae       | Pitta                   | 2 sp  |
| Artamidae      | Woodswallow             | 1 sp  |
| Campephagidae  | Minivet, Cuckooshrike   | 3 sp  |
| Laniidae       | Shrike                  | 8 sp  |
| Oriolidae      | Oriole                  | 1 sp  |
| Dicruridae     | Drongo                  | 3 sp  |
| Monarchidae    | Paradise Flycatcher     | 2 sp  |
| Corvidae       | Magpie, Crow            | 9 sp  |
| Bombycillidae  | Waxwing                 | 2 sp  |
| Stenostridae   | Canary Flycatcher       | 1 sp  |
| Paridae        | Tit                     | 7 sp  |
| Remizidae      | Penduline Tit           | 1 sp  |
| Panuridae      | Bearded Reedling        | 1 sp  |
| Alaudidae      | Lark                    | 7 sp  |
| Pycnonotidae   | Bulbul                  | 2 sp  |
| Hirundinidae   | Swallow                 | 7 sp  |
| Cettiidae      | Bush Warbler, Stubtail  | 3 sp  |
| Aegithalidae   | Long-tailed Tit         | 1 sp  |
| Phylloscopidae | Leaf Warbler            | 19 sp |
| Acrocephalidae | Reed Warbler            | 7 sp  |
| Locustellidae  | Grasshopper Warbler     | 7 sp  |
| Cisticolidae   | Cisticola               | 1 sp  |
| Sylviidae      | Whitethroat, Parrotbill | 5 sp  |
| Zosteropidae   | White-eye               | 2 sp  |
| Regulidae      | Goldcrest               | 1 sp  |
| Troglodytidae  | Wren                    | 1 sp  |
| Sittidae       | Nuthatch                | 2 sp  |
| Certhiidae     | Treecreeper             | 1 sp  |
| Sturnidae      | Starling                | 8 sp  |
| Turdidae       | Thrush                  | 17 sp |



---

|              |                  |       |
|--------------|------------------|-------|
| Muscicapidae | Flycatcher       | 34 sp |
| Cinclidae    | Dipper           | 1 sp  |
| Passeridae   | Sparrow          | 3 sp  |
| Estrildidae  | Munia            | 1 sp  |
| Prunellidae  | Accentor         | 3 sp  |
| Motacillidae | Wagtail, Pipit   | 17 sp |
| Fringillidae | Finch, Crossbill | 16 sp |
| Calcariidae  | Longspur         | 2 sp  |
| Emberizidae  | Bunting          | 24 sp |

---

# Reference

- BirdLife International. 2017. IUCN Red List for birds. Downloaded from <http://www.birdlife.org> on 30/12/2017.
- Gill, F. & D. Donsker (Eds). 2017. IOC World Bird List (v7.3). doi: 10.14344/IOC.ML.7.3.
- Kang, C. W. Kang, H. M., Kim, E. M., Park, C. Y., Jee, N. J. 2009. A Fieldguide Book to the Bird of Jeju. Onetreebook. [In Korean]
- Lee, W. S., Gu, T. H. & Park, J. Y. 2014. A Field Guide to the Birds of Korea. LG Foundation.
- Moores, N., Choi H-A. & Seliger, B. 2017. Seabirds in the Inner Border Area of Korea – Goseong County, Gangwon Province. A report on seabird research by Birds Korea and the Hanns Seidel Foundation (Korea).
- Moores, N., Kim, A. & Kim R. 2014. Status of Birds, 2014. Birds Korea report on Bird Population Trends and Conservation Status in the Republic of Korea. Published by Birds Korea, September 2014.
- NIBR. 2008. 2009. 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017. Winter Waterbird Census of Korea (data for years 2008–2017). National Institute of Biological Resources, Incheon. [In Korean]
- NIBR. 2011. Red Data Book of Endangered Birds in Korea. National Institute of Environmental Research, Incheon. [In Korean] [English Abstract]
- NIBR. 2010. Survey and Resource Management of wildlife. p97. National Institute of Biological Resources, Incheon. [In Korean]
- NIER. 2004, 2005, 2006, 2007. Winter Waterbird Census of Korea (data for years 1999–2007). National Institute of Environmental Research, Incheon. [In Korean]
- Park J-G. 2014. Identification Guide to Birds of Korea. Checklist of Organisms in Korea 12. Published by Nature and Ecology, Seoul. [In Korean]
- Shorebird Network Korea. 2011, 2012, 2013, 2015. Shorebird Monitoring Report of Korea (data for years 2011–2014). Shorebird Network Korea Secretariat, Shinan County, Republic of Korea. [In Korean]
- Won, B. O. & Kim, H. J. 2012. The Birds of Korea. Academybooks. [In Korean]