

새와 생명의 터 조류목록

2018

The Birds Korea
Checklist



The Birds Korea Checklist (2018)

An annotated list of all bird taxa recorded in the Republic of Korea

Moores, N., Ha J-M. & Seo H-M. (January 2018, March 2018)



Birds Korea is a small, specialized organization dedicated to the conservation of birds and their habitats in Korea and the wider Yellow Sea Eco-region.

To help improve conservation opportunities of birds and their habitats, we maintain an open access checklist of bird species and subspecies. In 2007 and 2009, we developed and published online checklists of birds recorded on the Korean Peninsula, and in 2013 and 2014 of birds recorded only in the Republic of Korea. The 2014 checklist was also published formally in *Status of Birds* (Moores et al. 2014). This report for the first time organized all regularly-occurring bird species in the Republic of Korea, i.e. all species with >5 individuals likely present every year in the previous ten years, into four major categories (of Red, Amber, Green and Grey) to help identify conservation priorities.

The 2018 Checklist contains 370 currently or historically regularly occurring species organized into these four conservation categories. This total includes four rarely-recorded species (i.e. Long-tailed Duck *Clangula hyemalis*, Swinhoe's Rail *Coturnicops exquisitus*, Band-bellied Crake *Porzana paykullii*, and South Polar Skua *Stercorarius maccormicki*) that are considered likely to be regularly occurring but are probably largely overlooked due to their secrecy and/ or the low accessibility of their habitats.

In the Birds Korea Checklist (2018):

- 58 species are Red-Listed, i.e. they are the Highest Conservation Priorities.
- 82 are Amber-Listed, i.e. they are High Conservation Priorities.
- 228 are Green-Listed, in that they are assessed globally as Least Concern (BirdLife International 2017); and/ or appear either to be stable or to have shown an increase in population.
- Eight are Grey-Listed, in that they were previously regularly-occurring species but have not occurred regularly in at least the past decade.

For more detail on the assessment process and application of criteria, please refer to Moores et al. (2014).

Birds Korea

Address: 48559 Birds Korea, Hyundai I-PARK 101-1902, Yongdangdong,
Dongmyungro 26, Namgu, Busan, Republic of Korea

Phone: 051-627-3163

FAX: 051-627-3164

Email: inquiries@birdskorea.org

Recommended Citation

Moores, N., Ha J-M. & Seo H-M. 2018. The Birds Korea Checklist (2018). Published by Birds Korea, Busan, Republic of Korea.

Introduction

The Birds Korea Checklist (2018) lists taxa recorded in the ROK. It includes 551 naturally-occurring species (and their subspecies) which have been adequately documented (i.e. with their identification supported by independently-identifiable specimens, images or sound-recordings); one introduced species; and an additional ~22 species which lack adequate documentation for which descriptions (or in a few cases low quality images) might permit identification by independent reviewers.

This version of the checklist was completed in January 2018, with additional editing by Matt Poll, and some further editing in March 2018 following input from Miklós Rapala. Like several previous Birds Korea checklists, the Birds Korea Checklist (2018) follows the order and the scientific and English nomenclature recommended by the International Ornithologists' Union (for this checklist as recommended by Gill & Donsker 2017), with only a few exceptions. English names preferred by Birds Korea (when different from Gill & Donsker 2017) are indicated by an obelus (†); and different taxonomic choices by an asterisk (*). Korean names are based on Park (2014). We also include each species' global conservation status as assessed and published online by BirdLife International in December 2017 (BirdLife International 2017).

As with previous versions of the Birds Korea Checklist, Moores et al. (2018) is a work-in-progress. Some valuable information likely remains inaccessible and there is no permanent committee in the ROK dedicated to the review of national records or status or to help develop consensus on taxonomy and nomenclature. Largely as a result, there are substantial differences between Birds Korea checklists and checklists published since 2000 by the Ministry of Environment, Korea National Parks and Ornithological Society of Korea. Major differences include our following the recommendations of the IOC; the division of species into categories; an assessment of conservation status; and the inclusion or exclusion of several taxa – this following an independent review of best information and detailed discussion on these records with experts who have substantial experience of the relevant taxa.

How to use

Categories

To help increase confidence in the records, Moores et al. (2018) is divided into five categories and a pending file.

- CAT 1** Species of bird (and their subspecies) recorded in the ROK since 1980, adequately-documented with independently identifiable photographs, sound recordings and / or specimens.
- CAT 2** Species of bird (and their subspecies) recorded in the ROK before 1980, credibly supported by photographs or specimens, which have not been recorded since 1980 with the same level of documentation. Species are assessed as either 2.1 (with records lacking adequate documentation since January 1st 1980); or 2.2 (apparently not recorded since January 1st 1980).
- CAT 3** Species of bird (and their subspecies) recorded in the ROK by three or more observers or with more than one record made by a single observer, with the record(s) supported with a detailed description but without independently-identifiable photographs and / or sound recordings.
- CAT 4** Species of bird recorded only once in the Republic of Korea by one or two observers supported with a detailed description but without independently-identifiable photographs or sound recordings.
- CAT 5** Introduced bird species that have maintained self-sustaining populations in the Republic of Korea for more than 20 years.
- Pending** Species of bird recorded in the Republic of Korea with the observation supported by poor quality photographic evidence and / or sound recordings in need of further independent review.

Global Conservation Status (GCS)

Each species' global conservation status follows BirdLife International (2017), and is indicated by two letters.

CR	Critically Endangered	EN	Endangered	VU	Vulnerable
NT	Near Threatened	LC	Least Concern	NR	Not Recognised

National Conservation Status (NCS) in the ROK

The National Conservation Status is based on a hierarchy of criteria set out by Moores et al. (2014), with regularly occurring species divided into four major categories. ● Red is used to indicate the Highest Conservation Priorities. This assessment is based on their being listed as Globally Threatened (BirdLife International 2017) or Nationally Endangered or Critically Endangered (NIBR 2011); and / or having undergone a major historical decline; and / or a decline of 50% or more since 1990 or of 25% or more since 2000. ○ Amber is used to indicate High Conservation Priorities. This assessment is based on their being listed as Globally Near Threatened (BirdLife International 2017) or Nationally Vulnerable or Near Threatened (NIBR 2011); and / or having undergone a large historical decline; and / or a decline estimated at 25-49% since 1990. ● Green is used to indicate Lower Conservation Priorities (primarily species which are increasing, stable or decreasing at rates too slow to trigger Red or Amber listing); and ○ Grey to indicate species already effectively extirpated from the ROK. ○ Empty circles are used to indicate species that are not considered to be regularly occurring in the ROK.

Status and Abundance in the ROK

The Status and Abundance of each taxon is indicated by a combination of letters (indicating seasonality) and numbers (indicating estimated bands of abundance), with the season of greatest abundance listed first. For wintering waterbirds, abundance (and population trend) is based on the results of the winter bird census conducted by the Ministry of Environment (MOE 1999-2017), especially years 2014-2017; and for migratory shorebirds on surveys e.g. conducted by the Shorebird Network Korea (SNK 2010-2014) and Birds Korea in 2016 and 2017. For most landbirds and seabirds, abundance is estimated rather or much more coarsely, in many cases by interpretation of recent count data (e.g. Moores et al. 2017) and older literature, e.g. NIBR (2010). In a few cases, a question mark is used to indicate uncertainty about the occurrence of a given taxon; and in Category Two, brackets are used to help indicate historical status.

Seasonality

R	Resident	S	Summer Visitor
P	Passage Migrant	W	Winter Visitor

Breeding Status (BS)

- 0 No breeding records
- 1 Breeding confirmed since 1980
- 2 Breeding suspected since 1980
- 3 Breeding confirmed before 1980, but not subsequently
- 4 Breeding suspected before 1980, but not subsequently

Abundance

1	≥100,000 individuals per year
2	10,000-99,999 individuals per year
3	1,000-9,999 individuals per year
4	100-999 individuals per year
5	10-99 individuals per year
V1	Scarcely recorded, ≥10 records since 1980 but less than 10 records/year
V2	Rarely recorded, 1-9 records since 1980
EXT	Extirpated

Checklist

CAT 1

Anseriformes Anatidae – Duck, Goose, Swan		NCS	GCS	STATUS	BS
1	Brant Goose <i>Branta bernicla</i>	●	LC	WV1	0
	<i>nigricans</i>			WV1	0
2	Red-breasted Goose <i>Branta ruficollis</i>	○	VU	V2	0
3	Canada Goose <i>Branta canadensis</i>	○	LC	V2	0
	<i>parvipes</i>			V2	0
4	Barnacle Goose <i>Branta leucopsis</i>	○	LC	V2	0
5	Cackling Goose <i>Branta hutchinsii</i>	○	LC	WV1	0
	<i>leucopareia</i>			WV1	0
	<i>minima</i>			WV2	0
	<i>taverneri</i>			WV2	0
6	Bar-headed Goose <i>Anser indicus</i>	○	LC	V2	0
7	Emperor Goose <i>Anser canagicus</i>	○	NT	V2	0
8	Snow Goose <i>Anser caerulescens</i>	○	LC	WV1	0
	<i>caerulescens</i>			WV1	0
9	Greylag Goose <i>Anser anser</i>	○	LC	V2	0
	<i>ruberirostris</i>			V2	0
10	Swan Goose <i>Anser cygnoides</i>	●	VU	P4, W5	0
11	Taiga Bean Goose <i>Anser fabalis</i>	●	LC	P3, W3, SV2	0
	<i>johanseni</i>			V2?	0
	<i>middendorffii</i>			P3, W3, SV2	0
12	Tundra Bean Goose <i>Anser serrirostris</i>	●	NR	P2, W2, SV2	0
	<i>serrirostris</i>			P2, W2, SV2	0
13	Greater White-fronted Goose <i>Anser albifrons</i>	●	LC	P1, W1, SV1	0
	<i>albifrons</i>			W4	0
	<i>frontalis</i> *			P1, W1, SV1	0
14	Lesser White-fronted Goose <i>Anser erythropus</i>	●	VU	P5, W5	0
15	Mute Swan <i>Cygnus olor</i>	●	LC	WV1	0
16	Tundra Swan <i>Cygnus columbianus</i>	●	LC	W5	0
	<i>bewickii</i>			W5	0

Anseriformes Anatidae – Duck, Goose, Swan			NCS	GCS	STATUS	BS
17	Whooper Swan	<i>Cygnus cygnus</i>		LC	W3, SV2	0
18	Common Shelduck	<i>Tadorna tadorna</i>		LC	W2, SV2	0
19	Ruddy Shelduck	<i>Tadorna ferruginea</i>		LC	W3, SV2	0
20	Mandarin Duck	<i>Aix galericulata</i>		LC	R3, P3, W3	1
21	Baikal Teal	<i>Sibirionetta formosa</i>		LC	W1, SV2	0
22	Garganey	<i>Spatula querquedula</i>		LC	P4	0
23	Northern Shoveler	<i>Spatula clypeata</i>		LC	W3, SV2	0
24	Gadwall	<i>Mareca strepera</i>		LC	W3, SV2	0
		<i>strepera</i>			W3, SV2	0
25	Falcated Duck	<i>Mareca falcata</i>		NT	W3, SV1	2
26	Eurasian Wigeon	<i>Mareca penelope</i>		LC	W3, SV1	0
27	American Wigeon	<i>Mareca americana</i>		LC	WV1	0
28	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>		LC	W2, R3	1
29	Mallard	<i>Anas platyrhynchos</i>		LC	W1, P2, R4	1
		<i>platyrhynchos</i>			W1, P2, R4	1
30	Northern Pintail	<i>Anas acuta</i>		LC	W3, SV2	0
31	Eurasian Teal	<i>Anas crecca</i>		LC	W2, SV1	0
		<i>crecca</i>			W2, SV1	0
		<i>nimia</i>			DD	0
32	Green-winged Teal	<i>Anas carolinensis</i>		NR	V2	0
33	Red-crested Pochard	<i>Netta rufina</i>		LC	WV1	0
34	Common Pochard	<i>Aythya ferina</i>		VU	W2, SV1	0
35	Baer's Pochard	<i>Aythya baeri</i>		CR	V1	0
36	Ferruginous Duck	<i>Aythya nyroca</i>		NT	V1	0
37	Ring-necked Duck	<i>Aythya collaris</i>		LC	V2	0
38	Tufted Duck	<i>Aythya fuligula</i>		LC	W3, P4, SV2	0
39	Greater Scaup	<i>Aythya marila</i>		LC	W3, SV2	0
		<i>nearctica</i>			W3, SV2	0
40	Lesser Scaup	<i>Aythya affinis</i>		LC	V2	0
41	King Eider	<i>Somateria spectabilis</i>		LC	V2	0
42	Harlequin Duck	<i>Histrionicus histrionicus</i>		LC	W5	0

Anseriformes Anatidae – Duck, Goose, Swan			NCS	GCS	STATUS	BS
43	Stejneger's Scoter †	<i>Melanitta deglandi</i>		LC	W4, SV2	0
		<i>stejnegeri</i>			W4, SV2	0
44	American Scoter †	<i>Melanitta americana</i>		NT	W4	0
45	Long-tailed Duck	<i>Clangula hyemalis</i>		VU	WV1	0
46	Bufflehead	<i>Bucephala albeola</i>		LC	V2	0
47	Common Goldeneye	<i>Bucephala clangula</i>		LC	W3	0
		<i>clangula</i>			W3	0
48	Smew	<i>Mergus albellus</i>		LC	W3	0
49	Common Merganser	<i>Mergus merganser</i>		LC	W2, R5	1
		<i>orientalis</i>			W2, R5	1
50	Red-breasted Merganser	<i>Mergus serrator</i>		LC	W3, SV2	0
51	Scaly-sided Merganser	<i>Mergus squamatus</i>		EN	W4, P5	0

Galliformes Phasianidae – Pheasant, Quail

52	Hazel Grouse	<i>Tetraastes bonasia</i>		LC	R1	1
		<i>amurensis</i>			R1	1
53	Japanese Quail	<i>Coturnix japonica</i>		NT	W4, SV2	1
54	Common Pheasant	<i>Phasianus colchicus</i>		LC	R1	1
		<i>karpowi</i>			R1	1

Gaviiformes Gaviidae – Loon

55	Red-throated Loon	<i>Gavia stellata</i>		LC	P3, W4	0
56	Arctic Loon †	<i>Gavia arctica</i>		LC	W3, SV2	0
		<i>viridigularis</i>			W3, SV2	0
57	Pacific Loon	<i>Gavia pacifica</i>		LC	P3, W3, SV2	0
58	Yellow-billed Loon	<i>Gavia adamsii</i>		NT	W5, SV2	0

Procellariiformes Hydrobatidae – Storm Petrel

59	Swinhoe's Storm Petrel	<i>Oceanodroma monorhisa</i>		NT	S1	1
----	------------------------	------------------------------	--	----	----	---

Procellariiformes Procellariidae – Shearwater			NCS	GCS	STATUS	BS
60	Bonin Petrel	<i>Pterodroma hypoleuca</i>		LC	V2	0
61	Streaked Shearwater	<i>Calonectris leucomelas</i>		NT	S2	1
62	Short-tailed Shearwater	<i>Ardenna tenuirostris</i>		LC	P4, WV2	0
63	Flesh-footed Shearwater	<i>Ardenna carneipes</i>		NT	P5	0
64	Bulwer's Petrel	<i>Bulweria bulwerii</i>		LC	V2	0

Podicipediformes Podicipedidae – Grebe

65	Little Grebe	<i>Tachybaptus ruficollis</i>		LC	R3	1
		pogger			R3	1
66	Red-necked Grebe	<i>Podiceps grisegena</i>		LC	W4	0
		holbollii			W4	0
67	Great Crested Grebe	<i>Podiceps cristatus</i>		LC	W2, R4	1
		cristatus			W2, R4	1
68	Horned Grebe	<i>Podiceps auritus</i>		VU	W5, SV2	0
		auritus			W5, SV2	0
69	Black-necked Grebe	<i>Podiceps nigricollis</i>		LC	W4	0
		nigricollis			W4	0

Phoenicopteriformes Phoenicopteridae – Flamingo

70	Greater Flamingo	<i>Phoenicopterus roseus</i>		LC	V2	0
----	------------------	------------------------------	--	----	----	---

Ciconiiformes Ciconiidae – Stork

71	Black Stork	<i>Ciconia nigra</i>		LC	V1	3
72	Oriental Stork	<i>Ciconia boyciana</i>		EN	W5, SV2	3

Pelecaniformes Threskiornithidae – Spoonbill, Ibis

73	Black-headed Ibis	<i>Threskiornis melanocephalus</i>		NT	V2	0
74	Eurasian Spoonbill	<i>Platalea leucorodia</i>		LC	W4, SV1	0
		leucorodia			W4, SV1	0
75	Black-faced Spoonbill	<i>Platalea minor</i>		EN	S3, R5	1

Pelecaniformes Ardeidae – Heron, Egret, Bittern			NCS	GCS	STATUS	BS
76	Eurasian Bittern	<i>Botaurus stellaris</i>	●	LC	W5, P5	0
		<i>stellaris</i>			W5, P5	0
77	Yellow Bittern	<i>Ixobrychus sinensis</i>	●	LC	S4	1
78	Von Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>	●	LC	S5	1
79	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	○	LC	PV1	2
80	Black Bittern	<i>Dupetor flaviollis</i>	○	LC	PV1	0
81	Japanese Night Heron	<i>Gorsachius goisagi</i>	○	EN	PV1, SV2	1
82	Malayan Night Heron	<i>Gorsachius melanolophus</i>	○	LC	V2	0
83	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	●	LC	S3, R5	1
		<i>nycticorax</i>			S3, R5	1
84	Striated Heron	<i>Butorides striata</i>	●	LC	S3, WV2	1
		<i>amurensis</i>			S3, WV2	1
85	Chinese Pond Heron	<i>Ardeola bacchus</i>	●	LC	P4, S5, WV2	1
86	Eastern Cattle Egret	<i>Bubulcus coromandus</i>	●	NR	S3	1
87	Grey Heron	<i>Ardea cinerea</i>	●	LC	S2, R3	1
		<i>cinerea</i>			DD?	0
		<i>jouyi</i>			S2, R3	1
88	Purple Heron	<i>Ardea purpurea</i>	●	LC	P5, SV2	0
		<i>manilensis</i>			P5, SV2	0
89	Great Egret	<i>Ardea alba</i>	●	LC	S2, P3, W3	1
		<i>alba</i>			W3, SV1	0
		<i>modesta</i>			S2, P3, WV1	1
90	Intermediate Egret	<i>Ardea intermedia</i>	●	LC	S3	1
		<i>intermedia</i>			S3	1
91	Little Egret	<i>Egretta garzetta</i>	●	LC	S2, W4	1
		<i>garzetta</i>			S2, W4	1
92	Pacific Reef Egret †	<i>Egretta sacra</i>	●	LC	R4	1
		<i>sacra</i>			R4	1
93	Chinese Egret	<i>Egretta eulophotes</i>	●	VU	S4, WV2	1

Suliformes Fregatidae – Frigatebird

			NCS	GCS	STATUS	BS
94	Great Frigatebird	<i>Fregata minor</i>		LC	V2	0
		<i>minor</i>			V2	0
95	Lesser Frigatebird	<i>Fregata ariel</i>		LC	V1	0
		<i> Ariel</i>			V1	0

Suliformes Sulidae – Booby

96	Masked Booby	<i>Sula dactylatra</i>		LC	V2	0
		<i>dactylatra / personata</i>			V2	0
97	Red-footed Booby	<i>Sula sula</i>		LC	V2	0
		<i>rufipes</i>			V2	0
98	Brown Booby	<i>Sula leucogaster</i>		LC	V1	0
		<i>plotus</i>			V1	0

Suliformes Phalacrocoracidae – Cormorant

99	Pelagic Cormorant	<i>Phalacrocorax pelagicus</i>		LC	W3, R4	1
		<i>pelagicus</i>			W3, R4	1
100	Great Cormorant	<i>Phalacrocorax carbo</i>		LC	W2, R4	1
		<i>sinensis</i>			W2, R4	1
		<i>hanedae</i>			DD	2
101	Temminck's Cormorant †	<i>Phalacrocorax capillatus</i>		LC	R3, W4	1

Accipitriformes Pandionidae – Osprey

102	Western Osprey	<i>Pandion haliaetus</i>		LC	P4, W5, R5	1
		<i>haliaetus</i>			P4, W5, R5	1

Accipitriformes Accipitridae – Eagle, Hawk, Harrier

103	Black-winged Kite	<i>Elanus caeruleus</i>		LC	V2	0
		<i>vociferus</i>			V2	0
104	Bearded Vulture	<i>Gypaetus barbatus</i>		NT	V2	0
		<i>barbatus</i>			V2	0
105	Crested Honey Buzzard	<i>Pernis ptilorhynchus</i>		LC	P3, S5	1
		<i>orientalis</i>			P3, S5	1
106	Himalayan Vulture	<i>Gyps himalayensis</i>		NT	V2	0

Accipitriformes Accipitridae – Eagle, Hawk, Harrier			NCS	GCS	STATUS	BS
107	Cinereous Vulture	<i>Aegypius monachus</i>		NT	W3, SV2	0
108	Crested Serpent Eagle	<i>Spilornis cheela</i>		LC	V2	0
		<i>ricketti</i>			V2	0
109	Short-toed Snake Eagle	<i>Circaetus gallicus</i>		LC	V2	0
110	Greater Spotted Eagle	<i>Clanga clanga</i>		VU	P5, WV1	0
111	Booted Eagle	<i>Hieraætus pennatus</i>		LC	V2	0
112	Steppe Eagle	<i>Aquila nipalensis</i>		EN	V1	0
		<i>nipalensis</i>			V1	0
113	Eastern Imperial Eagle	<i>Aquila heliaca</i>		VU	V1	0
114	Golden Eagle	<i>Aquila chrysaetos</i>		LC	W5, SV2	3
		<i>kamtschatica / japonica</i>			W5, SV2	3
115	Bonelli's Eagle	<i>Aquila fasciata</i>		LC	V2	0
		<i>fasciata</i>			V2	0
116	Chinese Sparrowhawk	<i>Accipiter soloensis</i>		LC	P3, S4	1
117	Japanese Sparrowhawk	<i>Accipiter gularis</i>		LC	P3, R4	1
		<i>sibiricus</i>			DD?	0
		<i>gularis</i>			P3, R4	1
118	Eurasian Sparrowhawk	<i>Accipiter nisus</i>		LC	P3, W3, SV2	2
		<i>nisosimilis</i>			P3, W3, SV2	2
119	Northern Goshawk	<i>Accipiter gentilis</i>		LC	P3, W3, R5	1
		<i>albidus</i>			V2	0
		<i>schvedowi</i>			P3, W3, R5	1
		<i>fujiyamae</i>			W4	0
120	Eastern Marsh Harrier	<i>Circus spilonotus</i>		LC	P5, WV1	0
121	Hen Harrier	<i>Circus cyaneus</i>		LC	W4, P5	0
122	Pied Harrier	<i>Circus melanoleucos</i>		LC	P5, SV2	1
123	Black Kite	<i>Milvus migrans</i>		LC	P4, W4, R5	1
		<i>lineatus</i>			P4, W4, R5	1
124	White-tailed Eagle	<i>Haliaeetus albicilla</i>		LC	W4, RV1	1
		<i>albicilla</i>			W4, RV1	1
125	Steller's Sea Eagle	<i>Haliaeetus pelagicus</i>		VU	W5	0
		<i>pelagicus</i>			W5	0
		var. <i>niger</i> *			DD	0

Accipitriformes Accipitridae – Eagle, Hawk, Harrier			NCS	GCS	STATUS	BS
126	Grey-faced Buzzard	<i>Butastur indicus</i>		LC	P2, S5	1
127	Rough-legged Buzzard	<i>Buteo lagopus</i>		LC	W5	0
		<i>menzbieri</i>			W5	0
		<i>kamtschatkensis</i>			WV2	0
128	Upland Buzzard	<i>Buteo hemilasius</i>		LC	P5, W5	0
129	Eastern Buzzard	<i>Buteo japonicus</i>		LC	P3, W3, SV2	0
		<i>japonicus</i>			P3, W3, SV2	0

Otidiformes Otididae – Bustard

130	Great Bustard	<i>Otis tarda</i>		VU	WV2	0
		<i>dybowskii</i>			WV2	0

Gruiformes Rallidae – Rail, Coot

131	Swinhoe's Rail	<i>Coturnicops exquisitus</i>		VU	V2	0
132	Western Water Rail †	<i>Rallus aquaticus</i>		LC	WV2	0
		<i>korejewi</i>			WV2	0
133	Eastern Water Rail †	<i>Rallus indicus</i>		LC	W5	0
134	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>		LC	P5, SV2	1
		<i>phoenicurus</i>			P5, SV2	1
135	Baillon's Crake	<i>Porzana pusilla</i>		LC	P5	0
		<i>pusilla</i>			P5	0
136	Ruddy-breasted Crake	<i>Porzana fusca</i>		LC	S5	1
		<i>erythrothorax</i>			S5	1
137	Band-bellied Crake	<i>Porzana paykullii</i>		NT	V1	2
138	Watercock	<i>Gallicrex cinerea</i>		LC	S5	1
139	Common Moorhen	<i>Gallinula chloropus</i>		LC	S3, R4	1
		<i>chloropus</i>			S3, R4	1
140	Eurasian Coot	<i>Fulica atra</i>		LC	W2, R4	1
		<i>atra</i>			W2, R4	1

Gruiformes Gruidae – Crane

			NCS	GCS	STATUS	BS
141	Siberian Crane	<i>Leucogeranus leucogeranus</i>	○	CR	WV1	0
142	Sandhill Crane	<i>Antigone canadensis</i>	○	LC	WV1	0
		<i>canadensis</i>			WV1	0
143	White-naped Crane	<i>Antigone vipio</i>	●	VU	W3, P3	0
144	Demoiselle Crane	<i>Grus virgo</i>	○	LC	WV2	0
145	Red-crowned Crane	<i>Grus japonensis</i>	●	EN	W4	0
146	Common Crane	<i>Grus grus</i>	○	LC	WV1	0
147	Hooded Crane	<i>Grus monacha</i>	●	VU	P3, W4	0

Charadriiformes Turnicidae – Buttonquail

148	Yellow-legged Buttonquail	<i>Turnix tanki</i>	○	LC	V1	2
		<i>blanfordii</i>			V1	2

Charadriiformes Haematopodidae – Oystercatcher

149	Far Eastern Oystercatcher †	<i>Haematopus ostralegus</i>	●	NT	W3, R4	1
		<i>osculans</i>			W3, R4	1

Charadriiformes Recurvirostridae – Stilt, Avocet

150	Black-winged Stilt	<i>Himantopus himantopus</i>	●	LC	P4, S5, WV2	1
151	Pied Avocet	<i>Recurvirostra avosetta</i>	○	LC	V1	0

Charadriiformes Charadriidae – Plover

152	Northern Lapwing	<i>Vanellus vanellus</i>	●	NT	W4	0
153	Grey-headed Lapwing	<i>Vanellus cinereus</i>	○	LC	V1	0
154	Pacific Golden Plover	<i>Pluvialis fulva</i>	●	LC	P4	0
155	Grey Plover	<i>Pluvialis squatarola</i>	●	LC	P3, W3, S4	0
		<i>squatarola / tomkovichii</i>			P3, W3, S4	0
156	Common Ringed Plover	<i>Charadrius hiaticula</i>	○	LC	V1	0
		<i>tundrae</i>			V1	0
157	Long-billed Plover	<i>Charadrius placidus</i>	●	LC	R3	1

Charadriiformes Charadriidae – Plover			NCS	GCS	STATUS	BS
158	Little Ringed Plover	<i>Charadrius dubius</i>		LC	P3, S3, WV2	1
		<i>curonicus</i>			P3, S3, WV2	1
159	Kentish Plover	<i>Charadrius alexandrinus</i>		LC	P2, S4, W4	1
	White-faced Plover	<i>dealbatus</i>		DD	V2	0
	Kentish Plover	<i>nihonensis</i>			P2, S4, W4	1
160	Lesser Sand Plover	<i>Charadrius mongolus</i>		LC	P3, WV1	0
	Lesser Sand Plover	<i>atirifrons / schaeferi</i>			V2	0
	Mongolian Plover	<i>mongolus</i>			P3, WV1	0
	Mongolian Plover	<i>stegmanni</i>			P5	0
161	Greater Sand Plover	<i>Charadrius leschenaultii</i>		LC	P5, SV2	0
		<i>leschenaultii</i>			P5, SV2	0
162	Oriental Plover	<i>Charadrius veredus</i>		LC	P5	0
163	Eurasian Dotterel	<i>Charadrius morinellus</i>		LC	V2	0
Charadriiformes Rostratulidae – Painted-snipe						
164	Greater Painted-snipe	<i>Rostratula benghalensis</i>		LC	S5, WV1	1
Charadriiformes Jacanidae – Jacana						
165	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>		LC	S5	1
Charadriiformes Scolopacidae – Sandpiper, Curlew						
166	Whimbrel	<i>Numenius phaeopus</i>		LC	P3, WV2	0
		<i>variegatus</i>			P3, WV2	0
167	Little Curlew	<i>Numenius minutus</i>		LC	P5	0
168	Far Eastern Curlew	<i>Numenius madagascariensis</i>		EN	P3, S3, WV1	0
169	Eurasian Curlew	<i>Numenius arquata</i>		NT	P3, W3, S4	0
		<i>orientalis</i>			P3, W3, S4	0
170	Bar-tailed Godwit	<i>Limosa lapponica</i>		NT	P2, S5, WV2	0
		<i>menzbieri</i>			P3, S5, WV2	0
		<i>baueri</i>			P2	0
171	Black-tailed Godwit	<i>Limosa limosa</i>		NT	P3, SV1, WV2	0
		<i>limosa</i>			P5, WV2	0
		<i>melanurooides</i>			P3	0

Charadriiformes Scolopacidae – Sandpiper, Curlew			NCS	GCS	STATUS	BS
172	Ruddy Turnstone	<i>Arenaria interpres</i>	●	LC	P4, WV2	0
		<i>interpres</i>			P4, WV2	0
173	Great Knot	<i>Calidris tenuirostris</i>	●	EN	P2, S5	0
174	Red Knot	<i>Calidris canutus</i>	●	NT	P5	0
		<i>piersmai</i>			DD	0
		<i>rogersi</i>			P5	0
175	Ruff	<i>Calidris pugnax</i>	●	LC	P5, WV2	0
176	Broad-billed Sandpiper	<i>Calidris falcinellus</i>	●	LC	P3	0
		<i>sibirica</i>			P3	0
177	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	●	LC	P4	0
178	Curlew Sandpiper	<i>Calidris ferruginea</i>	●	NT	P5	0
179	Temminck's Stint	<i>Calidris temminckii</i>	●	LC	P5, WV2	0
180	Long-toed Stint	<i>Calidris subminuta</i>	●	LC	P4	0
181	Spoon-billed Sandpiper	<i>Calidris pygmea</i>	●	CR	P5	0
182	Red-necked Stint	<i>Calidris ruficollis</i>	●	NT	P3, WV2	0
183	Sanderling	<i>Calidris alba</i>	●	LC	P4, W4	0
		<i>alba / rubida</i>			P4, W4	0
184	Dunlin	<i>Calidris alpina</i>	●	LC	P1, W2, SV1	0
		<i>sakhalina</i>			DD	0
		<i>kistchinski</i>			P5?	0
		<i>actites</i>			V2	0
		<i>arcticola</i>			DD	0
		<i>hudsonia</i>			V2	0
185	Little Stint	<i>Calidris minuta</i>	○	LC	V1	0
186	Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	○	NT	V2	0
187	Pectoral Sandpiper	<i>Calidris melanotos</i>	○	LC	V1	0
188	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	○	NT	PV1	0
189	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	○	LC	V1	0
190	Eurasian Woodcock	<i>Scolopax rusticola</i>	●	LC	P4, W4, SV2	0
191	Jack Snipe	<i>Lymnocryptes minimus</i>	○	LC	V2	0
192	Solitary Snipe	<i>Gallinago solitaria</i>	●	LC	W5	0
		<i>japonica</i>			W5	0

Charadriiformes Scolopacidae – Sandpiper, Curlew			NCS	GCS	STATUS	BS
193	Latham's Snipe	<i>Gallinago hardwickii</i>		LC	P5	0
194	Pin-tailed Snipe	<i>Gallinago stenura</i>		LC	P3, WV2	0
195	Swinhoe's Snipe	<i>Gallinago megala</i>		LC	P4	0
196	Common Snipe	<i>Gallinago gallinago</i>		LC	P4, W5	0
		<i>gallinago</i>			P4, W5	0
197	Terek Sandpiper	<i>Xenus cinereus</i>		LC	P2, S4	0
198	Red-necked Phalarope	<i>Phalaropus lobatus</i>		LC	P3	0
199	Red Phalarope	<i>Phalaropus fulicarius</i>		LC	P5, WV2	0
200	Common Sandpiper	<i>Actitis hypoleucos</i>		LC	P3, S4, W4	1
201	Green Sandpiper	<i>Tringa ochropus</i>		LC	P3, W4	0
202	Grey-tailed Tattler	<i>Tringa brevipes</i>		NT	P3, SV2	0
203	Common Redshank	<i>Tringa totanus</i>		LC	P4, S5, WV2	1
		<i>ussuriensis</i>			P4, S5, WV2	1
		<i>terrignotae</i>			DD	0
		<i>craggi</i>			DD	0
204	Marsh Sandpiper	<i>Tringa stagnatilis</i>		LC	P4, SV2	0
205	Wood Sandpiper	<i>Tringa glareola</i>		LC	P3, SV2	0
206	Spotted Redshank	<i>Tringa erythropus</i>		LC	P4, WV1	0
207	Common Greenshank	<i>Tringa nebularia</i>		LC	P3, W5, SV1	0
208	Nordmann's Greenshank	<i>Tringa guttifer</i>		EN	P5, SV2	0

Charadriiformes Glareolidae – Pratincole

209	Oriental Pratincole	<i>Glareola maldivarum</i>		LC	P5, SV2	2
-----	---------------------	----------------------------	--	----	---------	---

Charadriiformes Laridae – Gull, Tern

210	Black-legged Kittiwake	<i>Rissa tridactyla</i>		VU	P2, W3	0
		<i>pollicaris</i>			P3, W3	0
211	Slender-billed Gull	<i>Chroicocephalus genei</i>		LC	V2	0
212	Black-headed Gull	<i>Chroicocephalus ridibundus</i>		LC	P2, W2, S5	0
213	Saunders's Gull	<i>Chroicocephalus saundersi</i>		VU	W3, P3, S4	1
214	Relict Gull	<i>Ichthyaetus relictus</i>		VU	WV1	0

Charadriiformes Laridae – Gull, Tern

			NCS	GCS	STATUS	BS
215	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>	○	LC	V1	0
216	Black-tailed Gull	<i>Larus crassirostris</i>	●	LC	S2, W2	1
217	Common Gull †	<i>Larus canus</i>	●	LC	W2	0
		<i>heinei</i>			W4	0
		<i>kamtschatschensis</i>			W2	0
218	Glaucous-winged Gull	<i>Larus glaucescens</i>	●	LC	W5	0
219	Western Gull	<i>Larus occidentalis</i>	○	LC	WV2	0
		<i>occidentalis</i>			WV2	0
220	Glaucous Gull	<i>Larus hyperboreus</i>	●	LC	W4, SV2	0
		<i>pallidissimus</i>			W4, SV2	0
		<i>barrovianus</i>			DD	0
221	Iceland Gull	<i>Larus glaucopterus</i>	○	LC	WV1	0
		<i>glaucopterus</i>			WV2	0
	Kumlein's Gull	<i>kumlienii</i>			WV1	0
	Thayer's Gull	<i>thayeri</i>			WV1	0
222	American Herring Gull	<i>Larus smithsonianus</i>	○	LC	WV1	0
223	Vega Gull	<i>Larus vegae</i>	●	NR?	W2, P2, S5	0
		<i>vegae</i>			W2, P2, S5	0
		<i>birulai</i> *			W5	0
224	Mongolian Gull *	<i>Larus mongolicus</i> *	●	NR	P2, W3, S4	1
225	Caspian Gull	<i>Larus cachinnans</i>	○	LC	WV1	0
226	Slaty-backed Gull	<i>Larus schistisagus</i>	●	LC	W3, SV1	0
227	Lesser Black-backed Gull	<i>Larus fuscus</i>	○	LC	V2	0
		<i>fuscus</i>			V2	0
228	Heuglin's Gull *	<i>Larus heuglini</i> *	●	NR	P3, W4, SV2	0
		<i>heuglini</i> *			V2	0
	Taimyr Gull	<i>taimyrensis</i> *			P3, W4, SV2	0
	Steppe Gull	<i>barabensis</i>			WV1	0
229	Gull-billed Tern	<i>Gelochelidon nilotica</i>	○	LC	V1	0
		<i>affinis</i>			V1	0
230	Caspian Tern	<i>Hydroprogne caspia</i>	○	LC	V1	0
231	Greater Crested Tern	<i>Thalasseus bergii</i>	○	LC	V2	0
		<i>cristatus</i>			V2	0
232	Chinese Crested Tern	<i>Thalasseus bernsteini</i>	○	CR	SV2	1

Charadriiformes Laridae – Gull, Tern

			NCS	GCS	STATUS	BS
233	Little Tern	<i>Sternula albifrons</i>		LC	S3, WV2	1
		<i>sinensis</i>			S3, WV2	1
234	Aleutian Tern	<i>Onychoprion aleuticus</i>		VU	P5	0
235	Bridled Tern	<i>Onychoprion anaethetus</i>		LC	V2	0
		<i>anaethetus</i>			V2	0
236	Sooty Tern	<i>Onychoprion fuscatus</i>		LC	V1	0
		<i>nubilosus / oahuensis</i>			V1	0
237	Roseate Tern	<i>Sterna dougallii</i>		LC	V2	0
		<i>bangsi</i>			V2	0
238	Common Tern	<i>Sterna hirundo</i>		LC	P2, SV2, WV2	0
		<i>minussensis</i>			V1	0
		<i>longipennis</i>			P2, SV2, WV2	0
239	Whiskered Tern	<i>Chlidonias hybrida</i>		LC	P5, WV1	0
		<i>hybrida</i>			P5, WV1	0
240	White-winged Tern	<i>Chlidonias leucopterus</i>		LC	P4	0
241	Black Tern	<i>Chlidonias niger</i>		LC	V2	0
		<i>niger</i>			V2	0

Charadriiformes Stercorariidae – Skua, Jaeger

242	South Polar Skua	<i>Stercorarius maccormicki</i>		LC	S5	0
243	Pomarine Jaeger	<i>Stercorarius pomarinus</i>		LC	P4, WV2	0
244	Parasitic Jaeger	<i>Stercorarius parasiticus</i>		LC	P5	0
245	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>		LC	V1	0
		<i>pallescens</i>			V1	0

Charadriiformes Alcidae – Murrelet, Puffin

246	Thick-billed Murre	<i>Uria lomvia</i>		LC	W5	0
		<i>arra</i>			W5	0
247	Common Murre	<i>Uria aalge</i>		LC	W5	0
		<i>inornata</i>			W5	0
248	Spectacled Guillemot	<i>Cephus carbo</i>		LC	W5	0
249	Long-billed Murrelet	<i>Brachyramphus perdix</i>		NT	W5, SV2	0

Charadriiformes Alcidae – Murrelet, Puffin

			NCS	GCS	STATUS	BS
250	Ancient Murrelet	<i>Synthliboramphus antiquus</i>		LC	W2, S4	1
		<i>antiquus</i>			W2, S4	1
251	Crested Murrelet †	<i>Synthliboramphus wumizusume</i>		VU	S4, R5	1
252	Least Auklet	<i>Aethia pusilla</i>		LC	WV1	0
253	Crested Auklet	<i>Aethia cristatella</i>		LC	WV2	0
254	Rhinoceros Auklet	<i>Cerorhinca monocerata</i>		LC	W3	0
255	Tufted Puffin	<i>Fratercula cirrhata</i>		LC	V2	0

Columbiformes Columbidae – Pigeon

256	Hill Pigeon	<i>Columba rupestris</i>		LC	R5, PV2	1
		<i>rupestris</i>			R5, PV2	1
257	Stock Dove	<i>Columba oenas</i>		LC	WV2	0
		<i>yarkandensis</i>			WV2	0
258	Black Wood Pigeon †	<i>Columba janthina</i>		NT	R4	1
		<i>janthina</i>			R4	1
259	Oriental Turtle Dove	<i>Streptopelia orientalis</i>		LC	R1, P3	1
		<i>orientalis</i>			R1, P3	1
260	Eurasian Collared Dove	<i>Streptopelia decaocto</i>		LC	V1	0
		<i>decaocto</i>			V1	0
261	Red Turtle Dove	<i>Streptopelia tranquebarica</i>		LC	V1	0
		<i>humilis</i>			V1	0
262	Spotted Dove	<i>Spilopelia chinensis</i>		LC	V2	0
		<i>chinensis</i>			V2	0
263	White-bellied Green Pigeon	<i>Treron sieboldii</i>		LC	V1	0
		<i>sieboldii</i>			V1	0

Cuculiformes Cuculidae – Cuckoo, Coucal

264	Lesser Coucal	<i>Centropus bengalensis</i>		LC	V2	0
		<i>bengalensis / lignator</i>			V2	0
265	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>		LC	V2	1
266	Asian Koel	<i>Eudynamys scolopaceus</i>		LC	V1	0
		<i>chinensis</i>			V1	0

Cuculiformes Cuculidae – Cuckoo, Coucal			NCS	GCS	STATUS	BS
267	Square-tailed Drongo-Cuckoo	<i>Surniculus lugubris</i>	○	LC	V2	0
		<i>barussarum</i>			V2	0
268	Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	○	LC	V1	0
269	Northern Hawk-Cuckoo †	<i>Hierococcyx hyperythrus</i>	●	LC	S4, P4	1
270	Lesser Cuckoo	<i>Cuculus poliocephalus</i>	●	LC	S3	1
271	Indian Cuckoo	<i>Cuculus micropterus</i>	●	LC	S3	1
		<i>micropterus</i>			S3	1
272	Oriental Cuckoo	<i>Cuculus optatus</i>	●	LC	S3, P3	1
273	Common Cuckoo	<i>Cuculus canorus</i>	●	LC	P2, S3	1
		<i>canorus</i>			P2, S3	1
		<i>bakeri</i>			DD	0

Strigiformes Tytonidae – Grass Owl

274	Eastern Grass Owl	<i>Tyto longimembris</i>	○	LC	V2	0
		<i>chinensis</i>			V2	0

Strigiformes Strigidae – Owl

275	Northern Scops Owl †	<i>Otus semitorques</i>	●	LC	R3	1
		<i>ussuriensis</i>			R3	1
		<i>semitorques</i>			DD	2
276	Oriental Scops Owl	<i>Otus sunia</i>	●	LC	S3	1
		<i>japonicus</i>			DD	0
		<i>stictonotus</i>			S3	1
277	Snowy Owl	<i>Bubo scandiacus</i>	○	VU	V2	0
278	Eurasian Eagle-Owl	<i>Bubo bubo</i>	●	LC	R3	1
		<i>kiautschensis</i>			R3	1
279	Himalayan Owl	<i>Strix nivicolum</i>	●	LC	R5	1
	Eastern Tawny Owl	<i>ma</i>			R5	1
280	Ural Owl	<i>Strix uralensis</i>	●	LC	R5	1
		<i>nikolskii</i>			R5	1
281	Little Owl	<i>Athene noctua</i>	●	LC	W5, SV2	1
		<i>plumipes</i>			W5, SV2	1

Strigiformes Strigidae – Owl

			NCS	GCS	STATUS	BS
282	Northern Boobook	<i>Ninox japonica</i>		LC	P3, S3	1
		<i>japonica</i>			P3, S3	1
283	Long-eared Owl	<i>Asio otus</i>		LC	W5	0
		<i>otus</i>			W5	0
284	Short-eared Owl	<i>Asio flammeus</i>		LC	W5	0
		<i>flammeus</i>			W5	0

Caprimulgiformes Caprimulgidae – Nightjar

285	Grey Nightjar	<i>Caprimulgus jotaka</i>		LC	P3, S3	1
		<i>jotaka</i>			P3, S3	1

Apodiformes Apodidae – Swift

286	Himalayan Swiftlet	<i>Collocalia brevirostris</i>		LC	P5, SV2	0
		<i>innominatus</i>			P5, SV2	0
287	White-throated Needletail	<i>Hirundapus caudacutus</i>		LC	P3, S5	2
		<i>caudacutus</i>			P3, S5	2
288	Alpine Swift	<i>Tachymarptis melba</i>		LC	V2	0
		<i>nubifragus</i> (?)			V2	0
289	Pacific Swift	<i>Apus pacificus</i>		LC	P2, S3	1
		<i>pacificus</i>			P2, S3	1
290	House Swift	<i>Apus nipalensis</i>		LC	V1	0
		<i>nipalensis</i>			V1	0

Coraciiformes Coraciidae – Dollarbird

291	Oriental Dollarbird	<i>Eurystomus orientalis</i>		LC	S2, P3	1
		<i>cyanocollis</i>			P3, S3	1

Coraciiformes Alcedinidae – Kingfisher

292	Ruddy Kingfisher	<i>Halcyon coromanda</i>		LC	S4	1
		<i>major</i>			S4	1
293	Black-capped Kingfisher	<i>Halcyon pileata</i>		LC	S4	1

Coraciiformes Alcedinidae – Kingfisher			NCS	GCS	STATUS	BS
294	Common Kingfisher	<i>Alcedo atthis</i>		LC	S3, R5	1
					bengalensis	1
Bucerotiformes Upupidae – Hoopoe						
295	Eurasian Hoopoe	<i>Upupa epops</i>		LC	P3, S3, W5	1
					epops	1
Piciformes Picidae – Woodpecker						
296	Eurasian Wryneck	<i>Jynx torquilla</i>		LC	P4, WV2	0
					chinensis	0
297	Grey-capped Pygmy Woodpecker	<i>Yungipicus canicapillus</i>		LC	R4	1
					doerriesi	1
298	Japanese Pygmy Woodpecker	<i>Yungipicus kizuki</i>		LC	R1	1
					nippon	1
299	Rufous-bellied Woodpecker	<i>Dendrocopos hyperythrus</i>		LC	PV1	0
					subrufinus	0
300	Great Spotted Woodpecker	<i>Dendrocopos major</i>		LC	R1, W4	1
					japonicus	1
301	White-backed Woodpecker	<i>Dendrocopos leucotos</i>		LC	R2	1
					leucotos	1
					takahashii	1
					quelpartensis	1
302	White-bellied Woodpecker	<i>Dryocopus javensis</i>		LC	EXT	1
					richardsi	1
303	Black Woodpecker	<i>Dryocopus martius</i>		LC	R3	1
					martius	1
304	Grey-headed Woodpecker	<i>Picus canus</i>		LC	R2	1
					jessoensis	1

Falconiformes Falconidae – Falcon, Kestrel			NCS	GCS	STATUS	BS
305	Common Kestrel	<i>Falco tinnunculus</i>		LC	W3, P3, R4	1
306	Amur Falcon	<i>Falco amurensis</i>		LC	P4	0
307	Merlin	<i>Falco columbarius</i>		LC	W5, P5	0
308	Eurasian Hobby	<i>Falco subbuteo</i>		LC	P3, S4	1
309	Saker Falcon	<i>Falco cherrug</i>		EN	V1	0
310	Gyrfalcon	<i>Falco rusticolus</i>		LC	V2	0
311	Peregrine Falcon	<i>Falco peregrinus</i>		LC	R3, W4, P4	1
		<i>calidus</i>			P5	0
		<i>japonensis</i>			R3, W4, P5	1

Passeriformes Pittidae – Pitta

312	Fairy Pitta	<i>Pitta nympha</i>		VU	S4	1
313	Blue-winged Pitta	<i>Pitta moluccensis</i>		LC	V2	0

Passeriformes Artamidae – Woodswallow

314	Ashy Woodswallow	<i>Artamus fuscus</i>		LC	V2	0
-----	------------------	-----------------------	--	----	----	---

Passeriformes Campephagidae – Minivet, Cuckooshrike

315	Black-winged Cuckooshrike	<i>Coracina melaschistos</i>		LC	V2	0
316	Ashy Minivet	<i>Pericrocotus divaricatus</i>		LC	P3, S5	1
317	Ryukyu Minivet	<i>Pericrocotus tegimae</i>		LC	V2	0

Passeriformes Laniidae – Shrike

318	Tiger Shrike	<i>Lanius tigrinus</i>		LC	P4, S4	1
319	Bull-headed Shrike	<i>Lanius bucephalus</i>		LC	R2, P4	1
		<i>bucephalus</i>			R2, P4	1

Passeriformes Laniidae – Shrike			NCS	GCS	STATUS	BS
320	Brown Shrike	<i>Lanius cristatus</i>		LC	P3, S5	1
		<i>cristatus</i>		P4	0	
		<i>confusus</i>		P3	0	
		<i>lucionensis</i>		P5, S5	1	
		<i>superciliosus</i>		V2	0	
321	Red-backed Shrike	<i>Lanius collurio</i>		LC	V2	0
322	Long-tailed Shrike	<i>Lanius schach</i>		LC	P5, WV1, SV1	1
		<i>schach</i>		P5, WV1, SV1	1	
323	Northern Shrike	<i>Lanius borealis</i>		LC	V2	0
		<i>sibiricus</i>		V2	0	
		<i>bianchii</i>		V2	0	
		<i>mollis</i>		V2	0	
324	Steppe Grey Shrike	<i>Lanius pallidirostris</i>		LC	V2	0
325	Chinese Grey Shrike	<i>Lanius sphenocercus</i>		LC	P5, W5, RV2	2
		<i>sphenocercus</i>		P5, W5, RV2	2	

Passeriformes Oriolidae – Oriole

326	Black-naped Oriole	<i>Oriolus chinensis</i>		LC	S2, P2	1
		<i>diffusus</i>			S2, P2	1

Passeriformes Dicruridae – Drongo

327	Black Drongo	<i>Dicrurus macrocercus</i>		LC	P5	0
		<i>cathoecus</i>			P5	0
328	Ashy Drongo	<i>Dicrurus leucophaeus</i>		LC	PV1	0
		<i>leucogenis</i>			PV1	0
329	Hair-crested Drongo	<i>Dicrurus hottentottus</i>		LC	V1	0
		<i>brevirostris</i>			V1	0

Passeriformes Monarchidae – Paradise Flycatcher

330	Amur Paradise Flycatcher	<i>Terpsiphone incei</i>		NR	V1	0
331	Black Paradise Flycatcher †	<i>Terpsiphone atrocaudata</i>		NT	S4	1
		<i>atrocaudata</i>			S4	1

Passeriformes Corvidae – Magpie, Crow

			NCS	GCS	STATUS	BS
332	Eurasian Jay	<i>Garrulus glandarius</i>	(●)	LC	R1	1
		<i>brandtii</i>			R1	1
333	Azure-winged Magpie	<i>Cyanopica cyanus</i>	(●)	LC	R2	1
		<i>cyanus</i>			R2	1
334	Eurasian Magpie	<i>Pica pica</i>	(●)	LC	R1	1
		<i>serica</i>			R1	1
335	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>	(●)	LC	R5, V2	1
		<i>macrorhynchos</i>			R5, V2	1
336	Daurian Jackdaw	<i>Coloeus dauuricus</i>	(●)	LC	W3, P4	0
337	House Crow	<i>Corvus splendens</i>	(○)	LC	V2	0
		<i>insolens (?)</i>			V2	0
338	Rook	<i>Corvus frugilegus</i>	(●)	LC	W1, P2	0
		<i>pastinator</i>			W1, P2	0
339	Carriion Crow	<i>Corvus corone</i>	(●)	LC	W3, R5	1
		<i>orientalis</i>			W3, R5	1
340	Large-billed Crow	<i>Corvus macrorhynchos</i>	(●)	LC	R1, W2	1
		<i>japonensis</i>			R2	1
		<i>mandshuricus</i>			R2, W2	1

Passeriformes Bombycillidae – Waxwing

341	Bohemian Waxwing	<i>Bombycilla garrulus</i>	(●)	LC	W4, P4	0
		<i>garrulus</i>			W4, P4	0
342	Japanese Waxwing	<i>Bombycilla japonica</i>	(●)	NT	W5, P4	0

Passeriformes Stenostiridae – Canary Flycatcher

343	Grey-headed Canary-flycatcher	<i>Culicicapa ceylonensis</i>	(○)	LC	V2	0
		<i>calochrysea</i>			V2	0

Passeriformes Paridae – Tit

344	Coal Tit	<i>Periparus ater</i>	(●)	LC	R1, W1	1
		<i>ater</i>			R1, W1	1
		<i>insularis</i>			DD	0
345	Yellow-bellied Tit	<i>Pardaliparus venustulus</i>	(●)	LC	P4, W4	1

Passeriformes Paridae – Tit

			NCS	GCS	STATUS	BS
346	Varied Tit	<i>Sittiparus varius</i>		LC	R1	1
		<i>varius</i>			R1	1
		<i>utsurioensis</i> *			R4	1
347	Marsh Tit	<i>Poecile palustris</i>		LC	R1	1
		<i>hellmayri</i>			R1	1
348	Willow Tit	<i>Poecile montanus</i>		LC	WV2	0
		<i>baicalensis</i>			WV2	0
349	Northern Great Tit †	<i>Parus major</i>		LC	V2	0
		<i>kapustini</i>			V2	0
350	Eastern Great Tit †	<i>Parus minor</i>		LC	R1, W1	1
		<i>minor</i>			R1, W1	1
		<i>dageletensis</i>			R4	1

Passeriformes Remizidae – Penduline Tit

351	Chinese Penduline Tit	<i>Remiz consobrinus</i>		LC	P3, W4, SV2	1
-----	-----------------------	--------------------------	--	----	-------------	---

Passeriformes Panuridae – Bearded Reedling

352	Bearded Reedling	<i>Panurus biarmicus</i>		LC	V2	0
		<i>russicus</i>			V2	0

Passeriformes Alaudidae – Lark

353	Eurasian Skylark	<i>Alauda arvensis</i>		LC	W4, R5	1
		<i>pekinensis</i>			W4	0
		<i>lonnbergi</i>			W4, R5	1
354	Far Eastern Lark *	<i>Alauda japonica</i>		NR	W3, R4	1
		<i>intermedia</i>			P4, W4, R5	1
		<i>japonica</i>			R4	1
355	Crested Lark	<i>Galerida cristata</i>		LC	V1	1
		<i>coreensis</i>			V1	1
356	Horned Lark	<i>Eremophila alpestris</i>		LC	V2	0
		<i>flava</i>			V2	0
		<i>brandti</i>			V2	0
357	Mongolian Short-toed Lark	<i>Calandrella dukhunensis</i>		LC	P4	0
358	Mongolian Lark	<i>Melanocorypha mongolica</i>		LC	PV2	0

Passeriformes Alaudidae – Lark

			NCS	GCS	STATUS	BS
359	Asian Short-toed Lark	<i>Alaudala cheleensis</i>	○	NR	V1	0
		<i>cheleensis</i>			V1	0

Passeriformes Pycnonotidae – Bulbul

360	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	●	LC	S4, R4	1
		<i>sinensis</i>			S4, R4	1
361	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	●	LC	R1, P2	1
		<i>amaurotis</i>			R1, P2	1

Passeriformes Hirundinidae – Swallow

362	Sand Martin	<i>Riparia riparia</i>	●	LC	P4	0
		<i>ijimae</i>			P4	0
363	Pale Martin	<i>Riparia diluta</i>	○	LC	PV2	0
		<i>fohkienensis</i>			PV2	0
364	Barn Swallow	<i>Hirundo rustica</i>	●	LC	P1, S2, WV1	1
		<i>gutturalis</i>			P1, S2, WV2	1
		<i>tytteri</i>			V2	0
		<i>saturata</i>			DD	0
		<i>mandschurica</i>			DD	0
365	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>	○	LC	PV2	0
366	Common House Martin	<i>Delichon urbicum</i>	●	LC	P5	0
		<i>lagopodum</i>			P5	0
367	Asian House Martin	<i>Delichon dasypus</i>	●	LC	P4, SV2, WV2	3
		<i>dasypus</i>			P4, SV2, WV2	3
368	Red-rumped Swallow	<i>Cecropis daurica</i>	●	LC	P2, S3	1
		<i>japonica</i>			P2, S3	1

Passeriformes Cettiidae – Bush Warbler, Stubtail

369	Japanese Bush Warbler	<i>Horornis diphone</i>	●	LC	R3, W3	1
		<i>cantans</i>			R3, W3	1
		<i>canturians</i>			DD	0
370	Korean Bush Warbler †	<i>Horornis borealis</i>	●	LC	P3, S4, WV2	1
		<i>borealis</i> *			P3, S4, WV2	1
371	Asian Stubtail	<i>Urosphena squamiceps</i>	●	LC	P2, S3	1

Passeriformes Aegithalidae – Long-tailed Tit

NCS GCS STATUS BS

372	Long-tailed Tit	<i>Aegithalos caudatus</i>		LC	R1	1
		<i>caudatus</i>			W4, R5	1
		<i>trivirgatus</i>			R3	1
		<i>magnus</i>			R1	1

Passeriformes Phylloscopidae – Leaf Warbler

373	Willow Warbler	<i>Phylloscopus trochilus</i>		LC	PV2	0
		<i>yakutensis</i>			PV2	0
374	Common Chiffchaff	<i>Phylloscopus collybita</i>		LC	V1	0
	Siberian Chiffchaff	<i>tristis</i>			V1	0
375	Wood Warbler	<i>Phylloscopus sibilatrix</i>		LC	V2	0
376	Dusky Warbler	<i>Phylloscopus fuscatus</i>		LC	P3, S4, WV1	1
		<i>fuscatus</i>			P3, S4, WV1	1
377	Alpine Leaf Warbler	<i>Phylloscopus occisinensis</i>		NR	PV1	0
378	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>		LC	PV1	0
		<i>armandii</i>			PV1	0
379	Radde's Warbler	<i>Phylloscopus schwarzi</i>		LC	P4, S5	1
380	Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>		LC	P3, S5, WV1	1
381	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>		LC	P1, WV1	0
382	Hume's Leaf Warbler	<i>Phylloscopus humei</i>		LC	P5	0
		<i>humei</i>			V2	0
		<i>mandellii</i>			P5	0
383	Arctic Warbler	<i>Phylloscopus borealis</i>		LC	P3	0
		<i>borealis</i>			P3	0
		<i>kennicotti</i>			V2	0
384	Kamchatka Leaf Warbler	<i>Phylloscopus examinandus</i>		LC	P4	0
385	Japanese Leaf Warbler	<i>Phylloscopus xanthodryas</i>		LC	V1	0
386	Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>		LC	P4, S5	1
387	Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>		LC	P3, S3	1
388	Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>		LC	P5	0
389	Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>		LC	S2, P3	1
390	Claudia's Leaf Warbler	<i>Phylloscopus claudiae</i>		LC	PV2	0

Passeriformes Phylloscopidae – Leaf Warbler			NCS	GCS	STATUS	BS
391	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	○	LC	PV2	0
Passeriformes Acrocephalidae – Reed Warbler						
392	Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	●	LC	S2, P3	1
393	Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	●	LC	P3, SV1	1
394	Sedge Warbler	<i>Acrocephalus schoenobaenus</i>	○	LC	PV2	0
395	Manchurian Reed Warbler	<i>Acrocephalus tangorum</i>	○	VU	PV1	0
396	Paddyfield Warbler	<i>Acrocephalus argicola</i>	○	LC	V2	0
		argicola / septimus			V2	0
397	Thick-billed Warbler	<i>Iduna aedon</i>	●	LC	P4	0
		<i>rufescens</i>			P4	0
398	Booted Warbler	<i>Iduna caligata</i>	○	LC	PV2	0
Passeriformes Locustellidae – Grasshopper Warbler						
399	Baikal Bush Warbler	<i>Locustella davidi</i>	○	NR	V1	0
		<i>davidi</i>			V1	0
400	Lanceolated Warbler	<i>Locustella lanceolata</i>	●	LC	P3	0
		<i>hendersonii</i> / <i>lanceolata</i>			P3	0
401	Middendorff's Grasshopper Warbler	<i>Locustella ochotensis</i>	●	LC	P4	0
402	Styan's Grasshopper Warbler	<i>Locustella pleskei</i>	●	VU	S3	1
403	Pallas's Grasshopper Warbler	<i>Locustella certhiola</i>	●	LC	P3, WV2	0
		<i>certhiola</i>			P3	0
		<i>rubescens</i>			DD	0
		<i>minor</i>			DD	0
404	Marsh Grassbird	<i>Locustella pyreri</i>	○	NT	PV2	0
		<i>sinensis</i>			PV2	0
405	Gray's Grasshopper Warbler	<i>Locustella fasciolata</i>	●	LC	P4	0

Passeriformes Cisticolidae – Cisticola			NCS	GCS	STATUS	BS
406	Zitting Cisticola	<i>Cisticola juncidis</i>		LC	S3, R5	1
	Far Eastern Cisticola	<i>brunniceps</i>			S3, R5	1
Passeriformes Sylviidae – Whitethroat, Parrotbill						
407	Barred Warbler	<i>Sylvia nisoria</i>		LC	V2	0
		<i>merzbacheri</i>			V2	0
408	Lesser Whitethroat	<i>Sylvia curruca</i>		LC	V2	0
		<i>blythi</i>			V2	0
		<i>halimodendri</i>			V2	0
409	Vinous-throated Parrotbill	<i>Sinosuthora webbiana</i>		LC	R1	1
		<i>fulvicauda</i>			R1	1
Passeriformes Zosteropidae – White-eye						
410	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>		LC	P3	0
411	Japanese White-eye	<i>Zosterops japonicus</i>		LC	R2, P4	1
		<i>japonicus</i>			R2, P4	1
		<i>simplex</i>			P5	0
Passeriformes Regulidae – Goldcrest						
412	Goldcrest	<i>Regulus regulus</i>		LC	W2, P2	0
		<i>japonensis</i>			W2, P2	0
Passeriformes Troglodytidae – Wren						
413	Eurasian Wren	<i>Troglodytes troglodytes</i>		LC	W2, R3	1
		<i>dauricus</i>			W2, R3	1
Passeriformes Sittidae – Nuthatch						
414	Eurasian Nuthatch	<i>Sitta europaea</i>		LC	R1	1
		<i>asiatica</i>			V2	0
		<i>amurensis</i>			R1	1
		<i>bedfordi</i>			EXT	3
415	Chinese Nuthatch	<i>Sitta villosa</i>		LC	WV1	0
		<i>corea</i>			WV1	0

Passeriformes Certhiidae – Treecreeper

NCS GCS STATUS BS

416	Eurasian Treecreeper	<i>Certhia familiaris</i>		LC	R4, W5	1
		<i>daurica</i>			R4, W5	1

Passeriformes Sturnidae – Starling

417	Crested Myna	<i>Acridotheres cristatellus</i>		LC	PV2	0
		<i>cristatellus</i>			PV2	0
418	Red-billed Starling	<i>Spodiopsar sericeus</i>		LC	P4, S5, W5	1
419	White-cheeked Starling	<i>Spodiopsar cineraceus</i>		LC	W3, R3	1
420	Daurian Starling	<i>Agropsar sturninus</i>		LC	P4, SV1	1
421	Chestnut-cheeked Starling	<i>Agropsar philippensis</i>		LC	P4, SV1, WV2	1
422	White-shouldered Starling	<i>Sturnia sinensis</i>		LC	V1	0
423	Rosy Starling	<i>Pastor roseus</i>		LC	V2	0
424	Common Starling	<i>Sturnus vulgaris</i>		LC	W4, P4	0
		<i>poltaratskyi</i>			W4, P4	0

Passeriformes Turdidae – Thrush

425	Orange-headed Thrush	<i>Geokichla citrina</i>		LC	V2	0
		<i>melli / courtoisi</i>			V2	0
426	Siberian Thrush	<i>Geokichla sibirica</i>		LC	P4, SV2	0
		<i>sibirica</i>			P4, SV2	0
		<i>davisoni</i>			P5	0
427	White's Thrush	<i>Zoothera aurea</i>		LC	P2, S2, R4	1
		<i>toratugumi</i>			P2, S2, R4	1
428	Grey-backed Thrush	<i>Turdus hortulorum</i>		LC	P2, S3, WV2	1
429	Grey Thrush †	<i>Turdus cardis</i>		LC	P4	0
430	Chinese Blackbird	<i>Turdus mandarinus</i>		LC	P5, SV1, WV2	1
		<i>mandarinus</i>			P5, SV1, WV2	1
431	Grey-sided Thrush	<i>Turdus feae</i>		VU	PV2	0
432	Eyebrowed Thrush	<i>Turdus obscurus</i>		LC	P2	0
433	Pale Thrush	<i>Turdus pallidus</i>		LC	S1, P2, R3	1

Passeriformes Turdidae – Thrush			NCS	GCS	STATUS	BS
434	Brown-headed Thrush	<i>Turdus chrysolaus</i>		LC	P4	0
		<i>ori</i>			V2	0
		<i>chrysolaus</i>			P4	0
435	Black-throated Thrush	<i>Turdus atrogularis</i>		LC	V1	0
436	Red-throated Thrush	<i>Turdus ruficollis</i>		NR	P5, WV1	0
437	Naumann's Thrush	<i>Turdus naumanni</i>		NR	W2, P3	0
438	Dusky Thrush	<i>Turdus eunomus</i>		LC	P2, W3	0
439	Fieldfare	<i>Turdus pilaris</i>		LC	V2	0
440	Redwing	<i>Turdus iliacus</i>		LC	V2	0
		<i>iliacus</i>			V2	0
441	Chinese Thrush	<i>Turdus mupinensis</i>		LC	PV2	0
Passeriformes Muscicapidae – Flycatcher						
442	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>		LC	P3	0
443	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>		LC	P4	0
		<i>sibirica</i>			P4	0
444	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>		LC	P2, S4	1
		<i>dauurica</i>			P2, S4	1
445	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>		LC	V2	0
446	Chinese Blue Flycatcher	<i>Cyornis glaucicomans</i>		NR	V2	0
447	Fujian Niltava	<i>Niltava davidi</i>		LC	V2	0
448	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>		LC	P2, S2	1
		<i>intermedia</i>			P2, S2	1
		<i>cyanomelana</i>			P4, S5	0
449	Zappey's Flycatcher	<i>Cyanoptila cumatilis</i>		NT	V1	0
450	Verditer Flycatcher	<i>Eumyias thalassinus</i>		LC	V1	0
		<i>thalassinus</i>			V1	0
451	European Robin	<i>Erithacus rubecula</i>		LC	V2	0
		<i>tataricus</i>			V2	0
452	Siberian Blue Robin	<i>Larvivora cyane</i>		LC	S2, P3	1
		<i>cyane</i>			S2, P3	1
		<i>nechaevi</i>			DD	0

Passeriformes Muscicapidae – Flycatcher			NCS	GCS	STATUS	BS
453	Rufous-tailed Robin	<i>Larvivora sibilans</i>	(●)	LC	P3	0
454	Japanese Robin	<i>Larvivora akahige</i>	(●)	LC	P5, WV2, SV2	0
		akahige				0
455	Bluethroat	<i>Luscinia svecica</i>	(●)	LC	P5, WV2	0
		svecica				0
456	Siberian Rubythroat	<i>Calliope calliope</i>	(●)	LC	P3, S4, WV2	1
		calliope			P3, S4, WV2	1
		<i>camtschatkensis</i>			P5	0
457	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	(●)	LC	P1, W4, SV2	0
458	Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	(●)	LC	P3, S3	1
459	Narcissus Flycatcher	<i>Ficedula narcissina</i>	(●)	LC	P4, SV2	1
		<i>narcissina</i>			P3, SV2	1
		<i>owstoni</i>			V1	0
460	Green-backed Flycatcher	<i>Ficedula elisae</i>	(○)	LC	PV2	0
461	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	(●)	LC	P3	0
462	Red-breasted Flycatcher	<i>Ficedula parva</i>	(○)	LC	V1	0
463	Taiga Flycatcher	<i>Ficedula albicilla</i>	(●)	LC	P4	0
464	Black	<i>Phoenicurus ochruros</i>	(○)	LC	V1	0
		<i>rufiventris</i>			V1	0
465	Daurian Redstart	<i>Phoenicurus auroreus</i>	(●)	LC	R1, W2	1
		<i>auroreus</i>			R1, W2	1
466	Plumbeous Water Redstart	<i>Phoenicurus fuliginosus</i>	(○)	LC	V1	1
		<i>fuliginosus</i>			V1	1
467	White-capped Redstart	<i>Phoenicurus leucocephalus</i>	(○)	LC	V2	0
468	Blue Rock Thrush	<i>Monticola solitarius</i>	(●)	LC	S2, R4	1
		<i>pandoo</i>			V2	0
		<i>philippensis</i>			S2, R4	1
469	White-throated Rock Thrush	<i>Monticola gularis</i>	(●)	LC	P3, SV2	0
470	Stejneger's Stonechat	<i>Saxicola stejnegeri</i>	(●)	NR	P2, S4, WV2	1
471	Grey Bush Chat	<i>Saxicola ferreus</i>	(○)	LC	V1	0
		<i>haringtoni</i>			V1	0

Passeriformes Muscicapidae – Flycatcher			NCS	GCS	STATUS	BS
472	Northern Wheatear	<i>Oenanthe oenanthe</i>		LC	V2	0
		<i>oenanthe</i>			V2	0
473	Isabelline Wheatear	<i>Oenanthe isabellina</i>		LC	V2	0
474	Desert Wheatear	<i>Oenanthe deserti</i>		LC	V2	0
		<i>deserti</i>			V2	0
475	Pied Wheatear	<i>Oenanthe pleschanka</i>		LC	PV1	0
		<i>pleschanka</i>			PV1	0
		var. <i>vittata</i>			V2	0
Passeriformes Cinclidae – Dipper						
476	Brown Dipper	<i>Cinclus pallasi</i>		LC	R3	1
		<i>pallasi</i>			R3	1
Passeriformes Passeridae – Sparrow						
477	House Sparrow	<i>Passer domesticus</i>		LC	V2	0
		<i>bactrianus</i>			V2	0
478	Russet Sparrow	<i>Passer rutilans</i>		LC	R4, P5	1
		<i>rutilans</i>			R4, P5	1
479	Eurasian Tree Sparrow	<i>Passer montanus</i>		LC	R1, P4	1
		<i>saturatus</i>			R1, P4	1
Passeriformes Estrildidae – Munia						
480	Scaly-breasted Munia	<i>Lonchura punctulata</i>		LC	V2	0
		<i>topela</i>			V2	0
Passeriformes Prunellidae – Accentor						
481	Alpine Accentor	<i>Prunella collaris</i>		LC	W4, P5	0
		<i>erythropygia</i>			W4, P5	0
482	Siberian Accentor	<i>Prunella montanella</i>		LC	W2	0
		<i>montanella</i>			W2	0
		<i>badia</i>			W4	0
483	Japanese Accentor	<i>Prunella rubida</i>		LC	V2	0

Passeriformes Motacillidae – Wagtail, Pipit			NCS	GCS	STATUS	BS
484	Forest Wagtail	<i>Dendronanthus indicus</i>		LC	P4, S5	1
485	Western Yellow Wagtail	<i>Motacilla flava</i>		LC	P5	0
		<i>flava</i>			V2?	0
		<i>thunbergi</i>			P5	0
486	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>		LC	P2, WV2	0
		<i>tschutschensis</i>			P3	0
		<i>macronyx</i>			P4	0
		<i>taivana</i>			P3, WV2	0
487	Citrine Wagtail	<i>Motacilla citreola</i>		LC	P5	0
		<i>citreola</i>			P5	0
488	Grey Wagtail	<i>Motacilla cinerea</i>		LC	P2, S3, R5	1
		<i>cinerea</i>			P2, S3, R5	1
489	White Wagtail	<i>Motacilla alba</i>		LC	P1, S2, W3	1
		<i>alba</i>			V2?	0
		<i>personata</i>			V2	0
		<i>baicalensis</i>			V1	0
		<i>ocularis</i>			P2, WV1	0
		<i>lugens</i>			P3, W3, SV2	0
		<i>leucopsis</i>			P2, S2, R5	1
		<i>alboides</i>			V2	0
490	Japanese Wagtail	<i>Motacilla grandis</i>		LC	R3	1
491	Richard's Pipit	<i>Anthus richardi</i>		LC	P4, WV2	0
492	Blyth's Pipit	<i>Anthus godlewskii</i>		LC	P5	0
493	Meadow Pipit	<i>Anthus pratensis</i>		LC	V2	0
494	Tree Pipit	<i>Anthus trivialis</i>		LC	PV1	0
		<i>trivialis</i>			PV1	0
495	Olive-backed Pipit	<i>Anthus hodgsoni</i>		LC	P1, W3, SV1	1
		<i>hodgsoni</i>			P3, W3, SV1	1
		<i>yunnanensis</i>			P1	0
496	Pechora Pipit	<i>Anthus gustavi</i>		LC	P4	0
		<i>gustavi</i>			P3	0
		<i>menzbieri</i>			P5	0
497	Rosy Pipit	<i>Anthus roseatus</i>		LC	V2	0
498	Red-throated Pipit	<i>Anthus cervinus</i>		LC	P3, WV1	0

Passeriformes Motacillidae – Wagtail, Pipit			NCS	GCS	STATUS	BS
499	Buff-bellied Pipit	<i>Anthus rubescens</i>		LC	P2, W3	0
		<i>japonicus</i>			P2, W3	0
		<i>rubescens</i>			V2?	0
500	Water Pipit	<i>Anthus spinoletta</i>		LC	V1	0
		<i>blakistoni</i>			V1	0
Passeriformes Fringillidae – Finch, Crossbill						
501	Common Chaffinch	<i>Fringilla coelebs</i>		LC	V2	0
		<i>coelebs</i>			V2	0
502	Brambling	<i>Fringilla montifringilla</i>		LC	P1, W1	0
503	Hawfinch	<i>Coccothraustes coccothraustes</i>		LC	P2, W2	0
		<i>shulpiini</i>			P2, W2	0
		<i>japonicus</i>			DD	0
504	Chinese Grosbeak	<i>Eophona migratoria</i>		LC	P3, S4, W4	1
		<i>migratoria</i>			P3, S4, W4	1
505	Japanese Grosbeak	<i>Eophona personata</i>		LC	P4, W5	0
		<i>personata</i>			W5	0
		<i>magnirostris</i>			P4	0
506	Pine Grosbeak	<i>Pinicola enucleator</i>		LC	V2	0
		<i>kamtschatkensis</i> (?)			V2	0
507	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>		LC	W3	0
		<i>cineracea</i>			V2	0
		<i>griseiventralis</i>			V1	0
		<i>rosacea</i>			W3	0
508	Asian Rosy Finch	<i>Leucosticte arctoa</i>		LC	W4	0
		<i>brunneonucha</i>			W4	0
509	Common Rosefinch	<i>Carpodacus erythrinus</i>		LC	P4, WV1	0
		<i>grebnitskii</i>			P4, WV1	0
		<i>roseatus</i>			V2	0
510	Long-tailed Rosefinch	<i>Carpodacus sibiricus</i>		LC	P3, W3	0
		<i>sibiricus</i>			DD	0
		<i>ussuriensis</i>			P3, W3	0
511	Pallas's Rosefinch	<i>Carpodacus roseus</i>		LC	P3, W4	0
		<i>roseus</i>			P3, W4	0

Passeriformes Fringillidae – Finch, Crossbill

			NCS	GCS	STATUS	BS
512	Grey-capped Greenfinch	<i>Chloris sinica</i>		LC	W1, R2	1
		<i>ussuriensis</i>			W1, R2	1
		<i>kawarabiba</i>			W3	0
		<i>minor</i>			DD	0
513	Common Redpoll	<i>Acanthis flammea</i>		LC	W5	0
		<i>flammea</i>			W5	
514	Arctic Redpoll	<i>Acanthis hornemanni</i>		NR	V2	0
		<i>exilipes</i>			V2	0
515	Red Crossbill	<i>Loxia curvirostra</i>		LC	W4, SV1	1
		<i>tianschanica</i>			V2?	0
		<i>japonica</i>			W4, SV1	1
516	Eurasian Siskin	<i>Spinus spinus</i>		LC	P1, W2, SV2	2

Passeriformes Calcariidae – Longspur

517	Lapland Longspur	<i>Calcarius lapponicus</i>		LC	W3, P4	0
		<i>kamtschaticus</i>			W3, P4	0
518	Snow Bunting	<i>Plectrophenax nivalis</i>		LC	WV1	0
		<i>vlasowae</i>			WV1	0

Passeriformes Emberizidae – Bunting

519	Yellowhammer	<i>Emberiza citrinella</i>		LC	V2	0
		<i>erythrogenys</i>			V2	0
520	Pine Bunting	<i>Emberiza leucocephalos</i>		LC	P4, W5	0
		<i>leucocephalos</i>			P4, W5	0
		<i>fronto</i>			V2	0
521	Godlewski's Bunting	<i>Emberiza godlewskii</i>		LC	V2	0
		<i>godlewskii</i>			V2	0
522	Meadow Bunting	<i>Emberiza cioides</i>		LC	W2, R3	1
		<i>weigoldi</i>			W3	0
		<i>castaneiceps</i>			R3	1
		<i>ciopsis</i>			V2	0
523	Ortolan Bunting	<i>Emberiza hortulana</i>		LC	V2	0
524	Tristram's Bunting	<i>Emberiza tristrami</i>		LC	P3, S4, W5	1

Passeriformes Emberizidae – Bunting			NCS	GCS	STATUS	BS
525	Chestnut-eared Bunting	<i>Emberiza fucata</i>		LC	P4, W4, S5	1
		<i>fucata</i>			P4, W4, S5	1
526	Little Bunting	<i>Emberiza pusilla</i>		LC	P2, W4	0
527	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>		LC	P3	0
528	Rustic Bunting	<i>Emberiza rustica</i>		VU	P2, W2	0
529	Yellow-throated Bunting	<i>Emberiza elegans</i>		LC	W1, R1, P2	1
		<i>elegans</i>			W1, R1, P2	1
530	Yellow-breasted Bunting	<i>Emberiza aureola</i>		CR	P4	0
		<i>aureola</i>			P5	0
		<i>ornata</i>			P4	0
531	Chestnut Bunting	<i>Emberiza rutila</i>		LC	P3, WV2	0
532	Black-headed Bunting	<i>Emberiza melanocephala</i>		LC	V1	0
533	Red-headed Bunting	<i>Emberiza bruniceps</i>		LC	V2	0
534	Yellow Bunting	<i>Emberiza sulphurata</i>		VU	P4	0
535	Black-faced Bunting	<i>Emberiza spodocephala</i>		LC	P1, W4, SV2	1
		<i>spodocephala</i>			P4, W5	0
		<i>personata</i>			P5, W5	0
		<i>extremiorientis</i> *			P1, W4, SV2	1
536	Grey Bunting	<i>Emberiza variabilis</i>		LC	P5, W5	0
537	Pallas's Reed Bunting	<i>Emberiza pallasi</i>		LC	W2, P3	0
		<i>pallasi</i>			DD	0
		<i>polaris</i>			W2, P3	0
		<i>lydiae</i>			DD	0
538	Ochre-rumped Bunting †	<i>Emberiza yessoensis</i>		NT	P4, W5, S5	1
		<i>continentalis</i>			P4, W5, S5	1
539	Common Reed Bunting	<i>Emberiza schoeniclus</i>		LC	W3	0
		<i>pyrrhulina</i>			W3	0
540	White-crowned Sparrow	<i>Zonotrichia leucophrys</i>		LC	V2	0
		<i>gambelii</i>			V2	0
541	Golden-crowned Sparrow	<i>Zonotrichia atricapilla</i>		LC	V2	0
542	Savannah Sparrow	<i>Passerculus sandwichensis</i>		LC	V2	0
		<i>anthinus</i> (?)			V2	0

CAT 2

				NCS	GCS	STATUS	BS
543	2.2	Crested Shelduck	<i>Tadorna cristata</i>		CR	V2	0
Procellariiformes Diomedeidae							
544	2.2	Short-tailed Albatross	<i>Phoebastria albatrus</i>		VU	V2	0
Pelecaniformes Threskiornithidae							
545	2.1	Crested Ibis	<i>Nipponia nippon</i>		EN	W3, P5	0
Pelecaniformes Pelecanidae							
546	2.2	Great White Pelican	<i>Pelecanus onocrotalus</i>	LC	V2	0	
547	2.2	Dalmatian Pelican	<i>Pelecanus crispus</i>	NT	V2	0	
Pterocliformes Pteroclidae							
548	2.2	Pallas's Sandgrouse	<i>Syrrhaptes paradoxus</i>	LC	V2	0	
Coraciiformes Alcedinidae							
549	2.2	Crested Kingfisher	<i>Megaceryle lugubris</i>	LC	WV2	0	
			<i>pallida</i>		WV2	0	
Passeriformes Sylviidae							
550	2.2	Beijing Babbler	<i>Rhopophilus pekinensis</i>		LC	V2	4
Passeriformes Fringillidae							
551	2.1	Two-barred Crossbill	<i>Loxia leucoptera</i>	LC	V2	0	
			<i>bifasciata</i>		V2	0	

CAT 3

			NCS	GCS	STATUS	BS
552	Sooty Shearwater	<i>Ardenna grisea</i>	NT	V2		0
Charadriiformes Alcidae						
553	Little Auk	<i>Alle alle</i>	LC	V2		0
		<i>polaris</i>		V2		0
Cuculiformes Cuculidae						
554	Greater Coucal	<i>Centropus sinensis</i>	LC	V2		0
		<i>sinensis</i>		V2		0
Apodiformes Apodidae						
555	Common Swift	<i>Apus apus</i>	LC	V2		0
		<i>pekinensis</i>		V2		0
Falconiformes Falconidae						
556	Lesser Kestrel	<i>Falco naumanni</i>	LC	V2		0
Passeriformes Corvidae						
557	Red-billed Chough	<i>Pyrrhocorax pyrrhocorax</i>	LC	V2		0
		<i>brachypus</i>		V2		0
Passeriformes Paridae						
558	Azure Tit	<i>Cyanistes cyanus</i>	LC	V2		0
		<i>yenisseensis</i>		V2		0
Passeriformes Alaudidae						
559	Bimaculated Lark	<i>Melanocorypha bimaculata</i>	LC	V2		0

Passeriformes Phylloscopidae		NCS	GCS	STATUS	BS
560	Chinese Leaf Warbler	<i>Phylloscopus yunnanensis</i>	LC	V2	0
Passeriformes Muscicapidae					
561	European Pied Flycatcher	<i>Ficedula hypoleuca</i>	LC	V2	0
		<i>sibirica</i>		V2	0

CAT 4

Accipitriformes Accipitridae

562	Black Baza	<i>Aviceda leuphotes</i>	LC	V2	0
		<i>syama</i> (?)		V2	0
563	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	LC	V2	0
		<i>orientalis</i>		V2	0

Charadriiformes Charadriidae

564	American Golden Plover	<i>Pluvialis dominica</i>	LC	V2	0
-----	------------------------	---------------------------	----	----	---

Charadriiformes Scolopacidae

565	Hudsonian Godwit	<i>Limosa haemastica</i>	LC	V2	0
566	Western Sandpiper	<i>Calidris mauri</i>	LC	V2	0

Charadriiformes Laridae

567	Ring-billed Gull	<i>Larus delawarensis</i>	LC	V2	0
-----	------------------	---------------------------	----	----	---

Cuculiformes Cuculidae

568	Himalayan Cuckoo	<i>Cuculus saturatus</i>	LC	V2	0
-----	------------------	--------------------------	----	----	---

			NCS	GCS	STATUS	BS
569	Slaty-blue Flycatcher	<i>Ficedula tricolor</i>	LC	V2	0	
		<i>diversa</i>		V2	0	
570	Güldenstädt's Redstart	<i>Phoenicurus erythrogaster</i>	LC	V2	0	
		<i>grandis</i>		V2	0	

CAT 5

Columbiformes Columbidae

571	Feral Rock Dove *	<i>Columba livia</i>		LC	R2	1
		var. <i>domestica</i> *			R2	1

Pending

Anseriformes Anatidae

-	Canvasback	<i>Aythya valisineria</i>	LC	V2	0
---	------------	---------------------------	----	----	---

Charadriiformes Laridae

-	Arctic Tern	<i>Sterna paradisaea</i>	LC	V2	0
---	-------------	--------------------------	----	----	---

Passeriformes Corvidae

-	Northern Raven	<i>Corvus corax</i>	LC	V2	0
		<i>kamtschaticus</i>		V2	0

Passeriformes Muscicapidae

-	Common Redstart	<i>Phoenicurus phoenicurus</i>	LC	V2	0
		<i>phoenicurus</i>		V2	0

Taxonomy List

542 species

(Category 1 only)

Anseriformes	51 species		
	Anatidae	Duck, Goose, Swan	51 sp
Galliformes	3 species		
	Phasianidae	Pheasant, Quail	3 sp
Gaviiformes	4 species		
	Gaviidae	Loon	4 sp
Procellariiformes	6 species		
	Hydrobatidae	Storm Petrel	1 sp
	Procellariidae	Shearwater	5 sp
Podicipediformes	5 species		
	podicipedidae	Grebe	5 sp
Phoenicopteriformes	1 species		
	Phoenicopteridae	Flamingo	1 sp
Ciconiiformes	2 species		
	Ciconiidae	Stork	2 sp
Pelecaniformes	21 species		
	Threskiornithidae	Spoonbill, Ibis	3 sp
	Ardeidae	Heron, Egret, Bittern	18 sp

Suliformes	8 species		
	Fregatidae	Frigatebird	2 sp
	Sulidae	Booby	3 sp
	Phalacrocoracidae	Cormorant	3 sp
Accipitriformes	28 species		
	Pandionidae	Osprey	1 sp
	Accipitridae	Eagle, Hawk, Harrier	27 sp
Otidiformes	1 species		
	Otididae	Bustard	1 sp
Gruiformes	17 species		
	Rallidae	Rail, Coot	10 sp
	Gruidae	Crane	7 sp
Charadriiformes	108 species		
	Turnicidae	Buttonquail	1 sp
	Haematopodidae	Oystercatcher	1 sp
	Recurvirostridae	Oystercatcher	2 sp
	Charadriidae	Plover	12 sp
	Rostratulidae	Painted-snipe	1 sp
	Jacanidae	Jacana	1 sp
	Scolopacidae	Sandpiper, Curlew	43 sp
	Glareolidae	Pratincole	1 sp
	Laridae	Gull, Tern	32 sp
	Stercorariidae	Skua, Jaeger	4 sp
	Alcidae	Murrelet, Puffin	10 sp

Columbiformes	8 species		
	Columbidae	Pigeon	8 sp
Cuculiformes	10 species		
	Cuculidae	Cuckoo, Coucal	10 sp
Strigiformes	11 species		
	Tytonidae	Grass Owl	1 sp
	Strigidae	Owl	10 sp
Caprimulgiformes	1 species		
	Caprimulgidae	Nightjar	1 sp
Apodiformes	5 species		
	Apodidae	Swift	5 sp
Coraciiformes	4 species		
	Coraciidae	Dollarbird	1 sp
	Alcedinidae	Kingfisher	3 sp
Bucerotiformes	1 species		
	Upupidae	Hoopoe	1 sp
Piciformes	9 species		
	Picidae	Woodpecker	9 sp
Falconiformes	7 species		
	Falconidae	Falcon, Kestrel	7 sp

Passeriformes **231 species**

Pittidae	Pitta	2 sp
Artamidae	Woodswallow	1 sp
Campephagidae	Minivet, Cuckoo-shrike	3 sp
Laniidae	Shrike	8 sp
Oriolidae	Oriole	1 sp
Dicruridae	Drongo	3 sp
Monarchidae	Paradise Flycatcher	2 sp
Corvidae	Magpie, Crow	9 sp
Bombycillidae	Waxwing	2 sp
Stenostridiae	Canary Flycatcher	1 sp
Paridae	Tit	7 sp
Remizidae	Penduline Tit	1 sp
Panuridae	Bearded Reedling	1 sp
Alaudidae	Lark	7 sp
Pycnonotidae	Bulbul	2 sp
Hirundinidae	Swallow	7 sp
Cettiidae	Bush Warbler, Stubtail	3 sp
Aegithalidae	Long-tailed Tit	1 sp
Phylloscopidae	Leaf Warbler	19 sp
Acrocephalidae	Reed Warbler	7 sp
Locustellidae	Grasshopper Warbler	7 sp
Cisticolidae	Cisticola	1 sp
Sylviidae	Whitethroat, Parrotbill	5 sp
Zosteropidae	White-eye	2 sp
Regulidae	Goldcrest	1 sp
Troglodytidae	Wren	1 sp
Sittidae	Nuthatch	2 sp
Certhiidae	Treecreeper	1 sp
Sturnidae	Starling	8 sp
Turdidae	Thrush	17 sp

Muscicapidae	Flycatcher	34 sp
Cinclidae	Dipper	1 sp
Passeridae	Sparrow	3 sp
Estrildidae	Munia	1 sp
Prunellidae	Accentor	3 sp
Motacillidae	Wagtail, Pipit	17 sp
Fringillidae	Finch, Crossbill	16 sp
Calcaridiidae	Longspur	2 sp
Emberizidae	Bunting	24 sp

Reference

- BirdLife International. 2017. IUCN Red List for birds. Downloaded from <http://www.birdlife.org> on 30/12/2017.
- Gill, F. & D. Donsker (Eds). 2017. IOC World Bird List (v7.3). doi: 10.14344/IOC.ML.7.3.
- Kang, C. W. Kang, H. M., Kim, E. M., Park, C. Y., Jee, N. J. 2009. A Fieldguide Book to the Bird of Jeju. Onetreebook. [In Korean]
- Lee, W. S., Gu, T. H. & Park, J. Y. 2014. A Field Guide to the Birds of Korea. LG Foundation.
- Moores, N., Choi H-A. & Seliger, B. 2017. Seabirds in the Inner Border Area of Korea – Goseong County, Gangwon Province. A report on seabird research by Birds Korea and the Hanns Seidel Foundation (Korea).
- Moores, N., Kim, A. & Kim R. 2014. Status of Birds, 2014. Birds Korea report on Bird Population Trends and Conservation Status in the Republic of Korea. Published by Birds Korea, September 2014.
- NIBR. 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017. Winter Waterbird Census of Korea (data for years 2008–2017). National Institute of Biological Resources, Incheon. [In Korean]
- NIBR. 2011. Red Data Book of Endangered Birds in Korea. National Institute of Environmental Research, Incheon. [In Korean] [English Abstract]
- NIBR. 2010. Survey and Resource Management of wildlife. p97. National Institute of Biological Resources, Incheon. [In Korean]
- NIER. 2004, 2005, 2006, 2007. Winter Waterbird Census of Korea (data for years 1999–2007). National Institute of Environmental Research, Incheon. [In Korean]
- Park J-G. 2014. Identification Guide to Birds of Korea. Checklist of Organisms in Korea 12. Published by Nature and Ecology, Seoul. [In Korean]
- Shorebird Network Korea. 2011, 2012, 2013, 2015. Shorebird Monitoring Report of Korea (data for years 2011–2014). Shorebird Network Korea Secretariat, Shinan County, Republic of Korea. [In Korean]
- Won, B. O. & Kim, H. J. 2012. The Birds of Korea. Academybooks. [In Korean]