

The Birds Korea Checklist (2022)

An annotated list of all bird taxa recorded in the Republic of Korea

Moores, N. & Ha J-M. (October 2022)



새와 생명의 터
BIRDS KOREA

The Birds Korea Checklist (2022)

Nial Moores & Jungmoon Ha

Publication Date: 2022.11.12

Author: Nial Moores & Jungmoon Ha

Publisher: Birds Korea

Address: 407 Ho, Daeyeon Hillstate Prugio, Su-Young Ro 345, Nam-gu
Busan, 48432, Republic of Korea

Phone: 051-627-3163

Email: inquiries@birdskorea.org

Recommended Citation

Moores, N. & Ha, J. M. 2022. The Birds Korea Checklist (2022). Published by Birds Korea, Busan, Republic of Korea.

Content

Introduction	1
The 2022 Checklist: A Quick Summary	2
Categories	3
Seasonality and Abundance	4
Breeding Status	4
Conservation Status	4
Category 1	8
Category 2	40
Category 3	41
Category 4	42
Category 5	42
References	43

Introduction

Birds Korea is a small, legally-registered NGO in the Republic of Korea (ROK). We are wholly dedicated to the conservation of birds and their habitats in Korea and the wider Yellow Sea Eco-region. We have maintained bird checklists online in Korean and English since 2007, with major revisions every few years. We strive for accuracy; and we do what we can to benefit from the knowledge and expertise of others. There is no national rarities committee or record review process in the ROK; and the Birds Korea Checklist is not used or endorsed by government bodies. Nonetheless, we aim to provide the most accurate (and in some ways most detailed) information on the status of the ROK's birds available anywhere.

Because of the many information gaps that remain on historical and contemporary status of birds in Korea, we always welcome input, discussion, correction of any errors, and wide use by the birding and conservation community - here in the ROK and globally.

Primary Purpose: Conservation

The primary purpose of the Birds Korea Checklist is conservation of birds and their habitats. Like previous checklists, the 2022 Checklist is based on extensive ongoing research (including fieldwork, literature review and in more recent years, review of records submitted to eBird) and includes best knowledge known to us as of October 1st 2022.

Presented in Korean-language (Ha & Moores 2022) and English-language (Moores & Ha 2022) versions, the 2022 Checklist updates information presented in the 2018 Checklist (and earlier) on all species and subspecies divided into Categories based on level of documentation and naturalness, their seasonality, and their relative abundance.

Changes to the climate and the worsening ecological health of major habitats are increasingly apparent, both in Korea and globally. To support national and regional conservation assessments, the 2022 Checklist therefore continues to assess species as either “Irregularly Occurring” (with probably fewer than ~10 records annually) or “Regularly Occurring” (>10 records or individuals annually). Based on data and information available to us, all 365 species currently considered to be “regularly-occurring” are again sub-divided further into four colour-categories of Red, Amber, Green and Grey. At their simplest, Red indicates a very poor conservation status nationally and / or globally; Amber indicates a poor national and / or global conservation status and / or high Flyway importance; Green indicates a positive or neutral conservation status or a lack of data on population trend; and Grey indicates the apparent loss of that species, either historically or more recently, as regularly occurring in the ROK. For a detailed explanation of the selection process see Moores (2012) and Moores et al. (2014), and for their application and the codes used in this checklist, see below.

Nomenclature

As with earlier Birds Korea checklists, the order and nomenclature of English-language names of the 2022 Checklist follow the IOC World Bird List (Gill et al. 2022), with 18 exceptions (see <http://www.birdskoreablog.org/?p=26235>), all of which are clearly indicated with an asterisk. Popular common names for some taxa not listed by Gill et al. (2022) are also included, contained within speech-marks.

The 2022 Checklist: A Quick Summary

- 609 species are included in the list, including 575 species which are assessed as adequately documented and naturally occurring
- 365 species are assessed as currently regularly occurring; 14 as no longer regularly occurring; and 230 as “irregularly occurring”, i.e., representing a mix of rare migrants and out-of-range species
- 43% of regularly occurring species are assessed nationally as having a poor or very poor conservation status (being colour-coded Red, Amber or Grey), compared with 40% of regularly occurring species in 2018
- 62 of the regularly-occurring species are now Red-Listed (an increase of four since 2018)
- 87 of the regularly-occurring species are now Amber-Listed (an increase of five since 2018)
- 216 of the regularly-occurring species are now Green-Listed (a decrease of seven since 2018)
- 14 are now Grey-Listed (an increase of six since 2018, in part because of refinements to the colour coding system)
- 563 species are listed in Category One (adequately documented and recorded in 2000 or subsequently), an increase of 18 since 2018;
- 12 species are listed in Category Two (adequately documented prior to but not in or after 2000, an increase of three since 2018 due to a revision in the cut-off point from 1980 to 2000 as the unofficial start of the modern birding era and “recent” records)
- 17 species are listed in Category 3 or 4 as credibly identified but unsupported with adequate documentation (a reduction of two since 2018)
- Three species are listed in Category 5, as adequately documented, but not originating from completely-naturally origins (one of which, Feral Rock Dove, is well-established)
- 14 species are listed in the newly revised Review Category, including five species from Category One; one species from Category Two (Short-tailed Albatross); three exotics; and several unresolved identifications. All of these species have some supporting evidence. The aim will be to present information on these species in dedicated blog posts in 2022 and 2023 to provide an opportunity for public comment and to assess whether they should be included in the checklist or not
- A small number of species included in other checklists remain intentionally excluded because they seem to be inadequately documented and / or highly anomalous at the regional level, including e.g., a Sabine’s Gull in Pohang in August 1970 (included in Gore & Won 1971 without any description) and a presumed juvenile Ivory Gull on 23rd October 1995 on Ulleung Do (included in Park 2022). If similar records of these species are adequately documented within the near-region, then they can be added to Category 3 or 4 of the Birds Korea Checklist in the subsequent revision. In addition, if images or sound recordings are eventually published of the original records, or if similar records are later adequately documented in the ROK, then these earlier records can be included as first national records in Category 1. An even smaller number of species have been intentionally excluded because images reveal that the species was misidentified, e.g., White-throated Redstart *Phoenicurus schisticeps* on April 28th 2019 on Mara Do, Jeju (in Park 2022).

Categories

To help increase confidence in the records, the 2022 Checklist is divided into five main categories, with a small number of species falling into more than one category, and a sixth Review Folder.

CAT 1	Species of bird (and their subspecies) recorded in the ROK since 2000, adequately-documented with independently identifiable photographs, sound recordings and / or specimens.
CAT 2	Species of bird (and their subspecies) recorded in the ROK before 2000, credibly supported by photographs or specimens, which have not been recorded since 2000 with the same level of documentation.
CAT 3	Species of bird (and their subspecies) credibly recorded in the ROK since 2000, with the record(s) supported with a detailed description but without independently-identifiable photographs and / or sound recordings.
CAT 4	Species of bird (and their subspecies) credibly recorded in the ROK before 2000, with a detailed description but without independently-identifiable photographs or sound recordings.
CAT 5	Species with records or populations in the ROK which are part of conservation breeding programs or are likely to be not entirely naturally occurring (“exotics”). This category has six sub-categories, 5A-F.
A	Species with populations becoming established following translocation(s) since 2000 within the historic breeding range (1880-2000) in which the same species also occurs regularly in an apparently wild state.
B	Species breeding in the wild following post-2000 translocation(s) outside of the historic breeding range (1880-2000), which have also occurred in an apparently natural state since 2000.
C	Species not recorded since 2000 in an apparently natural state now breeding in the wild due to post-2000 translocation(s) outside of the historic breeding range (1880-2000).
D	Species with established breeding populations in the ROK following translocation since 2000 outside of the suspected natural breeding or non-breeding range.
E	Irregularly occurring individuals of potentially migratory species from established naturalized populations outside of the Republic of Korea (e.g., in Taiwan or Japan) that are a result of translocation(s) outside the normal range of the species.
F	Naturalized feral species – non-native species which after domestication now have established free-flying populations in the ROK.
Review	Species with records in the ROK that are supported with images, sound-recordings or specimens, but for which doubts remain about the species’ identification and / or taxonomic status, and species for which there is reasonable doubt that they have ever occurred in a natural state, as they are almost entirely sedentary in their natural range, and are only likely to occur in the ROK through escape, deliberate release or on ships.

Seasonality and Abundance in the ROK (“Status”)

Birds Korea Checklists use a combination of letters (indicating seasonality) and numbers (indicating estimated bands of abundance), with the season of greatest abundance listed first.

1) Seasonality	2) Abundance Bands
R Resident	1 ≥100,000 individuals per year
S Summer Visitor	2 10,000-99,999 individuals per year
P Passage Migrant	3 1,000-9,999 individuals per year
W Winter Visitor	4 100-999 individuals per year
	5 10-99 individuals per year
	V1 Scarcely recorded, ≥10 records in total, with fewer than 10 records/year in the majority of years since 2000
	V2 Rarely recorded, 1-9 records in total

Example

Tundra Bean Goose *Anser serrirostris* is listed as P1, W2, SV1. This means that >100,000 Tundra Bean Geese are present in the ROK during migration; between 10,000 and 99,999 are present in mid-winter; and that there are more than ten records in summer, but fewer than 10 records / year.

Breeding Status in the ROK (“BS”)

- 0** No breeding records
- 1** Breeding confirmed since 2000
- 2** Breeding suspected since 2000
- 3** Breeding confirmed before 2000, but not subsequently
- 4** Breeding suspected before 2000, but not subsequently

Conservation Status (GCS and NCS)

1) Global Conservation Status (GCS)

Each species’ global conservation status follows BirdLife International (2022), and is indicated by two letters. NR is used for taxa which are not recognised by BirdLife International (2022).

- CR** Critically Endangered
- EN** Endangered
- VU** Vulnerable
- NT** Near Threatened
- LC** Least Concern

2) National Conservation Status (NCS)

The National Conservation Status is based on a hierarchy of criteria set out by Moores et al. (2014), with all species organized into one of 18 different subsets, sub-divided into Irregularly Occurring species (Abundance Band V1 or V2) and Regularly-occurring species (Abundance Bands 1-5).

(1) Irregularly-occurring Species with <10 records per year (but not because of historical or recent declines)

- IOS** Species which are not known to have been regularly-occurring at any time in the ROK.
- ILT** Species which were perhaps never regularly occurring in the ROK, listed as Threatened or Near Threatened by NIBR (2019).
- IOR** Species that might be regularly occurring but which are much-overlooked because of their habitat or behaviour but which have not been recorded regularly in the last decade, either because of declines or more likely due inadequate coverage or reporting.

(2) Regularly occurring species (probably 10 or more records or individuals per year for the majority of years during the last decade) and no longer regularly occurring species because of recent and / or historical declines.

RED is used to indicate Highest Conservation Priorities / Very Poor Global or National Conservation Status.

- GCS** Global Conservation Status. Species assessed by Birdlife International / IUCN (2022) as globally CR, EN, VU
- TNS** Threatened National Status. Species assessed by NIBR (2019) as nationally CR, EN
- HDS** Historical Severe Decline. Severe Historical Decline between 1900 and 1999, with no evidence of subsequent recovery, which triggered a reduction of two in Abundance Bands (Moores 2012)
- BDS** Breeding Decline Severe. Either Extirpation of a scarce breeding species which bred for five decades or more during the twentieth century, or an estimated decline of 50% or more of breeding population since 2000; or species considered to be widespread as breeding species at some time during the Twentieth Century currently confined to ten or fewer breeding localities/ areas.
- NBS** Non-breeding Severe Decline. Recent severe decline in 50% or more since the 1990s of those species considered primarily to be a non-breeding visitor to/ migrant through the ROK. In cases where the species also breeds, breeding population also considered to be in at least moderate decline.

AMBER is used to indicate High Conservation Priorities / Poor Global or National Conservation Status.

- PCS** Poor Global Conservation Status. Species assessed by BirdLife International / IUCN (2022) as Globally Near Threatened.
- PNS** Poor National Conservation Status. Assessed by NIBR (2019) as Nationally Vulnerable or Near Threatened.
- HDR** Long-term Historical Decline (pre-2010). Evidenced by a change in Abundance Band or by analysis in Moores (2012), with evidence of only partial recent recovery or weak recent decline (of <25% since 2000).
- BDM** Breeding Population Decline Moderate. Either (a) estimated decline of 25-49% in large breeding population (of >1,000 pairs) since 1990; or (b) measured decline of >10% between 1997-2005 and 2013-2019 (Kim et al. 2021); or (c) contraction of the breeding range so that formerly widespread species are now confined to only 10-100 sites nationwide; or (d) extirpation of an always small breeding population; or (e) decline of one or two in Abundance Bands on Birds Korea checklists (based on interpolation) between 2000 and 2022, with no evidence of recent recovery.
- NBM** Non-breeding Population Moderate Decline. A decline of 25-49% estimated since 2000 in the population of a species which is primarily non-breeding in the ROK. In cases where the species also breeds, the breeding population is also considered either to be stable or in decline during the same recent period.
- RCP** Regional Conservation Priority. Waterbird species or populations with 30% or more of their population (in accordance with Wetlands International 2022) or 20% of their global population dependent on the ROK that (A) declined historically and are not considered to have fully recovered (with their population over the past decade showing little or no trend) or (B) assessed to be in decline by Wetlands International (2022).

GREY is used to indicate species which were likely to be regularly occurring (e.g., with records of flocks) for two or more decades since 1880, but because of declines now with fewer than 10 records per year in the majority of years during at least the past decade.

- NRO** No Longer Regularly Occurring. Species that were likely to be historically regular in the ROK before 2000; which have fewer than 10 records annually / 10 individuals recorded in the majority of years during the last decade.
- REX** Regionally Extinct. Migratory species which were regularly occurring or were perhaps regularly occurring which are now assessed as Regionally Extinct by NIBR (2019); and largely sedentary species without any adequately documented records since 2000.
- LAT** Listed as Threatened. Species which were historically regularly occurring or were likely to be regularly occurring which are no longer regularly occurring, but which are currently Listed as Nationally Threatened by NIBR (2019)

GREEN is used to indicate low or unknown conservation priorities.

- LCS** Least Concern Status. In the absence of evidence of strong or moderate historical or recent declines or of a poor National Conservation Status (NIBR 2019), (a) Species regularly present in the ROK for >25 years which is assessed as Least Concern by BirdLife International (2022), with Abundance Bands 3 and 4; (b) Species regularly present in the ROK for >25 years which is assessed as Least Concern by BirdLife International (2022) with Abundance Bands 2 and 5, which might have undergone periods of decrease and periods of increase (either because of fluctuations in population or in coverage).
- NAB** National Abundance. All regularly-occurring species which do not meet any criteria for listing under Red or Amber, because they are abundant (Abundance Bands 1) or common (Abundance Bands 2) nationally, and are likely to be increasing or stable in population.
- RRO** Recently Regularly occurring. Species that have become regularly occurring since 2000, with (presumably) more than 10 records or 10 individuals in all years since 2015; and species with first breeding since 2010 that are either apparently stable or increasing.
- DES** Declining Species. Species suspected or known to be in recent / current decline, when declines are either insufficient or too poorly-known to trigger Red or Amber Listing.

Checklist

CAT 1

Passeriformes, Phylloscopidae			NCS	GCS	STATUS	BS
1	Brant Goose	<i>Branta bernicla</i>	LAT	LC	WV1	0
		<i>nigricans</i>			WV1	0
2	Red-breasted Goose	<i>Branta ruficollis</i>	IOS	VU	V2	0
3	Barnacle Goose	<i>Branta leucopsis</i>	IOS	LC	V2	0
4	Cackling Goose	<i>Branta hutchinsii</i>	IOS	LC	WV1	0
		<i>leucopareia</i>			WV1	0
		<i>minima</i>			WV2	0
		<i>taverneri</i>			WV2	0
5	Bar-headed Goose	<i>Anser indicus</i>	IOS	LC	V2	0
6	Emperor Goose	<i>Anser canagicus</i>	IOS	NT	V2	0
7	Snow Goose	<i>Anser caerulescens</i>	ILT	LC	WV1	0
		<i>caerulescens</i>			WV1	0
8	Greylag Goose	<i>Anser anser</i>	IOS	LC	V1	0
		<i>rubrirostris</i>			V1	0
9	Swan Goose	<i>Anser cygnoides</i>	GCS	VU	P3, W5	0
10	Taiga Bean Goose	<i>Anser fabalis</i>	RCP	LC	W3, SV2	0
		<i>johanseni</i>			V2?	0
		<i>middendorffii</i>			W3, SV2	0
11	Tundra Bean Goose	<i>Anser serrirostris</i>	RCP	NR	P1, W2, SV1	0
		<i>serrirostris</i>			P1, W2, SV1	0
12	Greater White-fronted Goose	<i>Anser albifrons</i>	RCP	LC	P1, W1, SV1	0
		<i>albifrons</i>			W4	0
		<i>*frontalis</i>			P1, W1, SV1	0
13	Lesser White-fronted Goose	<i>Anser erythropus</i>	GCS	VU	P5, W5	0
14	Mute Swan	<i>Cygnus olor</i>	TNS	LC	W5	0
15	Tundra Swan	<i>Cygnus columbianus</i>	NBS	LC	W5, P5	0
		<i>bewickii</i>			W5, P5	0
16	Whooper Swan	<i>Cygnus cygnus</i>	PNS	LC	W3, SV2	0
17	Common Shelduck	<i>Tadorna tadorna</i>	DES	LC	W2, SV2	0
18	Ruddy Shelduck	<i>Tadorna ferruginea</i>	NBS	LC	W3, SV2	0
19	Mandarin Duck	<i>Aix galericulata</i>	NBM	LC	R3, P3, W3	1

Anseriformes, Anatidae			NCS	GCS	STATUS	BS
20	Cotton Pygmy Goose	<i>Nettapus coromandelianus</i>	IOS	LC	V2	0
21	Baikal Teal	<i>Sibirionetta formosa</i>	GFI	LC	W1, SV2	0
22	Garganey	<i>Spatula querquedula</i>	DES	LC	P4	0
23	Northern Shoveler	<i>Spatula clypeata</i>	LCS	LC	W3, SV2	0
24	Gadwall	<i>Mareca strepera</i>	LCS	LC	W2, SV2	0
		<i>strepera</i>			W2, SV2	0
25	Falcated Duck	<i>Mareca falcata</i>	PCS	NT	W3, SV1	2
26	Eurasian Wigeon	<i>Mareca penelope</i>	NBM	LC	W2, P3, SV1	0
27	American Wigeon	<i>Mareca americana</i>	IOS	LC	WV1	0
28	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>	NBM	LC	W2, R2	1
29	Mallard	<i>Anas platyrhynchos</i>	NBS	LC	W1, P2, R4	1
		<i>platyrhynchos</i>			W1, P2, R4	1
30	Northern Pintail	<i>Anas acuta</i>	NBS	LC	W2, P3, SV2	0
31	Eurasian Teal	<i>Anas crecca</i>	DES	LC	W2, SV1	0
32	Green-winged Teal	<i>Anas carolinensis</i>	IOS	LC	V2	0
33	Red-crested Pochard	<i>Netta rufina</i>	IOS	LC	V1	0
34	Canvasback	<i>Aythya valisineria</i>	IOS	LC	V2	0
35	Common Pochard	<i>Aythya ferina</i>	GCS	VU	P2, W2, SV1	0
36	Baer's Pochard	<i>Aythya baeri</i>	LAT	CR	V1	0
37	Ferruginous Duck	<i>Aythya nyroca</i>	IOS	NT	V1	0
38	Ring-necked Duck	<i>Aythya collaris</i>	IOS	LC	V2	0
39	Tufted Duck	<i>Aythya fuligula</i>	LCS	LC	W3, P4, SV2	0
40	Greater Scaup	<i>Aythya marila</i>	LCS	LC	W2, SV2	0
		<i>nearctica</i>			W2, SV2	0
41	Lesser Scaup	<i>Aythya affinis</i>	IOS	LC	V2	0
42	King Eider	<i>Somateria spectabilis</i>	IOS	LC	V2	0
43	Harlequin Duck	<i>Histrionicus histrionicus</i>	PNS	LC	W4	0
44	Surf Scoter	<i>Melanitta perspicillata</i>	IOS		V2	0
45	Velvet Scoter	<i>Melanitta fusca</i>	IOS	VU	V2	0
46	Stejneger's Scoter	<i>Melanitta stejnegeri</i>	NBS	LC	W4, SV2	0
47	Black Scoter	<i>Melanitta americana</i>	NBS	NT	W4	0
48	Long-tailed Duck	<i>Clangula hyemalis</i>	NRO	VU	WV1	0
49	Bufflehead	<i>Bucephala albeola</i>	IOS	LC	V2	0
50	Common Goldeneye	<i>Bucephala clangula</i>	NBM	LC	W3	0
		<i>clangula</i>			W3	0
51	Smew	<i>Mergellus albellus</i>	LCS	LC	W3	0

Anseriformes, Anatidae			NCS	GCS	STATUS	BS
52	Common Merganser	<i>Mergus merganser</i>	DES	LC	W2, R5	1
		<i>merganser</i>			W2, R5	1
53	Red-breasted Merganser	<i>Mergus serrator</i>	LCS	LC	W3, SV2	0
54	Scaly-sided Merganser	<i>Mergus squamatus</i>	GCS	EN	W4, P4	0
Galliformes, Phasianidae						
55	Hazel Grouse	<i>Tetrastes bonasia</i>	NAB	LC	R1	1
		<i>amurensis</i>			R1	1
56	Common Pheasant	<i>Phasianus colchicus</i>	NAB	LC	R1	1
		<i>karpowi</i>			R1	1
57	Japanese Quail	<i>Coturnix japonica</i>	PCS	NT	W4, SV2	1
Caprimulgiformes, Caprimulgidae						
58	Grey Nightjar	<i>Caprimulgus jotaka</i>	DES	LC	P3, S3	1
		<i>jotaka</i>			P3, S3	1
Apodiformes, Apodidae						
59	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	IOS	LC	V1	0
		<i>innominatus</i>			V1	0
60	White-throated Needletail	<i>Hirundapus caudacutus</i>	LCS	LC	P3, S5	2
		<i>caudacutus</i>			P3, S5	2
61	Alpine Swift	<i>Tachymarptis melba</i>	IOS	LC	V2	0
		<i>nubifugus (?)</i>			V2	0
62	Pacific Swift	<i>Apus pacificus</i>	NAB	LC	P2, S3	1
		<i>pacificus</i>			P2, S3	1
63	House Swift	<i>Apus nipalensis</i>	IOS	LC	V1	0
		<i>nipalensis</i>			V1	0
Otidiformes, Otididae						
64	Great Bustard	<i>Otis tarda</i>	LAT	VU	WV2	0
		<i>dybowskii</i>			WV2	0

Cuculiformes, Cuculidae			NCS	GCS	STATUS	BS
65	Lesser Coucal	<i>Centropus bengalensis</i>	IOS	LC	V2	0
		<i>lignator</i> (?)			V2	0
66	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	IOS	LC	V1	1
67	Asian Koel	<i>Eudynamis scolopaceus</i>	IOS	LC	V1	0
		<i>chinensis</i>			V1	0
68	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	IOS	LC	V2	0
		<i>querulus</i>			V2	0
69	Square-tailed Drongo-Cuckoo	<i>Surniculus lugubris</i>	IOS	LC	V2	0
		<i>barussarum</i>			V2	0
70	Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	IOS	LC	V1	0
71	Northern Hawk-Cuckoo	<i>Hierococcyx hyperythrus</i>	BDS	LC	S3, P4	1
72	Lesser Cuckoo	<i>Cuculus poliocephalus</i>	BDS	LC	S3	1
73	Indian Cuckoo	<i>Cuculus micropterus</i>	LCS	LC	S3	1
		<i>micropterus</i>			S3	1
74	Oriental Cuckoo	<i>Cuculus optatus</i>	NAB	LC	S2, P3	1
75	Common Cuckoo	<i>Cuculus canorus</i>	HDR	LC	P2, S3	1
Columbiformes, Columbidae						
76	Hill Pigeon	<i>Columba rupestris</i>	TNS	LC	R5, W5	1
		<i>rupestris</i>			R5, W5	1
77	Stock Dove	<i>Columba oenas</i>	IOS	LC	WV2	0
		<i>yarkandensis</i>			WV2	0
78	Black Wood Pigeon	<i>Columba janthina</i>	PCS	NT	R4, S5	1
		<i>janthina</i>			R4, S5	1
79	Oriental Turtle Dove	<i>Streptopelia orientalis</i>	DES	LC	R1, P3	1
		<i>orientalis</i>			R1, P3	1
80	Eurasian Collared Dove	<i>Streptopelia decaocto</i>	NRO	LC	V1	0
81	Red Turtle Dove	<i>Streptopelia tranquebarica</i>	IOS	LC	V1	0
		<i>humilis</i>			V1	0
82	Spotted Dove	<i>Spilopelia chinensis</i>	IOS	LC	V2	0
		<i>chinensis</i>			V2	0
83	White-bellied Green Pigeon	<i>Treron sieboldii</i>	IOS	LC	V1	0
		<i>sieboldii</i>			V1	0

Gruiformes, Rallidae			NCS	GCS	STATUS	BS
84	Western Water Rail	<i>Rallus aquaticus</i>	IOS	LC	WV2	0
		<i>korejewi</i>			WV2	0
85	Eastern Water Rail	<i>Rallus indicus</i>	DFS	LC	W5	0
86	Common Moorhen	<i>Gallinula chloropus</i>	LCS	LC	S3, R4	1
		<i>chloropus</i>			S3, R4	1
87	Eurasian Coot	<i>Fulica atra</i>	NAB	LC	W2, R4	1
		<i>atra</i>			W2, R4	1
88	Swinhoe's Rail	<i>Coturnicops exquisitus</i>	IOS	VU	V2	0
89	Ruddy-breasted Crake	<i>Porzana fusca</i>	PNS	LC	S5	1
		<i>erythrothorax</i>			S5	1
90	Band-bellied Crake	<i>Porzana paykullii</i>	IOS	NT	V1	2
91	Baillon's Crake	<i>Porzana pusilla</i>	NBM	LC	P5, SV2	0
		<i>pusilla</i>			P5, SV2	0
92	Watercock	<i>Gallicrex cinerea</i>	BDS	LC	S5	1
93	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	RRO	LC	P5, SV2	1
		<i>phoenicurus</i>			P5, SV2	1
Gruiformes, Gruidae						
94	Siberian Crane	<i>Leucogeranus leucogeranus</i>	IOS	CR	WV1	0
95	Sandhill Crane	<i>Antigone canadensis</i>	RRO	LC	W5, SV2	0
		<i>canadensis</i>			W5, SV2	0
96	White-naped Crane	<i>Antigone vipio</i>	GCS	VU	P3, W3, SV2	0
97	Demoiselle Crane	<i>Grus virgo</i>	IOS	LC	V2	0
98	Red-crowned Crane	<i>Grus japonensis</i>	GCS	VU	W3, SV2	0
99	Common Crane	<i>Grus grus</i>	RRO	LC	W5	0
100	Hooded Crane	<i>Grus monacha</i>	GCS	VU	P2, W3	0
Podicipediformes, Podicipedidae						
101	Little Grebe	<i>Tachybaptus ruficollis</i>	LCS	LC	R3, S4	1
		<i>poggei</i>			R3, S4	1
102	Red-necked Grebe	<i>Podiceps grisegena</i>	PNS	LC	W4	0
		<i>holbollii</i>			W4	0
103	Great Crested Grebe	<i>Podiceps cristatus</i>	NAB	LC	W2, R4	1
		<i>cristatus</i>			W2, R4	1
104	Horned Grebe	<i>Podiceps auritus</i>	GCS	VU	W5, SV2	0
		<i>auritus</i>			W5, SV2	0

Podicipediformes, Podicipedidae			NCS	GCS	STATUS	BS
105	Black-necked Grebe	<i>Podiceps nigricollis</i>	NBS	LC	W3	0
		<i>nigricollis</i>			W3	0
Phoenicopteriformes, Phoenicopteridae						
106	Greater Flamingo	<i>Phoenicopus roseus</i>	IOS	LC	V2	0
Charadriiformes, Turnicidae						
107	Yellow-legged Buttonquail	<i>Turnix tanki</i>	NRO	LC	V1	2
		<i>blanfordii</i>			V1	2
Charadriiformes, Haematopodidae						
108	Far Eastern Oystercatcher*	<i>Haematopus osculans*</i>	GFI	NT	W3, R4	1
Charadriiformes, Recurvirostridae						
109	Black-winged Stilt	<i>Himantopus himantopus</i>	LCS	LC	P4, S5, WV2	1
110	Pied Avocet	<i>Recurvirostra avosetta</i>	RRO	LC	W5, SV2	1
Charadriiformes, Charadriidae						
111	Northern Lapwing	<i>Vanellus vanellus</i>	PCS	NT	W4	0
112	Grey-headed Lapwing	<i>Vanellus cinereus</i>	IOS	LC	V1	0
113	Pacific Golden Plover	<i>Pluvialis fulva</i>	DES	LC	P4	0
114	Grey Plover	<i>Pluvialis squatarola</i>	NBM	LC	P3, W3, S4	0
		<i>squatarola / tomkovichi</i>			P3, W3, S4	0
115	Common Ringed Plover	<i>Charadrius hiaticula</i>	IOS	LC	V1	0
		<i>tundrae</i>			V1	0
116	Long-billed Plover	<i>Charadrius placidus</i>	PNS	LC	R3, P5	1
117	Little Ringed Plover	<i>Charadrius dubius</i>	LCS	LC	P3, S3, WV2	1
118	Kentish Plover	<i>Charadrius alexandrinus</i>	NBS	LC	P2, S4, W4	1
		<i>nihonensis</i>			P2, S4, W4	1
119	Tibetan Sand Plover*	<i>Charadrius atrifrons*</i>	IOS	NR	V2	0
		<i>atrifrons / schaeferi</i>			V2	0
120	Siberian Sand Plover	<i>Charadrius mongolus</i>	NBM	LC	P3, WV1	0
		<i>mongolus</i>			P5	0
		<i>stegmanni</i>			P3, WV1	0

Charadriiformes, Charadriidae			NCS	GCS	STATUS	BS
121	Greater Sand Plover	<i>Charadrius leschenaultii</i>	LCS	LC	P5, SV2	0
		<i>leschenaultii</i>			P5, SV2	0
122	Oriental Plover	<i>Charadrius veredus</i>	LCS	LC	P5	0
123	Eurasian Dotterel	<i>Charadrius morinellus</i>	IOS	LC	V2	0
Charadriiformes, Rostratulidae						
124	Greater Painted-snipe	<i>Rostratula benghalensis</i>	PNS	LC	S5, WV1	1
Charadriiformes, Jacanidae						
125	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	RRO	LC	S5	1
Charadriiformes, Scolopacidae						
126	Eurasian Whimbrel	<i>Numenius phaeopus</i>	DES	LC	P3, WV2	0
		<i>variegatus</i>			P3, WV2	0
127	Little Curlew	<i>Numenius minutus</i>	LCS	LC	P5	0
128	Far Eastern Curlew	<i>Numenius madagascariensis</i>	GCS	EN	P3, S4, WV1	0
129	Eurasian Curlew	<i>Numenius arquata</i>	PCS	NT	P3, W3, S4	0
		<i>orientalis</i>			P3, W3, S4	0
130	Bar-tailed Godwit	<i>Limosa lapponica</i>	PCS	NT	P2, S5, WV2	0
		<i>menzbieri</i>			P3, S5, WV2	0
		<i>baueri</i>			P2	0
		<i>anadyrensis</i>			P4?	0
131	Black-tailed Godwit	<i>Limosa limosa</i>	NBS	NT	P3, SV1, WV2	0
		<i>melanuroides</i>			P3, SV1, WV2?	0
		<i>boharii</i>			P4, WV2	0
132	Ruddy Turnstone	<i>Arenaria interpres</i>	NBS	LC	P4, WV2	0
		<i>interpres</i>			P4, WV2	0
133	Great Knot	<i>Calidris tenuirostris</i>	GCS	EN	P2, S5	0
134	Red Knot	<i>Calidris canutus</i>	PCS	NT	P3	0
		<i>piersmai</i>			DD	0
		<i>rogersi</i>			P4	0
135	Ruff	<i>Calidris pugnax</i>	LCS	LC	P5, WV2	0
136	Broad-billed Sandpiper	<i>Calidris falcinellus</i>	DES	LC	P3	0
		<i>sibirica</i>			P3	0
137	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	GCS	VU	P4	0
138	Curlew Sandpiper	<i>Calidris ferruginea</i>	PCS	NT	P5	0

Charadriiformes, Scolopacidae			NCS	GCS	STATUS	BS
139	Temminck's Stint	<i>Calidris temminckii</i>	HDR	LC	P5	0
140	Long-toed Stint	<i>Calidris subminuta</i>	DES	LC	P4	0
141	Spoon-billed Sandpiper	<i>Calidris pygmaea</i>	GCS	CR	P5	0
142	Red-necked Stint	<i>Calidris ruficollis</i>	PCS	NT	P3, WV2	0
143	Sanderling	<i>Calidris alba</i>	NBM	LC	P4, W4	0
		<i>alba / rubida</i>			P4, W4	0
144	Dunlin	<i>Calidris alpina</i>	NBM	LC	P1, W2, SV1	0
		<i>sakhalina</i>			DD	0
		<i>kistchinski</i>			P5?	0
		<i>actites</i>			V2	0
		<i>arctica</i>			DD	0
145	Little Stint	<i>Calidris minuta</i>	IOS	LC	V1	0
146	Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	IOS	NT	V2	0
147	Pectoral Sandpiper	<i>Calidris melanotos</i>	IOS	LC	V1	0
148	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	IOS	NT	V1	0
149	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	IOS	LC	V1	0
150	Eurasian Woodcock	<i>Scolopax rusticola</i>	DES	LC	P4, W4, SV2	0
151	Jack Snipe	<i>Lymnocyrtus minimus</i>	IOS	LC	V2	0
152	Solitary Snipe	<i>Gallinago solitaria</i>	NRO	LC	V1	0
		<i>japonica</i>			V1	0
153	Latham's Snipe	<i>Gallinago hardwickii</i>	PCS	NT	P5	0
154	Pin-tailed Snipe	<i>Gallinago stenura</i>	DES	LC	P3, WV2	0
155	Swinhoe's Snipe	<i>Gallinago megala</i>	DES	LC	P4	0
156	Common Snipe	<i>Gallinago gallinago</i>	NBM	LC	P4, W5	0
		<i>gallinago</i>			P4, W5	0
157	Terek Sandpiper	<i>Xenus cinereus</i>	NAB	LC	P2, S4	0
158	Red-necked Phalarope	<i>Phalaropus lobatus</i>	DES	LC	P3	0
159	Red Phalarope	<i>Phalaropus fulicarius</i>	IOR	LC	V1	0
160	Common Sandpiper	<i>Actitis hypoleucos</i>	LCS	LC	S3, P4, W5	1
161	Green Sandpiper	<i>Tringa ochropus</i>	LCS	LC	P3, W4	0
162	Grey-tailed Tattler	<i>Tringa brevipes</i>	PCS	NT	P3, SV2	0
163	Common Redshank	<i>Tringa totanus</i>	PNS	LC	P4, S5, WV2	1
		<i>ussuriensis</i>			P4, S5, WV2	1
		<i>terrignotae</i>			DD	0
164	Marsh Sandpiper	<i>Tringa stagnatilis</i>	LCS	LC	P4, SV2	0
165	Wood Sandpiper	<i>Tringa glareola</i>	DES	LC	P3, SV2	0
166	Spotted Redshank	<i>Tringa erythropus</i>	NBS	LC	P5, WV1	0

Charadriiformes, Scolopacidae			NCS	GCS	STATUS	BS
167	Common Greenshank	<i>Tringa nebularia</i>	DES	LC	P3, W5, SV1	0
168	Nordmann's Greenshank	<i>Tringa guttifer</i>	GCS	EN	P5, SV2	0
Charadriiformes, Glareolidae			NCS	GCS	STATUS	BS
169	Oriental Pratincole	<i>Glareola maldivarum</i>	RRO	LC	P5, SV2	1
Charadriiformes, Laridae			NCS	GCS	STATUS	BS
170	Black-legged Kittiwake	<i>Rissa tridactyla</i>	GCS	VU	P2, W3	0
		<i>pollicaris</i>			P3, W3	0
171	Slender-billed Gull	<i>Chroicocephalus genei</i>	IOS	LC	V2	0
172	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	LCS	LC	P2, W2, S5	0
173	Saunders's Gull	<i>Chroicocephalus saundersi</i>	GCS	VU	W3, P3, S3	1
174	Relict Gull	<i>Ichthyaetus relictus</i>	NRO	VU	WV1	0
175	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>	IOS	LC	V1	0
176	Black-tailed Gull	<i>Larus crassirostris</i>	NAB	LC	S1, W2	1
177	Common Gull	<i>Larus canus</i>	LCS	LC	W2	0
		<i>heinei</i>			W4	0
		<i>kamtschatschensis</i>			W2	0
178	Glaucous-winged Gull	<i>Larus glaucescens</i>	LCS	LC	W5	0
179	Glaucous Gull	<i>Larus hyperboreus</i>	LCS	LC	W4, SV2	0
		<i>pallidissimus</i>			W4, SV2	0
		<i>barrovianus</i>			V1	0
180	Iceland Gull	<i>Larus glaucoides</i>	IOS	LC	WV1	0
	"Iceland Gull"	<i>glaucoides</i>			WV2	0
	"Kumlein's Gull"	<i>kumlieni</i>			WV1	0
	"Thayer's Gull"	<i>thayeri</i>			WV1	0
181	American Herring Gull	<i>Larus smithsonianus</i>	IOS	LC	WV1	0
182	Vega Gull	<i>Larus vegae</i>	NAB	NR	W2, P2, S5	0
		<i>vegae</i>			W2, P2, S5	0
		<i>birulai</i> *			W5	0
183	Mongolian Gull *	<i>Larus mongolicus</i> *	NAB	NR	P2, W3, S4	1
184	Caspian Gull	<i>Larus cachinnans</i>	IOS	LC	WV1	0
185	Slaty-backed Gull	<i>Larus schistisagus</i>	NAB	LC	W3, SV1	0

Charadriiformes, Laridae			NCS	GCS	STATUS	BS
186	Lesser Black-backed Gull	<i>Larus fuscus</i>	NAB	LC	P3, W4, SV2	0
	"Baltic Gull"	<i>fuscus</i>			V2	0
	"Heuglin's Gull"	<i>Larus fuscus</i>		NR	V2	0
	"Taimyr Gull"	<i>taimyrensis</i> *			P3, W4, SV2	0
	"Steppe Gull"	<i>barabensis</i>			WV1	0
187	White Tern	<i>Gygis alba</i>	IOS	LC	V2	0
		<i>candida?</i>			V2	0
188	Gull-billed Tern	<i>Gelochelidon nilotica</i>	IOS	LC	V1	0
		<i>affinis</i>			V1	0
189	Caspian Tern	<i>Hydroprogne caspia</i>	IOS	LC	V1	0
190	Greater Crested Tern	<i>Thalasseus bergii</i>	IOS	LC	V2	0
		<i>cristatus</i>			V2	0
191	Chinese Crested Tern	<i>Thalasseus bernsteini</i>	IOS	CR	SV1	1
192	Little Tern	<i>Sternula albifrons</i>	PNS	LC	S3, WV2	1
		<i>sinensis</i>			S3, WV2	1
193	Aleutian Tern	<i>Onychoprion aleuticus</i>	GCS	VU	P5	0
194	Bridled Tern	<i>Onychoprion anaethetus</i>	IOS	LC	V2	0
		<i>anaethetus</i>			V2	0
195	Sooty Tern	<i>Onychoprion fuscatus</i>	IOS	LC	V1	0
		<i>nubilosus / oahuensis</i>			V1	0
196	Roseate Tern	<i>Sterna dougallii</i>	IOS	LC	V2	0
		<i>bangsi</i>			V2	0
197	Common Tern	<i>Sterna hirundo</i>	DES	LC	P2, SV1, WV2	0
		<i>minussensis</i>			V1	0
		<i>longipennis</i>			P2, SV1, WV2	0
198	Arctic Tern	<i>Sterna paradisaea</i>	IOS	LC	V2	0
199	Whiskered Tern	<i>Chlidonias hybrida</i>	NAB	LC	P4, WV1	0
		<i>hybrida</i>			P4, WV1	0
200	White-winged Tern	<i>Chlidonias leucopterus</i>	NAB	LC	P4	0
201	Black Tern	<i>Chlidonias niger</i>	IOS	LC	V2	0
		<i>niger</i>			V2	0

Charadriiformes, Stercorariidae			NCS	GCS	STATUS	BS
202	South Polar Skua	<i>Stercorarius maccormicki</i>	IOR	LC	S5	0
203	Pomarine Jaeger	<i>Stercorarius pomarinus</i>	DES	LC	P4, WV2	0
204	Parasitic Jaeger	<i>Stercorarius parasiticus</i>	LCS	LC	P5	0
205	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	IOS	LC	V1	0
		<i>pallescens</i>			V1	0

Charadriiformes, Alcidae

206	Thick-billed Murre	<i>Uria lomvia</i>	DES	LC	W5	0
		<i>arra</i>			W5	0
207	Common Murre	<i>Uria aalge</i>	DES	LC	W5	0
		<i>inornata</i>			W5	0
208	Spectacled Guillemot	<i>Cepphus carbo</i>	DES	LC	W5	0
209	Long-billed Murrelet	<i>Brachyramphus perdix</i>	PCS	NT	W5, SV2	0
210	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	NBS	LC	W2, S4	1
		<i>antiquus</i>			W2, S4	1
211	Crested Murrelet	<i>Synthliboramphus wumizusume</i>	GCS	VU	S4, R5	1
212	Least Auklet	<i>Aethia pusilla</i>	IOS	LC	WV1	0
213	Crested Auklet	<i>Aethia cristatella</i>	IOS	LC	WV2	0
214	Rhinoceros Auklet	<i>Cerorhinca monocerata</i>	LCS	LC	W3	0
215	Tufted Puffin	<i>Fratercula cirrhata</i>	IOS	LC	V2	0

Gaviiformes, Gaviidae

216	Red-throated Loon	<i>Gavia stellata</i>	HDR	LC	P3, W4	0
217	Black-throated Loon	<i>Gavia arctica</i>	DES	LC	W3, SV1	0
	Arctic Loon	<i>viridigularis</i>			W3, SV1	0
218	Pacific Loon	<i>Gavia pacifica</i>	LCS	LC	P3, W3, SV2	0
219	Yellow-billed Loon	<i>Gavia adamsii</i>	PCS	NT	W5, SV2	0

Procellariiformes, Diomedidae

220	Laysan Albatross	<i>Phoebastria immutabilis</i>	IOS	NT	V2	0
-----	------------------	--------------------------------	-----	----	----	---

Procellariiformes, Hydrobatidae

221	Swinhoe's Storm Petrel	<i>Oceanodroma monorhis</i>	PCS	NT	S1	1
-----	------------------------	-----------------------------	-----	----	----	---

Procellariiformes, Procellariidae			NCS	GCS	STATUS	BS
222	Bonin Petrel	<i>Pterodroma hypoleuca</i>	IOS	LC	V2	0
223	Streaked Shearwater	<i>Calonectris leucomelas</i>	PCS	NT	S2	1
224	Short-tailed Shearwater	<i>Ardenna tenuirostris</i>	LCS	LC	P4, WV2	0
225	Flesh-footed Shearwater	<i>Ardenna carneipes</i>	PCS	NT	P5	0
226	Bulwer's Petrel	<i>Bulweria bulwerii</i>	IOS	LC	V2	0
Ciconiiformes, Ciconiidae						
227	Black Stork	<i>Ciconia nigra</i>	TNS	LC	V1	3
228	Oriental Stork	<i>Ciconia boyciana</i>	GCS	EN	W5, SV2, RI	1 RI
Suliformes, Fregatidae						
229	Great Frigatebird	<i>Fregata minor</i>	IOS	LC	V2	0
		<i>minor</i>			V2	0
230	Lesser Frigatebird	<i>Fregata ariel</i>	IOS	LC	V1	0
		<i>ariel</i>			V1	0
Suliformes, Sulidae						
231	Masked Booby	<i>Sula dactylatra</i>	IOS	LC	V2	0
		<i>personata</i>			V2	0
232	Red-footed Booby	<i>Sula sula</i>	IOS	LC	V2	0
		<i>rubripes</i>			V2	0
233	Brown Booby	<i>Sula leucogaster</i>	IOS	LC	V1	0
		<i>plotus</i>			V1	0
Suliformes, Phalacrocoracidae						
234	Pelagic Cormorant	<i>Urile pelagicus</i>	NAB	LC	W3, R4	1
		<i>pelagicus</i>			W3, R4	1
235	Temminck's Cormorant	<i>Phalacrocorax capillatus</i>	DES	LC	R4, W4	1
236	Great Cormorant	<i>Phalacrocorax carbo</i>	NAB	LC	S1, R2	1
		<i>sinensis</i>			S1, R2	1
		<i>hanedae</i>			DD	2

Pelecaniformes, Threskiornithidae			NCS	GCS	STATUS	BS
237	Black-headed Ibis	<i>Threskiornis melanocephalus</i>	IOS	NT	V2	0
238	Glossy Ibis	<i>Plegadis falcinellus</i>	IOS	LC	V2	0
239	Eurasian Spoonbill	<i>Platalea leucorodia</i>	PNS	LC	W4, SV1	2
		<i>leucorodia</i>			W4, SV1	2
240	Black-faced Spoonbill	<i>Platalea minor</i>	GCS	EN	S3, R5	1
Pelecaniformes, Ardeidae						
241	Eurasian Bittern	<i>Botaurus stellaris</i>	PNS	LC	W5, P5, SV2	0
		<i>stellaris</i>			W5, P5, SV2	0
242	Yellow Bittern	<i>Ixobrychus sinensis</i>	DES	LC	S4	1
243	Von Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>	BDS	LC	S5	1
244	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	IOS	LC	PV1	2
245	Black Bittern	<i>Ixobrychus flavicollis</i>	IOS	LC	PV1	0
246	Japanese Night Heron	<i>Gorsachius goisagi</i>	GCS	VU	S5, PV1	1
247	Malayan Night Heron	<i>Gorsachius melanolophus</i>	IOS	LC	V2	0
248	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>	DES	LC	S3, R5	1
		<i>nycticorax</i>			S3, R5	1
249	Striated Heron	<i>Butorides striata</i>	DES	LC	S3, WV2	1
		<i>amurensis</i>			S3, WV2	1
250	Chinese Pond Heron	<i>Ardeola bacchus</i>	LCS	LC	P4, S5, WV1	1
251	Eastern Cattle Egret	<i>Bubulcus coromandus</i>	LCS	NR	S3	1
252	Grey Heron	<i>Ardea cinerea</i>	HDR	LC	S2, R3	1
		<i>cinerea</i>			DD	0
		<i>jouyi</i>			S2, R3	1
253	Purple Heron	<i>Ardea purpurea</i>	NBM	LC	P5, SV2	0
		<i>manilensis</i>			P5, SV2	0
254	Great Egret	<i>Ardea alba</i>	HDR	LC	S2, P3, W3	1
		<i>alba</i>			W3, SV1	0
		<i>modesta</i>			S2, P3, WV1	1
255	Intermediate Egret	<i>Ardea intermedia</i>	LCS	LC	S3	1
		<i>intermedia</i>			S3	1
256	Little Egret	<i>Egretta garzetta</i>	NAB	LC	S3, W4	1
		<i>garzetta</i>			S3, W4	1
257	Pacific Reef Egret	<i>Egretta sacra</i>	LCS	LC	R4	1
		<i>sacra</i>			R4	1
258	Chinese Egret	<i>Egretta eulophotes</i>	GCS	VU	S4, WV2	1

Accipitriformes, Pandionidae			NCS	GCS	STATUS	BS
259	Western Osprey	<i>Pandion haliaetus</i>	PNS	LC	P4, W5, R5	1
		<i>haliaetus</i>			P4, W5, R5	1
Accipitriformes, Accipitridae						
260	Black-winged Kite	<i>Elanus caeruleus</i>	IOS	LC	V1	1*
		<i>vociferus</i>			V1	1*
261	Bearded Vulture	<i>Gypaetus barbatus</i>	IOS	NT	V2	0
		<i>barbatus</i>				0
262	Crested Honey Buzzard	<i>Pernis ptilorhynchus</i>	PNS	LC	P3, S5	1
		<i>orientalis</i>			P3, S5	1
263	Black Baza	<i>Aviceda leuphotes</i>	IOS	LC	V2	0
		<i>syama</i> (?)			V2	0
264	Himalayan Vulture	<i>Gyps himalayensis</i>	IOS	NT	V2	0
265	Cinereous Vulture	<i>Aegypius monachus</i>	PCS	NT	W3, SV2	0
266	Crested Serpent Eagle	<i>Spilornis cheela</i>	IOS	LC	V2	0
		<i>ricketti</i>			V2	0
267	Short-toed Snake Eagle	<i>Circaetus gallicus</i>	IOS	LC	V2	0
		<i>gallicus</i>			V2	0
268	Greater Spotted Eagle	<i>Clanga clanga</i>	GCS	VU	P5, WV1, SV2	0
269	Booted Eagle	<i>Hieraetus pennatus</i>	IOS	LC	V2	0
270	Steppe Eagle	<i>Aquila nipalensis</i>	IOS	EN	V1	0
		<i>nipalensis</i>			V1	0
271	Eastern Imperial Eagle	<i>Aquila heliaca</i>	IOS	VU	V1	0
272	Golden Eagle	<i>Aquila chrysaetos</i>	TNS	LC	W5, SV2	3
		<i>japonica</i>			W5, SV2	3
273	Bonelli's Eagle	<i>Aquila fasciata</i>	IOS	LC	V2	0
		<i>fasciata</i>			V2	0
274	Chinese Sparrowhawk	<i>Accipiter soloensis</i>	NBS	LC	P3, S4	1
275	Japanese Sparrowhawk	<i>Accipiter gularis</i>	PNS	LC	P3, R4	1
		<i>sibiricus</i>			DD?	0
		<i>gularis</i>			P3, R4	1
276	Besra	<i>Accipiter virgatus</i>	IOS		V2	0
		<i>virgatus</i>			V2	0
277	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	LCS	LC	P3, W3, SV2	2
		<i>nisosimilis</i>			P3, W3, SV2	2

Accipitriformes, Accipitridae			NCS	GCS	STATUS	BS
278	Northern Goshawk	<i>Accipiter gentilis</i>	PNS	LC	P3, W3, R4	1
		<i>albidus</i>			V2	0
		<i>schvedowi</i>			P3, W3, R5	1
		<i>fujiyamae</i>			W4	0
279	Eastern Marsh Harrier	<i>Circus spilonotus</i>	LCS	LC	P5, WV1	0
280	Hen Harrier	<i>Circus cyaneus</i>	LCS	LC	W4, P5	0
281	Pied Harrier	<i>Circus melanoleucos</i>	LCS	LC	P5, SV2	1
282	Black Kite	<i>Milvus migrans</i>	PNS	LC	P4, W4, R5	1
		<i>lineatus</i>			P4, W4, R5	1
283	White-tailed Eagle	<i>Haliaeetus albicilla</i>	PNS	LC	W4, RV1	1
		<i>albicilla</i>			W4, RV1	1
284	Steller's Sea Eagle	<i>Haliaeetus pelagicus</i>	GCS	VU	W5	0
		<i>pelagicus</i>			W5	0
		<i>Var. niger</i>			(RE)	0
285	Grey-faced Buzzard	<i>Butastur indicus</i>	HDR	LC	P2, S4	1
286	Rough-legged Buzzard	<i>Buteo lagopus</i>	PNS	LC	W5	0
		<i>menzbieri</i>			W5	0
		<i>kamtschatkensis</i>			WV2	0
287	Upland Buzzard	<i>Buteo hemilasius</i>	PNS	LC	P5, W5	0
288	Eastern Buzzard	<i>Buteo japonicus</i>	LCS	LC	P3, W3, SV2	0
		<i>japonicus</i>			P3, W3, SV2	0
Strigiformes, Tytonidae						
289	Eastern Grass Owl	<i>Tyto longimembris</i>	IOS	LC	V2	0
		<i>chinensis</i>			V2	0
Strigiformes, Strigidae						
290	Northern Boobook	<i>Ninox japonica</i>	DES	LC	P3, S3	1
		<i>japonica / (florensis?)</i>			P3, S3	1
291	Little Owl	<i>Athene noctua</i>	LCS	LC	W5, SV2	1
		<i>plumipes</i>			W5, SV2	1
292	Oriental Scops Owl	<i>Otus sunia</i>	DES	LC	S3	1
		<i>japonicus</i>			DD	0
		<i>stictonotus</i>			S3	1

Strigiformes, Strigidae			NCS	GCS	STATUS	BS
293	"Northern Scops Owl"	<i>Otus semitorques</i>	PNS	LC	R3	1
		<i>ussuriensis</i>			R3	1
		<i>semitorques</i>			DD	2
294	Long-eared Owl	<i>Asio otus</i>	PNS	LC	W5	0
		<i>otus</i>			W5	0
295	Short-eared Owl	<i>Asio flammeus</i>	PNS	LC	W5	0
		<i>flammeus</i>			W5	0
296	Eurasian Eagle-Owl	<i>Bubo bubo</i>	PNS	LC	R3	1
		<i>kiautschensis</i>			R3	1
297	Himalayan Owl	<i>Strix nivicolum</i>	PNS	LC	R5	1
	"Eastern Tawny Owl"	<i>ma</i>			R5	1
298	Ural Owl	<i>Strix uralensis</i>	TNS	LC	R5	1
		<i>nikolskii</i>			R5	1
Bucerotiformes, Upupidae						
299	Eurasian Hoopoe	<i>Upupa epops</i>	NAB	LC	P3, S3, W4	1
		<i>epops</i>			P3, S3, W4	1
Coraciiformes, Coraciidae						
300	Oriental Dollarbird	<i>Eurystomus orientalis</i>	NAB	LC	S2, P3	1
		<i>cyanocollis</i>			S2, P3	1
Coraciiformes Alcedinidae						
301	Ruddy Kingfisher	<i>Halcyon coromanda</i>	BDS	LC	S4	1
		<i>major</i>			S4	1
302	Black-capped Kingfisher	<i>Halcyon pileata</i>	GCS	VU	S5	1
303	Common Kingfisher	<i>Alcedo atthis</i>	LCS	LC	S3, R4	1
		<i>bengalensis</i>			S3, R5	1
Piciformes Picidae - Woodpecker						
304	Eurasian Wryneck	<i>Jynx torquilla</i>	LCS	LC	P4, WV2	0
		<i>chinensis</i>			P4, WV2	0
305	Grey-capped Pygmy Woodpecker	<i>Yungipicus canicapillus</i>	HDR	LC	R4	1
		<i>doerriesi</i>			R4	1

Piciformes, Picidae			NCS	GCS	STATUS	BS
306	Japanese Pygmy Woodpecker	<i>Yungipicus kizuki</i>	NAB	LC	R1	1
		<i>nippon</i>			R1	1
307	Rufous-bellied Woodpecker	<i>Dendrocopos hyperythrus</i>	IOS	LC	PV1	0
		<i>subrufinus</i>			PV1	0
308	Great Spotted Woodpecker	<i>Dendrocopos major</i>	NAB	LC	R1, W5	1
		<i>japonicus</i>			R1, W5	1
309	White-backed Woodpecker	<i>Dendrocopos leucotos</i>	NAB	LC	R2	1
		<i>leucotos</i>			R2	1
		<i>takahashii</i>			R5	1
		<i>quelpartensis</i>			R4	1
310	Black Woodpecker	<i>Dryocopus martius</i>	PNS	LC	R3	1
		<i>martius</i>			R3	1
311	Grey-headed Woodpecker	<i>Picus canus</i>	NAB	LC	R2	1
		<i>jessoensis</i>			R2	1
Falconiformes, Falconidae						
312	Common Kestrel	<i>Falco tinnunculus</i>	LCS	LC	W3, P3, R4	1
		<i>perpallidus</i>			W5	0
		<i>interstinctus</i>			W3, P3, R4	1
313	Amur Falcon	<i>Falco amurensis</i>	PNS	LC	P4	0
314	Merlin	<i>Falco columbarius</i>	PNS	LC	W5, P5	0
		<i>insignis / pacificus</i>			W5, P5	0
315	Eurasian Hobby	<i>Falco subbuteo</i>	NAB	LC	P3, S3	1
		<i>subbuteo</i>			P3, S3	1
316	Saker Falcon	<i>Falco cherrug</i>	IOS	EN	V1	0
		<i>coatsi</i>			V1	0
317	Gyrfalcon	<i>Falco rusticolus</i>	IOS	LC	V2	0
318	Peregrine Falcon	<i>Falco peregrinus</i>	PNS	LC	R3, W4, P4	1
		<i>calidus</i>			P5	0
		<i>japonensis</i>			R3, W4, P5	1
Passeriformes, Pittidae						
319	Blue-winged Pitta	<i>Pitta moluccensis</i>	IOS	LC	V2	0
320	Fairy Pitta	<i>Pitta nympha</i>	GCS	VU	S3	1

Passeriformes, Artamidae			NCS	GCS	STATUS	BS
321	Ashy Woodswallow	<i>Artamus fuscus</i>	IOS	LC	V2	0
Passeriformes, Campephagidae						
322	Ashy Minivet	<i>Pericrocotus divaricatus</i>	LCS	LC	P3, S5	1
323	Ryukyu Minivet	<i>Pericrocotus tegimae</i>	IOS	LC	V2	0
324	Swinhoe's Minivet	<i>Pericrocotus cantonensis</i>	IOS	LC	V2	0
325	Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	IOS	LC	V1	0
		<i>intermedia</i>			V1	0
Passeriformes, Laniidae						
326	Tiger Shrike	<i>Lanius tigrinus</i>	NAB	LC	S3, P4	1
327	Bull-headed Shrike	<i>Lanius bucephalus</i>	DES	LC	R2, W4	1
		<i>bucephalus</i>			R2, W4	1
328	Brown Shrike	<i>Lanius cristatus</i>	TNS	LC	P3, S5	1
		<i>cristatus</i>			P4	0
		<i>confusus</i>			P3, S5	1
		<i>lucionensis</i>			P5, S5	1
		<i>superciliosus</i>			V2	0
329	Red-backed Shrike	<i>Lanius collurio</i>	IOS	LC	V2	0
330	Long-tailed Shrike	<i>Lanius schach</i>	RRO	LC	P5, WV1, SV1	1
		<i>schach</i>			P5, WV1, SV1	1
331	Grey-backed Shrike	<i>Lanius tephronotus</i>	IOS	LC	V2	0
		<i>Lanius tephronotus</i>			V2	0
332	Northern Shrike	<i>Lanius borealis</i>	IOS	LC	V1	0
		<i>sibiricus</i>			V1	0
		<i>bianchii</i>			V2	0
		<i>mollis</i>			V2	0
333	Great Grey Shrike	<i>Lanius excubitor</i>	IOS	LC	V2	0
		<i>pallidirostris</i>			V2	0
334	Chinese Grey Shrike	<i>Lanius sphenocercus</i>	LCS	LC	P5, W5, R/SV2	2
Passeriformes, Oriolidae						
335	Black-naped Oriole	<i>Oriolus chinensis</i>	NAB	LC	S2, P2	1
		<i>diffusus</i>			S2, P2	1

Passeriformes, Dicruridae			NCS	GCS	STATUS	BS
336	Crow-billed Drongo	<i>Dicrurus annectens</i>	IOS	LC	V2	0
337	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	IOS	LC	V1	0
		<i>brevirostris</i>			V1	0
338	Ashy Drongo	<i>Dicrurus leucophaeus</i>	IOS	LC	PV1	0
		<i>leucogenis</i>			PV1	0
339	Black Drongo	<i>Dicrurus macrocercus</i>	RRO	LC	P5, SV2	0
		<i>cathoecus</i>			P5, SV2	0

Passeriformes, Monarchidae

340	Amur Paradise Flycatcher	<i>Terpsiphone incei</i>	IOS	LC	V1	0
341	Black Paradise Flycatcher	<i>Terpsiphone atrocaudata</i>	PCS	NT	S3	1
		<i>atrocaudata</i>			S3	1

Passeriformes, Corvidae

342	Eurasian Jay	<i>Garrulus glandarius</i>	DES	LC	R1	1
		<i>brandtii</i>			R1	1
343	Azure-winged Magpie	<i>Cyanopica cyanus</i>	LCS	LC	R2	1
		<i>cyanus</i>			R2	1
344	Oriental Magpie	<i>Pica serica</i>	DES	NR	R1	1
		<i>anderssoni</i>			R1	1
345	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>	LCS	LC	R5, V2	1
		<i>macrorhynchos</i>			R5, V2	1
346	Daurian Jackdaw	<i>Coloeus dauuricus</i>	NBM	LC	W3, P4	0
347	Rook	<i>Corvus frugilegus</i>	NAB	LC	W1, P2	0
		<i>pastinator</i>			W1, P2	0
348	Carrion Crow	<i>Corvus corone</i>	HDR	LC	W3, R5	1
		<i>orientalis</i>			W3, R5	1
349	Large-billed Crow	<i>Corvus macrorhynchos</i>	NAB	LC	R1, W2	1
		<i>japonensis</i>			DD	1
		<i>mandshuricus</i>			R1, W2	1

Passeriformes, Bombycillidae

350	Bohemian Waxwing	<i>Bombycilla garrulus</i>	LCS	LC	W4, P4	0
		<i>garrulus</i>			W4, P4	0
351	Japanese Waxwing	<i>Bombycilla japonica</i>	PCS	NT	P3, W5	0

Passeriformes, Stenostridae			NCS	GCS	STATUS	BS
352	Grey-headed Canary-flycatcher	<i>Culicicapa ceylonensis</i>	IOS	LC	V2	0
		<i>calochrysea</i>			V2	0
Passeriformes, Paridae						
353	Coal Tit	<i>Pariparus ater</i>	DES	LC	R1, W1	1
		<i>ater</i>			R1, W1	1
		<i>insularis</i>			DD	0
354	Yellow-bellied Tit	<i>Pardaliparus venustulus</i>	RRO	LC	P4, W4, S5	1
355	Varied Tit	<i>Sittiparus varius</i>	NAB	LC	R1	1
		<i>varius</i>			R1	1
		<i>utsurioensis</i> *			R4	1
356	Marsh Tit	<i>Poecile palustris</i>	NAB	LC	R1	1
		<i>hellmayri</i>			R1	1
357	Northern Great Tit	<i>Parus major</i>	IOS	LC	V2	0
		<i>kapustini</i>			V2	0
358	Eastern Great Tit	<i>Parus minor</i>	DES	NR	R1, W1	1
		<i>minor</i>			R1, W1	1
		<i>dageletensis</i>			R4	1
Passeriformes, Remizidae						
359	Chinese Penduline Tit	<i>Remiz consobrinus</i>	LCS	LC	P3, W4, SV2	1
Passeriformes, Panuridae						
360	Bearded Reedling	<i>Panurus biarmicus</i>	IOS	LC	V2	0
		<i>russicus</i>			V2	0
Passeriformes, Alaudidae						
361	Eurasian Skylark	<i>Alauda arvensis</i>	BDS	LC	W4, R5	1
		<i>pekinensis</i>			W4	0
		<i>lonnbergi</i>			W4, R5	1
362	Far Eastern Lark *	<i>Alauda japonica</i>	BDM	NR	W3, R4	1
		<i>intermedia</i>			P4, W4, R5	1
		<i>japonica</i>			R4	1
363	Crested Lark	<i>Galerida cristata</i>	LAT	LC	V1	1
		<i>corensis</i>			V1	1

Passeriformes, Alaudidae			NCS	GCS	STATUS	BS
364	Horned Lark	<i>Eremophila alpestris</i>	IOS	LC	V2	0
		<i>flava</i>			V2	0
		<i>brandti</i>			V2	0
365	Mongolian Short-toed Lark	<i>Calandrella dukhunensis</i>	LCS	LC	P4	0
366	Mongolian Lark	<i>Melanocorypha mongolica</i>	IOS	LC	PV2	0
367	Turkestan Short-toed Lark	<i>Alaudala heinei</i>	IOS	NR	V1	0
		<i>heinei</i>			V1	0
Passeriformes, Pycnonotidae						
368	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	DES	LC	R1, P2	1
		<i>amaurotis</i>			R1, P2	1
369	Black Bulbul	<i>Hypsipetes leucocephalus</i>	IOS	LC	V2	0
		<i>leucocephalus</i>			V2	0
370	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	RRO	LC	R3, S4	1
		<i>sinensis</i>			R3, S4	1
Passeriformes, Hirundinidae						
371	Sand Martin	<i>Riparia riparia</i>	LCS	LC	P3	0
		<i>ijimae</i>			P3	0
372	Pale Martin	<i>Riparia diluta</i>	IOS	LC	PV2	0
		<i>fohkienensis</i>			PV2	0
373	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>	IOS	LC	PV2	0
374	Barn Swallow	<i>Hirundo rustica</i>	HDS	LC	P1, S2, WV1	1
		<i>gutturalis</i>			P1, S2, WV1	1
		<i>tytleri</i>			V2	0
		<i>saturata</i>			DD	0
		<i>mandschurica</i>			DD	0
375	Siberian House Martin	<i>Delichon lagopodum</i>	RRO	LC	P5	0
376	Asian House Martin	<i>Delichon dasypus</i>	DES	LC	P5, SV2, WV2	1 or 2
		<i>dasypus</i>			P4, SV2, WV2	1 or 2
377	Red-rumped Swallow	<i>Cecropis daurica</i>	LCS	LC	P2, S3	1
		<i>japonica</i>			P2, S3	1

Passeriformes, Cettiidae			NCS	GCS	STATUS	BS
378	Japanese Bush Warbler	<i>Horornis diphone</i>	LCS	LC	R2, W4	1
		<i>cantans</i>			R2, W4	1
379	Manchurian Bush Warbler	<i>Horornis canturians</i>	LCS	LC	P3, S3, WV2	1
	Manchurian Bush Warbler (sensu stricto)	<i>canturians</i>			DD	0
	Korean Bush Warbler	<i>borealis</i>			P3, S3, WV2	1
380	Asian Stubtail	<i>Urosphena squameiceps</i>	NAB	LC	P2, S3	1
Passeriformes, Aegithalidae						
381	Long-tailed Tit	<i>Aegithalos caudatus</i>	BDM	LC	R1	1
		<i>caudatus</i>			W4, R5	1
		<i>trivirgatus</i>			R3	1
		<i>magnus</i>			R1	1
382	Silver-throated Bushtit	<i>Aegithalos glaucogularis</i>	IOS	LC	V2	0
		<i>vinaceus</i>			V2	0
Passeriformes, Phylloscopidae						
383	Wood Warbler	<i>Phylloscopus sibilatrix</i>	IOS	LC	V2	0
384	Hume's Leaf Warbler	<i>Phylloscopus humei</i>	RRO	LC	P5	0
		<i>humei</i>			DD	0
		<i>mandellii</i>			P5	0
385	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	NAB	LC	P1, WV1	0
386	Chinese Leaf Warbler	<i>Phylloscopus yunnanensis</i>	IOS	LC	V2	0
387	Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	LCS	LC	P3, S4, WV1	1
388	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>	IOS	LC	PV1	0
		<i>armandii</i>			PV1	0
389	Radde's Warbler	<i>Phylloscopus schwarzi</i>	LCS	LC	P4, S5	1
390	Tickell's Leaf Warbler	<i>Phylloscopus affinis</i>	IOS	LC	PV1	0
	"Alpine Leaf Warbler"	<i>occisinensis</i>			PV1	0
391	Dusky Warbler	<i>Phylloscopus fuscatus</i>	NAB	LC	P3, S4, W4	1
		<i>fuscatus</i>			P3, S4, W4	1
392	Buff-throated Warbler	<i>Phylloscopus subaffinis</i>	IOS	LC	V2	0
393	Willow Warbler	<i>Phylloscopus trochilus</i>	IOS	LC	PV2	0
		<i>yakutensis</i>			PV2	0
394	Common Chiffchaff	<i>Phylloscopus collybita</i>	IOS	LC	V1	0
	"Siberian Chiffchaff"	<i>tristis</i>			V1	0
395	Eastern Crowned Warbler	<i>Phylloscopus coronatus</i>	NBM	LC	S2, P3	1

Passeriformes, Phylloscopidae			NCS	GCS	STATUS	BS
396	Grey-crowned Warbler	<i>Phylloscopus tephrocephalus</i>	IOS	LC	V2	0
397	Martens's Warbler	<i>Phylloscopus omeiensis</i>	IOS	LC	V2	0
398	Two-barred Warbler	<i>Phylloscopus plumbeitarsus</i>	LCS	LC	P4, S5	1
399	Sakhalin Leaf Warbler	<i>Phylloscopus borealoides</i>	RRO	LC	P5	0
400	Pale-legged Leaf Warbler	<i>Phylloscopus tenellipes</i>	NBM	LC	P3, S3	1
401	Japanese Leaf Warbler	<i>Phylloscopus xanthodryas</i>	IOS	LC	V1	0
402	Kamchatka Leaf Warbler	<i>Phylloscopus examinandus</i>	LCS	LC	P4	0
403	Arctic Warbler	<i>Phylloscopus borealis</i>	DES	LC	P3	0
404	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	IOS	LC	V2	0
405	Claudia's Leaf Warbler	<i>Phylloscopus claudiae</i>	IOS	LC	PV2	0

Passeriformes, Acrocephalidae

406	Oriental Reed Warbler	<i>Acrocephalus orientalis</i>	NAB	LC	S1, P3	1
407	Black-browed Reed Warbler	<i>Acrocephalus bistrigiceps</i>	LCS	LC	P3, SV1	1
408	Sedge Warbler	<i>Acrocephalus schoenobaenus</i>	IOS	LC	V2	0
409	Manchurian Reed Warbler	<i>Acrocephalus tangorum</i>	IOS	VU	PV2	0
410	Paddyfield Warbler	<i>Acrocephalus agricola</i>	IOS	LC	V2	0
		<i>agricola / septimus</i>			V2	0
411	Blyth's Reed Warbler	<i>Acrocephalus dumetorum</i>	IOS	LC	V2	0
412	Thick-billed Warbler	<i>Arundinax aedon</i>	LCS	LC	P4	0
		<i>rufescens</i>			P4	0
413	Booted Warbler	<i>Iduna caligata</i>	IOS	LC	V2	0

Passeriformes, Locustellidae

414	Gray's Grasshopper Warbler	<i>Helopsaltes fasciolatus</i>	DES	LC	P4	0
415	Marsh Grassbird	<i>Helopsaltes pryeri</i>	IOS	NT	PV2	0
		<i>sinensis</i>			PV2	0
416	Pallas's Grasshopper Warbler	<i>Helopsaltes certhiola</i>	LCS	LC	P3, WV2	0
		<i>certhiola</i>			P3	0
		<i>rubescens</i>			DD	0
		<i>minor</i>			DD	0
417	Styan's Grasshopper Warbler	<i>Helopsaltes pleskei</i>	GCS	VU	S3	1
418	Middendorff's Grasshopper Warbler	<i>Helopsaltes ochotensis</i>	DES	LC	P4	0

Passeriformes, Locustellidae			NCS	GCS	STATUS	BS
419	Lanceolated Warbler	<i>Locustella lanceolata</i>	DES	LC	P3	0
		<i>hendersonii / lanceolata</i>			P3	0
420	Baikal Bush Warbler	<i>Locustella davidi</i>	IOR	LC	V1	0
		<i>davidi</i>			V1	0
Passeriformes, Cisticolidae						
421	Zitting Cisticola	<i>Cisticola jundicis</i>	LCS	LC	S3, R5	1
	"Far Eastern Cisticola"	<i>brunniceps</i>			S3, R5	1
Passeriformes, Sylviidae						
422	Barred Warbler	<i>Curruca nisoria</i>	IOS	LC	V2	0
		<i>merzbacheri</i>			V2	0
423	Lesser Whitethroat	<i>Curruca curruca</i>	IOS	LC	V2	0
		<i>blythi</i>			V2	0
		<i>halimodendri</i>			V2	0
424	Vinous-throated Parrotbill	<i>Sinosuthora webbiana</i>	NAB	LC	R1	1
		<i>fulvicauda</i>			R1	1
Passeriformes, Zosteropidae						
425	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>	LCS	LC	P3	0
426	Swinhoe's White-eye	<i>Zosterops simplex</i>	RRO	LC	P5	0
		<i>simplex</i>			P5	0
427	Warbling White-eye	<i>Zosterops japonicus</i>	LCS	LC	R2, P4	1
		<i>japonicus</i>			R2, P4	1
Passeriformes, Regulidae						
428	Goldcrest	<i>Regulus regulus</i>	NAB	LC	W2, P2	0
		<i>japonensis</i>			W2, P2	0
Passeriformes, Troglodytidae						
429	Eurasian Wren	<i>Troglodytes troglodytes</i>	DES	LC	W2, R3	1
		<i>dauricus</i>			W2, R3	1

Passeriformes, Sittidae			NCS	GCS	STATUS	BS
430	Chinese Nuthatch	<i>Sitta villosa</i>	IOS	LC	WV1	0
		<i>corea</i>			WV1	0
431	Eurasian Nuthatch	<i>Sitta europaea</i>	NAB	LC	R1	1
		<i>asiatica</i>			V2	0
		<i>amurensis</i>			R1	1
		<i>bedfordi</i>			EXT	3
Passeriformes, Certhiidae						
432	Eurasian Treecreeper	<i>Certhia familiaris</i>	HDR	LC	R4, W5	1
		<i>daurica</i>			R4, W5	1
Passeriformes, Sturnidae						
433	Crested Myna	<i>Acridotheres cristatellus</i>	IOS	LC	PV2	0
		<i>cristatellus</i>			PV2	0
434	Red-billed Starling	<i>Spodiopsar sericeus</i>	RRO	LC	P4, S4, W4	1
435	White-cheeked Starling	<i>Spodiopsar cineraceus</i>	BDM	LC	P2, W3, R3	1
436	Daurian Starling	<i>Agropsar sturninus</i>	LCS	LC	P4, SV1	1
437	Chestnut-cheeked Starling	<i>Agropsar philippensis</i>	LCS	LC	P4, S5, WV2	1
438	White-shouldered Starling	<i>Sturnia sinensis</i>	RRO	LC	P5, SV1	1
439	Rosy Starling	<i>Pastor roseus</i>	IOS	LC	V1	0
440	Common Starling	<i>Sturnus vulgaris</i>	LCS	LC	W4, P4	0
		<i>poltaratskyi</i>			W4, P4	0
Passeriformes, Turdidae						
441	White's Thrush	<i>Zoothera aurea</i>	NAB	LC	P2, S2, R4	1
		<i>toratugumi</i>			P2, S2, R4	1
442	Siberian Thrush	<i>Geokichla sibirica</i>	LCS	LC	P4, SV2	0
		<i>sibirica</i>			P4, SV2	0
		<i>davisoni</i>			P5	0
443	Orange-headed Thrush	<i>Geokichla citrina</i>	IOS	LC	V2	0
		<i>courtoisi / melli</i>			V2	0
444	Chinese Thrush	<i>Turdus mupinensis</i>	IOS	LC	PV1	0
445	Mistle Thrush	<i>Turdus viscivorus</i>	IOS	LC	V2	0
		<i>viscivorus</i>			V2	0
446	Chinese Blackbird	<i>Turdus mandarinus</i>	RRO	LC	P5, SV1, WV1	1
		<i>mandarinus</i>			P5, SV1, WV1	1

Passeriformes, Turdidae			NCS	GCS	STATUS	BS
447	Redwing	<i>Turdus iliacus</i>	IOS	NT	V2	0
		<i>iliacus</i>			V2	0
448	Grey Thrush	<i>Turdus cardis</i>	LCS	LC	P4	0
449	Grey-backed Thrush	<i>Turdus hortulorum</i>	NAB	LC	S1, P2, WV2	1
450	Eyebrowed Thrush	<i>Turdus obscurus</i>	LCS	LC	P3	0
451	Pale Thrush	<i>Turdus pallidus</i>	NAB	LC	S1, P2, R3	1
452	Grey-sided Thrush	<i>Turdus feae</i>	IOS	VU	PV2	0
453	Brown-headed Thrush	<i>Turdus chrysolais</i>	LCS	LC	P4	0
		<i>orii</i>			V2	0
		<i>chrysolais</i>			P4	0
454	Fieldfare	<i>Turdus pilaris</i>	IOS	LC	V2	0
455	Black-throated Thrush	<i>Turdus atrogularis</i>	IOS	LC	V1	0
456	Red-throated Thrush	<i>Turdus ruficollis</i>	RRO	LC	P5, WV1	0
457	Dusky Thrush	<i>Turdus eunomus</i>	NAB	LC	P1, W3	0
458	Naumann's Thrush	<i>Turdus naumanni</i>	HDR	LC	W2, P3	0
Passeriformes, Muscipapidae						
459	Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	HDR	LC	P3	0
460	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	DES	LC	P4	0
		<i>sibirica</i>			P4	0
461	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	HDR	LC	P2, S4	1
		<i>dauurica</i>			P2, S4	1
462	Brown-breasted Flycatcher	<i>Muscicapa muttui</i>	IOS	LC	V2	0
463	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>	IOS	LC	V2	0
464	Chinese Blue Flycatcher	<i>Cyornis glaucicomans</i>	IOS	LC	V2	0
465	Fujian Niltava	<i>Niltava davidi</i>	IOS	LC	V2	0
466	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	DES	LC	S1, P2	1
		<i>intermedia</i>			S1, P2	1
		<i>cyanomelana</i>			P4, S5	0
467	Zapppy's Flycatcher	<i>Cyanoptila cumatilis</i>	IOS	NT	V1	0
468	Verditer Flycatcher	<i>Eumyias thalassinus</i>	IOS	LC	PV1, WV2	0
		<i>thalassinus</i>			PV1, WV2	0
469	European Robin	<i>Erithacus rubecula</i>	IOS	LC	V2	0
		<i>tataricus</i>			V2	0

Passeriformes, Muscicapidae			NCS	GCS	STATUS	BS
470	Siberian Blue Robin	<i>Larvivora cyane</i>	HDR	LC	S2, P3	1
		<i>cyane</i>			S2, P3	1
		<i>nechaevi</i>			DD	0
471	Rufous-tailed Robin	<i>Larvivora sibilans</i>	LCS	LC	P3	0
472	Japanese Robin	<i>Larvivora akahige</i>	LCS	LC	P5, WV2, SV2	0
		<i>akahige</i>			P5, WV2, SV2	0
473	Bluethroat	<i>Luscinia svecica</i>	LCS	LC	P5, WV2	0
		<i>svecica</i>			P5, WV2	0
474	Siberian Rubythroat	<i>Calliope calliope</i>	LCS	LC	P3, S4, WV2	1
		<i>calliope</i>			P3, S4, WV2	1
		<i>camtschatkensis</i>			P5	0
475	White-tailed Robin	<i>Myiomela leucura</i>	IOS	LC	V2	0
		<i>leucura / montium</i>			V2	0
476	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	LCS	LC	P1, W4, SV2	0
477	Yellow-rumped Flycatcher	<i>Ficedula zanthopygia</i>	BDS	LC	S2, P3	1
478	Green-backed Flycatcher	<i>Ficedula elisae</i>	IOS	LC	PV2	0
479	Narcissus Flycatcher	<i>Ficedula narcissina</i>	LCS	LC	P4, SV2	1
480	Ryukyu Flycatcher	<i>Ficedula owstoni</i>	IOS	LC	V2	0
481	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	HDR	LC	P3, WV2	0
482	Taiga Flycatcher	<i>Ficedula albicilla</i>	LCS	LC	P4	0
483	Red-breasted Flycatcher	<i>Ficedula parva</i>	IOS	LC	V1	0
484	Black Redstart	<i>Phoenicurus ochruros</i>	IOS	LC	V1	0
		<i>rufiventris</i>			V1	0
485	Daurian Redstart	<i>Phoenicurus aureus</i>	DES	LC	R1, W2	1
		<i>aureus</i>			R1, W2	1
486	Plumbeous Water Redstart	<i>Phoenicurus fuliginosus</i>	IOS	LC	V1	1
		<i>fuliginosus</i>			V1	1
487	White-capped Redstart	<i>Phoenicurus leucocephalus</i>	IOS	LC	V2	0
488	Blue Rock Thrush	<i>Monticola solitarius</i>	DES	LC	S2, R4	1
		<i>pandoo</i>			V2	0
		<i>philippensis</i>			S2, R4	1
489	White-throated Rock Thrush	<i>Monticola gularis</i>	LCS	LC	P4, SV2	0
490	Amur Stonechat	<i>Saxicola stejnegeri</i>	NBM	NR	P2, S4, WV2	1
491	Grey Bush Chat	<i>Saxicola ferreus</i>	IOS	LC	V1	0
		<i>haringtoni</i>			V1	0

Passeriformes, Muscicapidae			NCS	GCS	STATUS	BS
492	Northern Wheatear	<i>Oenanthe oenanthe</i>	IOS	LC	V2	0
		<i>oenanthe</i>			V2	0
493	Isabelline Wheatear	<i>Oenanthe isabellina</i>	IOS	LC	V2	0
494	Desert Wheatear	<i>Oenanthe deserti</i>	IOS	LC	V2	0
		<i>deserti</i>			V2	0
495	Pied Wheatear	<i>Oenanthe pleschanka</i>	IOS	LC	V1	0
		<i>pleschanka</i>			V1	0
		<i>Var. vittata</i>			V2	0
Passeriformes, Cinclidae						
496	Brown Dipper	<i>Cinclus pallasii</i>	DES	LC	R3	1
		<i>pallasii</i>			R3	1
Passeriformes, Passeridae						
497	Russet Sparrow	<i>Passer cinnamomeus</i>	LCS	LC	R4, P5	1
		<i>rutilans</i>			R4, P5	1
498	Eurasian Tree Sparrow	<i>Passer montanus</i>	BDS	LC	R1, P4	1
		<i>saturatus</i>			R1, P4	1
499	House Sparrow	<i>Passer domesticus</i>	IOS	LC	V2	0
		<i>bactrianus (?)</i>			V2	0
Passeriformes, Estrildidae						
500	Scaly-breasted Munia	<i>Lonchura punctulata</i>	IOS	LC	V2	0
		<i>topela</i>			V2	0
Passeriformes, Prunellidae						
501	Alpine Accentor	<i>Prunella collaris</i>	LCS	LC	W4, P5	0
		<i>erythropygia</i>			W4, P5	0
502	Siberian Accentor	<i>Prunella montanella</i>	LCS	LC	W2	0
		<i>badia</i>			W2	0
503	Japanese Accentor	<i>Prunella rubida</i>	IOS	LC	V2	0

Passeriformes, Motacillidae			NCS	GCS	STATUS	BS
504	Forest Wagtail	<i>Dendronanthus indicus</i>	HDR	LC	P4, S4	1
505	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	LCS	LC	P2, WV2	0
		<i>plexa</i>			P4	0
		<i>tschutschensis</i>			P3	0
		<i>macronyx</i>			P4	0
		<i>taivana</i>			P3, WV2	0
506	Citrine Wagtail	<i>Motacilla citreola</i>	RRO	LC	P5	0
		<i>citreola</i>			P5	0
507	Grey Wagtail	<i>Motacilla cinerea</i>	NAB	LC	P2, S3, R5	1
		<i>cinerea</i>			P2, S3, R5	1
508	White Wagtail	<i>Motacilla alba</i>	HDR	LC	P1, S2, W3	1
		<i>alba</i>			V2	0
		<i>personata</i>			V2	0
		<i>baicalensis</i>			V1	0
		<i>ocularis</i>			P2, W5	0
		<i>lugens</i>			P3, W3, SV2	0
		<i>leucopsis</i>			P2, S2, R4	1
		<i>alboides</i>			V2	0
509	Japanese Wagtail	<i>Motacilla grandis</i>	BDS	LC	R3	1
510	Richard's Pipit	<i>Anthus richardi</i>	LCS	LC	P4, WV2	0
511	Blyth's Pipit	<i>Anthus godlewskii</i>	DES	LC	P5	0
512	Meadow Pipit	<i>Anthus pratensis</i>	IOS	LC	V2	0
513	Tree Pipit	<i>Anthus trivialis</i>	IOS	LC	V1	0
		<i>trivialis</i>			V1	0
514	Olive-backed Pipit	<i>Anthus hodgsoni</i>	NAB	LC	P1, W3, SV1	1
		<i>hodgsoni</i>			P3, W3, SV1	1
		<i>yunnanensis</i>			P1	0
515	Pechora Pipit	<i>Anthus gustavi</i>	LCS	LC	P3	0
		<i>gustavi</i>			P3	0
		<i>menzbieri</i>			P5	0
516	Rosy Pipit	<i>Anthus roseatus</i>	IOS	LC	V2	0
517	Red-throated Pipit	<i>Anthus cervinus</i>	LCS	LC	P3, WV1	0
518	Buff-bellied Pipit	<i>Anthus rubescens</i>	LCS	LC	P2, W3	0
		<i>japonicus</i>			P2, W3	0
		<i>rubescens</i>			V2 (?)	0
519	Water Pipit	<i>Anthus spinoletta</i>	IOS	LC	V1	0
		<i>blakistoni</i>			V1	0

Passeriformes, Fringillidae			NCS	GCS	STATUS	BS
520	Common Chaffinch	<i>Fringilla coelebs</i>	IOS	LC	V2	0
		<i>coelebs</i>			V2	0
521	Brambling	<i>Fringilla montifringilla</i>	NAB	LC	P1, W1	0
522	Hawfinch	<i>Coccothraustes coccothraustes</i>	LCS	LC	P2, W2	0
		<i>shulpini</i>			P2, W2	0
		<i>japonicus</i>			DD	0
523	Chinese Grosbeak	<i>Eophona migratoria</i>	LCS	LC	P3, S4, W4	1
		<i>migratoria</i>			P3, S4, W4	1
524	Japanese Grosbeak	<i>Eophona personata</i>	LCS	LC	P4, W5	0
		<i>personata</i>			W5	0
		<i>magnirostris</i>			P4	0
525	Pine Grosbeak	<i>Pinicola enucleator</i>	IOS	LC	V2	0
		<i>kamtschatkensis</i> (?)			V2	0
526	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	LCS	LC	W3	0
		<i>cineracea</i>			V2	0
		<i>griseiventris</i>			V1	0
		<i>rosacea</i>			W3	0
527	Mongolian Finch	<i>Bucanetes mongolicus</i>	IOS	LC	V2	0
528	Asian Rosy Finch	<i>Leucosticte arctoa</i>	LCS	LC	W4	0
		<i>brunneonucha</i>			W4	0
529	Common Rosefinch	<i>Carpodacus erythrinus</i>	LCS	LC	P4, WV1	0
		<i>grebnitskii</i>			P4, WV1	0
		<i>roseatus</i>			V2	0
530	Siberian Long-tailed Rosefinch	<i>Carpodacus sibiricus</i>	LCS	LC	P3, W3	0
		<i>sibiricus</i>			DD	0
		<i>ussuriensis</i>			P3, W3	0
531	Pallas's Rosefinch	<i>Carpodacus roseus</i>	LCS	LC	P3, W4	0
		<i>roseus</i>			P3, W4	0
		<i>portenkoi</i>			?	0
532	Grey-capped Greenfinch	<i>Chloris sinica</i>	NAB	LC	W1, R2	1
		<i>ussuriensis</i>			W1, R2	1
		<i>kawahariba</i>			W3	0
		<i>minor</i>			DD	0
533	Common Redpoll	<i>Acanthis flammea</i>	NBS	LC	W5	0
		<i>flammea</i>			W5	0

Passeriformes, Fringillidae			NCS	GCS	STATUS	BS
534	Arctic Redpoll	<i>Acanthis hornemanni</i>	IOS	NR	V2	0
		<i>exilipes</i>			V2	0
535	Red Crossbill	<i>Loxia curvirostra</i>	LCS	LC	W4, SV1	1
		<i>tianschanica</i>			V2?	2
		<i>japonica</i>			W4, SV1	1
536	Eurasian Siskin	<i>Spinus spinus</i>	NAB	LC	P1, W2, SV2	2
Passeriformes, Calcariidae						
537	Lapland Longspur	<i>Calcarius lapponicus</i>	DES	LC	W3, P4	0
		<i>coloratus</i>			W3, P4	0
538	Snow Bunting	<i>Plectrophenax nivalis</i>	IOS	LC	WV1	0
		<i>vlasowae</i>			WV1	0
Passeriformes, Emberizidae						
539	Yellowhammer	<i>Emberiza citrinella</i>	IOS	LC	V2	0
		<i>erythrogenys</i>			V2	0
540	Pine Bunting	<i>Emberiza leucocephalos</i>	LCS	LC	P4, W5	0
		<i>leucocephalos</i>			P4, W5	0
		<i>fronto</i>			V2	0
541	Godlewski's Bunting	<i>Emberiza godlewskii</i>	IOS	LC	V2	0
		<i>godlewskii</i>			V2	0
542	Meadow Bunting	<i>Emberiza cioides</i>	HDR	LC	W2, R3	1
		<i>weigoldi</i>			W3	0
		<i>castaneiceps</i>			R3	1
		<i>ciopsis</i>			V2	0
543	Ortolan Bunting	<i>Emberiza hortulana</i>	IOS	LC	V2	0
544	Tristram's Bunting	<i>Emberiza tristrami</i>	LCS	LC	P3, S4, W5	1
545	Chestnut-eared Bunting	<i>Emberiza fucata</i>	NBM	LC	P4, W4, S5	1
		<i>fucata</i>			P4, W4, S5	1
546	Little Bunting	<i>Emberiza pusilla</i>	NAB	LC	P2, W4	0
547	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>	NAB	LC	P2	0
548	Rustic Bunting	<i>Emberiza rustica</i>	GCS	VU	P1, W2	0
549	Yellow-throated Bunting	<i>Emberiza elegans</i>	BDM	LC	W1, R1, P2	1
		<i>elegans</i>			W1, R1, P2	1

Passeriformes, Emberizidae			NCS	GCS	STATUS	BS
550	Yellow-breasted Bunting	<i>Emberiza aureola</i>	GCS	CR	P4	0
		<i>aureola</i>			P5	0
		<i>ornata</i>			P4	0
551	Chestnut Bunting	<i>Emberiza rutila</i>	NBM	LC	P3, WV2	0
552	Black-headed Bunting	<i>Emberiza melanocephala</i>	IOS	LC	V1	0
553	Red-headed Bunting	<i>Emberiza bruniceps</i>	IOS	LC	V2	0
554	Yellow Bunting	<i>Emberiza sulphurata</i>	PNS	LC	P4	0
555	Black-faced Bunting	<i>Emberiza spodocephala</i>	DES	LC	P1, W4, SV2	1
		<i>spodocephala</i>			P4, W5	0
		<i>extremiorientis</i> *			P1, W4, SV2	1
556	Masked Bunting	<i>Emberiza personata</i>	LCS	LC	P5, W5	0
557	Grey Bunting	<i>Emberiza variabilis</i>	LCS	LC	P5, W5	0
		<i>variabilis / musica</i>		LC	P5, W5	0
558	Pallas's Reed Bunting	<i>Emberiza pallasi</i>	DES	LC	W2, P3	0
		<i>pallasi</i>			DD	0
		<i>polaris</i>			W2, P3	0
		<i>lydiae</i>			V2	0
559	Ochre-rumped Bunting	<i>Emberiza yessoensis</i>	TNS	NT	P4, W5, S5	1
		<i>continentalis</i>			P4, W5, S5	1
560	Common Reed Bunting	<i>Emberiza schoeniclus</i>	LCS	LC	W3	0
		<i>pyrrhulina</i>			W3	0
Passeriformes, Passerellidae						
561	White-crowned Sparrow	<i>Zonotrichia leucophrys</i>	IOS	LC	V2	0
		<i>gambelii</i>			V2	0
562	Golden-crowned Sparrow	<i>Zonotrichia atricapilla</i>	IOS	LC	V2	0
563	Savannah Sparrow	<i>Passerculus sandwichensis</i>	IOS	LC	V2	0
		<i>anthinus</i> (?)			V2	0

CAT 2

Anseriformes, Anatidae

			NCS	GCS	STATUS	BS
564	Crested Shelduck	<i>Tadorna cristata</i>	REX	CR	RE	0

Pterocliiformes, Pteroclididae

565	Pallas's Sandgrouse	<i>Syrhaptus paradoxus</i>	IOS	LC	V2	0
-----	---------------------	----------------------------	-----	----	----	---

Pelecaniformes, Threskiornithidae

566	Crested Ibis	<i>Nipponia nippon</i>	REX	EN	INT	1
-----	--------------	------------------------	-----	----	-----	---

Pelecaniformes, Pelecanidae

567	Great White Pelican	<i>Pelecanus onocrotalus</i>	IOS	LC	V2	0
568	Dalmatian Pelican	<i>Pelecanus crispus</i>	IOS	NT	V2	0

Accipitriformes, Accipitridae

569	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	REX	NT	V2	0
		<i>orientalis</i>			V2	0

Strigiformes, Strigidae

570	Snowy Owl	<i>Bubo scandiacus</i>	IOS	VU	V2	0
-----	-----------	------------------------	-----	----	----	---

Coraciiformes, Alcedinidae

571	Crested Kingfisher	<i>Megaceryle lugubris</i>	IOS	LC	WV2	0
		<i>pallida</i>			WV2	0

Piciformes, Picidae

572	White-bellied Woodpecker	<i>Dryocopus javensis</i>	REX	LC	DD	1
	"Tristram's Woodpecker"	<i>richardsi</i>			DD	1

Passeriformes, Paridae

573	Willow Tit	<i>Poecile montanus</i>	IOS	LC	WV2	0
		<i>baicalensis</i>			WV2	0

Passeriformes, Sylviidae			NCS	GCS	STATUS	BS
574	Beijing Babbler	<i>Rhopophilus pekinensis</i>	NRO	LC	V2	2

Passeriformes, Fringillidae

575	Two-barred Crossbill	<i>Loxia leucoptera</i>	IOS	LC	V2	0
		<i>bifasciata</i>			V2	0

CAT 3

	Common Swift	<i>Apus apus</i>	IOS	LC	V1	0
	Greater Coucal	<i>Centropus sinensis</i>	IOS	LC	V2	0
	Himalayan Cuckoo	<i>Cuculus saturatus</i>	IOS	LC	V2	0
	American Golden Plover	<i>Pluvialis dominica</i>	IOS	LC	V2	0
	Western Sandpiper	<i>Calidris mauri</i>	IOS	LC	V2	0
	Little Auk	<i>Alle alle</i>	IOS	LC	V2	0
		<i>polaris</i>			V2	0
	Lesser Kestrel	<i>Falco naumanni</i>	IOS	LC	V2	0
	Red-billed Chough	<i>Pyrrhocorax pyrrhocorax</i>	IOS	LC	V2	0
		<i>brachypus</i>			V2	0
	Northern Raven	<i>Corvus corax</i>	IOS	LC	V2	0
		<i>kamtschaticus</i>			V2	0
	Azure Tit	<i>Cyanistes cyanus</i>	IOS	LC	V2	0
		<i>yenisseensis</i>			V2	0
	Bimaculated Lark	<i>Melanocorypha bimaculata</i>	IOS	LC	V2	0
	Chinese Bush Warbler	<i>Locustella tacsanowskia</i>	IOS	LC	V2	0
	Slaty-blue Flycatcher	<i>Ficedula tricolor</i>	IOS	LC	V2	0
		<i>diversa</i>			V2	0
	European Pied Flycatcher	<i>Ficedula hypoleuca</i>	IOS	LC	V2	0
		<i>sibirica</i>			V2	0
	Güldenstädt's Redstart	<i>Phoenicurus erythrogastrus</i>	IOS	LC	V2	0
		<i>grandis</i>			V2	0

CAT 4

		NCS	GCS	STATUS	BS
Ring-billed Gull	<i>Larus delawarensis</i>	IOS	LC	V2	0
Hudsonian Godwit	<i>Limosa haemastica</i>	IOS	LC	V2	0

CAT 5

F	Rock Dove	<i>Columba livia</i>	LCS	LC	R2	1
	"Feral Pigeon"	<i>var. domestica</i> *			R2	1
E	African Sacred Ibis	<i>Threskiornis aethiopicus</i>	IOS	LC	V2	0
E	Javan Myna	<i>Acridotheres javanicus</i>	IOS	VU	V2	0

REVIEW

	Canada Goose	<i>Branta canadensis</i>	IOS	LC	V2	0
	White-faced Plover	<i>Charadrius dealbatus</i>	IOS	DD	V2?	0
	Western Gull	<i>Larus occidentalis</i>	IOS	LC	WV2	0
	Short-tailed Albatross	<i>Phoebastria albatrus</i>	IOS	VU	V2	0
	Sooty Shearwater	<i>Ardenna grisea</i>	IOS	NT	V2	0
	Common Buzzard	<i>Buteo buteo</i>	IOS	LC	V2	0
	House Crow	<i>Corvus splendens</i>	IOS	LC	V2	0
	Asian Short-toed Lark	<i>Alaudala cheleensis</i>	IOS	NR	V2	0
		<i>cheleensis</i>			V2	0
	Grey-throated Martin	<i>Riparia chinensis</i>	IOS	LC	V2	0
		<i>chinensis</i>			V2	0
	Greenish Warbler	<i>Phylloscopus trochiloides</i>	IOS	LC	V2?	0
		<i>obscuratus</i>			V2?	0
	Common Myna	<i>Acridotheres tristis</i>	IOS	LC	V2	0
	Oriental Magpie-Robin	<i>Copsychus saularis</i>	IOS	LC	V2	0
		<i>saularis?</i>			V2	0
	Common Redstart	<i>Phoenicurus phoenicurus</i>	IOS	LC	V2	0
		<i>phoenicurus</i>			V2	0
	Western Yellow Wagtail	<i>Motacilla flava</i>	IOS	LC	V2	0
		<i>lutea</i>			V2	0
		<i>thunbergi</i>			V2	0

References relevant to the Checklist

(including English-language names preferred by Birds Korea)

- Alstrom, P., Linschooten, J. P., Donald, P. F., Gombobataar Sundev, Mohammadi, Z., Ghorbani, F., Shafaeipourf, A., van den Berg, A., Robb, M., Aliabadian, M., Wei C., Lei F., Oxelman B., & Olsson, U. 2021. Multiple species delimitation approaches applied to the avian lark genus *Alaudala*. *Molecular Phylogenetics and Evolution* 154 (2021) 106994.
- Austin, O. L. 1948. The Birds of Korea. *Bulletin of the Museum of Comparative Zoology at Harvard College*, Vol. 101 No.1.
- Austin, O. L. 1953. The birds of Japan: their status and distribution. *Bulletin of the Museum of Comparative Zoology*, Harvard 109 (4): 279-613.
- Baptista, L. F., P. W. Trail, H. M. Horblit, E. de Juana, C. J. Sharpe, and P. F. D. Boesman (2020). Japanese Wood-Pigeon (*Columba janthina*), version 1.0. In *Birds of the World* (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.jawpig1.01>
- Brazil, M. 1991. The birds of Japan. Published by Helm.
- Brazil, M. 2009. *Field Guide to the Birds of East Asia* (Helm Field Guides).
- Chalmers, M. 1986. *Annotated Checklist of the Birds of Hong Kong*. Fourth edition, published by the Hong Kong Birdwatching Society.
- Duckworth, J. M. & Moores, N. 2008. A re-evaluation of the pre-1948 Korean breeding avifauna: correcting a ‘founder effect’ in perceptions. *Forktail* 24: 25-47.
- Gill, F., Donsker, D. and Rasmussen, P. (Eds.). 2022. *IOC World Bird List*. v12.1. Accessed June-July 2022 at: <http://www.worldbirdnames.org>
- Gore, M. & Won P-O. 1971. *The Birds of Korea*. Published by the Royal Asiatic Society, Korea Branch.
- Gosler, A., P. Clement, and D. A. Christie (2020). Japanese Tit (*Parus minor*), version 1.0. In *Birds of the World* (S. M. Billerman, B. K. Keeney, P. G. Rodewald, and T. S. Schulenberg, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.gretit4.01>
- Kang, C. W. Kang, H. M., Kim, E. M., Park, C. Y., Jee, N. J. 2009. *A Fieldguide Book to the Bird of Jeju*. Onetreebook.
- Kim H, Mo Y, Choi C-Y, McComb BC and Betts MG (2021) Declines in Common and Migratory Breeding Landbird Species in South Korea Over the Past Two Decades. *Front. Ecol. Evol.* 9:627765. doi: 10.3389/fevo.2021.627765
- Kondratyev, A., Litvinenko, N., Shibaev, Y., Vyatkin, P. & Kondratyeva, L. 2000. The breeding seabirds of the Russian Far East: pages 37-82 in Kondratyev, A., Litvinenko, N. & Kaiser, G. (eds). 2000. *Seabirds of the Russian Far East*. Special Publication Canadian Wildlife Service.
- Lee, W. S., Gu, T. H. & Park, J. Y. 2014. *A Field Guide to the Birds of Korea*. LG Foundation.
- Livezey, B. C 2010. *The Linnean Society of London, Zoological Journal of the Linnean Society*, 2010, 160, 567–618.
- Melville, D., Gerisamov Y., Moores N., Yu Y-T. & Q. Bai. 2014. Conservation assessment of Far Eastern Oystercatcher *Haematopus [ostralegus] osculans*. (pp. 129-154). In Ens, B. & L. Underhill (Eds.). *Conservation Status of Oystercatchers around the World*. *International Wader Studies* 20, August

2014. International Wader Study Group. 192pp.)
- Moeliker, K. (2020). Japanese Paradise-Flycatcher (*Terpsiphone atrocaudata*), version 1.0. In Birds of the World (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.japfly1.01>
- Moores, N. 2012. The Distribution and Conservation of the Avian Biodiversity of Yellow Sea Habitats in the Republic of Korea. Unpublished doctoral thesis, University of Newcastle, Australia.
- Moores, N., Choi H-A. & Seliger, B. 2017. Seabirds in the Inner Border Area of Korea - Goseong County, Gangwon Province. A report on seabird research by Birds Korea and the Hanns Seidel Foundation (Korea).
- Moores, N., Kim, A. & Kim R. 2014. Status of Birds 2014. Birds Korea report on Bird Population Trends and Conservation Status in the Republic of Korea. Published by Birds Korea. September 2014.
- Nam T-K. 1950. A Hand-list of the Korean Birds. Published by the Seoul National University, Seoul.
- NIBR. 2008. 2009. 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017. Winter Waterbird Census of Korea (data for years 2008-2017). National Institute of Biological Resources, Incheon.
- NIBR. 2011. Red Data Book of Endangered Birds in Korea. National Institute of Environmental Research, Incheon.
- NIBR. 2010. Survey and Resource Management of wildlife. p97. National Institute of Biological Resources, Incheon.
- NIER. 2004, 2005, 2006, 2007. Winter Waterbird Census of Korea (data for years 1999-2007). National Institute of Environmental Research, Incheon.
- Nettleship, D. N. and G. M. Kirwan (2020). Japanese Murrelet (*Synthliboramphus wumizusume*), version 1.0. In Birds of the World (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.japmur1.01>
- Ornithological Society of Korea. 2009. Korean Bird Checklist.
- Park C-U., Ogura T., Kwak M-H. & Chae H-Y. 2013. First Breeding Record of Crested Murrelet (*Synthliboramphus wumizusume*) on Baek-do Islands, Dadoheahaesang National Park, Korea. Report uploaded on DBpia.
- Park J-G. 2014. Identification Guide to Birds of Korea. In series Checklists of Organisms in Korea 12. Published by Nature and Ecology, Seoul.
- Park J-G. 2022. Identification Guide to Birds of Korea. Field Guide Nature and Ecology. In series Checklist of Organisms in Korea 12. Revised second edition,
- Park J-Y. 2002. Current Status and Distribution of Birds in Korea. Unpublished doctoral thesis, Kyung Hee University, Republic of Korea.
- Round, P. & Dymond, N. 2022. Records of Northern Hawk-cuckoo *Hierococcyx hyperythrus* in Thailand and notes on their identification. *BirdingAsia* 37: 69-73.
- Senfeld, T., Shannon, T. J., Grouw, H., Pajmans, D. M., Tavares, E. S., Baker, A. J., Lees, A. C & Collinson, J. M. 2020. Taxonomic status of the extinct Canary Islands Oystercatcher *Haematopus meadewaldoi*. *Ibis*, 162 (3). pp. 1068-1074. ISSN 0019-1019
- Shorebird Network Korea. 2011, 2012, 2013, 2015. Shorebird Monitoring Report of Korea (data for years 2011-2014). Shorebird Network Korea Secretariat, Shinan County, Republic of Korea.
- Tyler, S. 2020. Japanese Wagtail (*Motacilla grandis*), version 1.0. In Birds of the World (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY,

- USA. <https://doi.org/10.2173/bow.japwag1.01>
- Wei C., Schweizer, M., Tomkovich, P.S., Arkhipov, V. Y, Romanov, M., Martinez, J., Lin X., Halimubieke N., Que P., Mu T., Huang Q., Zhang Z., Szekely, T. & Liu Y. 2022. Genome-wide data reveal parapyly in the sand plover complex (*Charadrius mongolus/leschenaultii*). *Ornithology*. Volume 139, Issue 2, April 2022.
- Won P-O. 1996. Checklist of the Birds of Korea. *Bulletin of Korean Institute of Ornithology*: Vol 5. No.1, 39-58.
- Won, B. O. & Kim, H. J. 2012. *The Birds of Korea*. Academybooks.